

Medical Policy Experimental and Investigational

Policy Number: 021

Overview

The purpose of this document is to describe the guidelines Mass General Brigham Health Plan utilizes to determine treatments that are considered experimental and investigational.

Coverage Guidelines

Mass General Brigham Health Plan covers services, procedures, devices, biologic products, and drugs (collectively "treatment") when there is sufficient scientific evidence to support their use or when the treatment is required by regulation.

The following guidelines are utilized to determine the extent to which scientific evidence is sufficient to support a treatment:

- 1. The treatment must have a final approval from the appropriate government regulatory bodies (for example, the Food and Drug Administration); and
- 2. The scientific evidence must demonstrate that conclusions pertaining to a treatment are based on sound scientific study methodology published in credible, peer-reviewed English-language journals. The following hierarchy of reliable evidence is used:
 - Systematic reviews and/or high-quality meta-analyses of randomized controlled trials with definitive results
 - b. Formal high-quality technology assessments
 - c. Well-designed, randomized, controlled, double-blind studies
 - d. Cohort studies
 - e. High quality case-control studies
 - f. Expert opinion from national professional medical societies or national medical policy organizations in the absence of definitive scientific data

Note: With respect to clinical studies, only those articles containing scientifically valid data and published in the credible, peer-reviewed medical and scientific literature shall be considered reliable evidence. Specifically, not included in the meaning of reliable evidence are reports, articles, or statements by providers or groups of providers containing only abstracts, anecdotal evidence, or personal professional opinions. Also, not included in the meaning of reliable evidence is when a provider or a number of providers have elected to adopt a device, medical treatment, or procedure as their personal treatment or procedure of choice or standard of practice.

- 3. The treatment must be proven to be safe and effective:
 - a. Beneficial effects on health outcomes must outweigh any harmful effects
 - b. Health outcomes are superior or comparable to established alternatives
 - c. Improvement in health outcomes have the potential to be realized outside the investigational setting
 - d. It is as cost effective as established treatments that produce similar outcomes



Medicare Variation

Mass General Brigham Health Plan uses guidance from the Centers for Medicare and Medicaid Services (CMS) for medical necessity determinations for its Medicare Advantage plan members. For an item to be considered for Medicare coverage, it must (1) fall within at least one benefit category established in Section 1861 of the Social Security Act (the Act); (2) Not be specifically excluded by the Act; and (3) Be "reasonable and necessary" for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member (Section 1862(a)(1)(A) of the Act). National Coverage Determinations (NCDs), Local Coverage Determinations (LCDs), Local Coverage Articles (LCAs) and documentation included in the Medicare manuals are the basis for medical necessity determinations. When there is no guidance from CMS for the requested service, Mass General Brigham Health Plan's medical policies are used to determine what services are "reasonable and necessary."

MassHealth Variation

Mass General Brigham Health Plan uses guidance from MassHealth for medical necessity determinations of its Mass General Brigham ACO members. When there is no guidance from MassHealth for the requested service, Mass General Brigham Health Plan's medical policies are used for medical necessity determinations. At the time of Mass General Brigham Health Plan's most recent policy review, MassHealth did not have medical necessity guidelines for experimental or investigational treatments.

OneCare and SCO Variation

Mass General Brigham Health Plan uses guidance from CMS for coverage determinations for its OneCare and SCO members. For an item to be considered for Medicare coverage, it must (1) fall within at least one benefit category established in Section 1861 of the Social Security Act (the Act); (2) Not be specifically excluded by the Act; and (3) Be "reasonable and necessary" for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member (Section 1862(a)(1)(A) of the Act). NCDs, LCDs, LCAs, and documentation included in the Medicare manuals are the basis for coverage determinations. When there is no guidance from CMS for the requested service, Mass General Brigham Health Plan uses medical necessity guidelines from MassHealth. When there is no guidance from CMS or from MassHealth, Mass General Brigham's medical policies are used to determine what services are "reasonable and necessary."

Exclusions

No benefits or reimbursement are provided for health care charges that are received for, or related to, care that Mass General Brigham Health Plan considers experimental and investigational services or procedures.

Definitions

<u>Experimental or Investigational:</u> A treatment, service, procedure, supply, device, biologic product, or drug (collectively "treatment") is experimental or investigational when scientific evidence to support its use is insufficient.

Relevant Regulations

Public Law 111 - 148 - Patient Protection and Affordable Care Act, Section 2709. Coverage for a Clinical Trial.

- (a) COVERAGE.
 - (1) IN GENERAL. —If a group health plan or a health insurance issuer offering group or individual health insurance coverage provides coverage to a qualified individual, then such plan or issuer—
 - (A) may not deny the individual participation in the clinical trial referred to in subsection (b)(2);



- (B) subject to subsection (c), may not deny (or limit or impose additional conditions on) the coverage of routine patient costs for items and services furnished in connection with participation in the trial; and
- (C) may not discriminate against the individual on the basis of the individual's participation in such trial.
- (2) ROUTINE PATIENT COSTS.
 - (A) INCLUSION. —For purposes of paragraph (1)(B), subject to subparagraph (B), routine patient costs include all items and services consistent with the coverage provided in the plan (or coverage) that is typically covered for a qualified individual who is not enrolled in a clinical trial.
 - (B) EXCLUSION. —For purposes of paragraph (1)(B), routine patient costs does not include
 - i. the investigational item, device, or service, itself;
 - ii. items and services that are provided solely to satisfy data collection and analysis needs and that are not used in the direct clinical management of the patient; or
 - iii. a service that is clearly inconsistent with widely accepted and established standards of care for a particular diagnosis.
- (3) USE OF IN-NETWORK PROVIDERS. —If one or more participating providers is participating in a clinical trial, nothing in paragraph (1) shall be construed as preventing a plan or issuer from requiring that a qualified individual participate in the trial through such a participating provider if the provider will accept the individual as a participant in the trial.
- (4) USE OF OUT-OF-NETWORK. —Notwithstanding paragraph (3), paragraph (1) shall apply to a qualified individual participating in an approved clinical trial that is conducted outside the State in which the qualified individual resides.
- (b) QUALIFIED INDIVIDUAL DEFINED. —For purposes of subsection (a), the term 'qualified individual' means an individual who is a participant or beneficiary in a health plan or with coverage described in subsection (a)(1) and who meets the following conditions:
 - (1) The individual is eligible to participate in an approved clinical trial according to the trial protocol with respect to treatment of cancer or other life-threatening disease or condition.
 - (2) Either-
 - (A) the referring health care professional is a participating health care provider and has concluded that the individual's participation in such trial would be appropriate based upon the individual meeting the conditions described in paragraph (1); or
 - (B) the participant or beneficiary provides medical and scientific information establishing that the individual's participation in such trial would be appropriate based upon the individual meeting the conditions described in paragraph (1).
- (c) LIMITATIONS ON COVERAGE. —This section shall not be construed to require a group health plan, or a health insurance issuer offering group or individual health insurance coverage, to provide benefits for routine patient care services provided outside of the plan's (or coverage's) health care provider network unless out-of-network benefits are otherwise provided under the plan (or coverage).
- (d) APPROVED CLINICAL TRIAL DEFINED.
 - (1) IN GENERAL. —In this section, the term 'approved clinical trial' means a phase I, phase II, phase III, or phase IV clinical trial that is conducted in relation to the prevention, detection, or treatment of cancer or other life-threatening disease or condition and is described in any of the following subparagraphs:



- (A) FEDERALLY FUNDED TRIALS. —The study or investigation is approved or funded (which may include funding through in-kind contributions) by one or more of the following:
 - i. The National Institutes of Health.
 - ii. The Centers for Disease Control and Prevention.
 - iii. The Agency for Health Care Research and Quality.
 - iv. The Centers for Medicare & Medicaid Services.
 - v. cooperative group or center of any of the entities described in clauses (i) through (iv) or the Department of Defense or the Department of Veterans Affairs.
 - vi. A qualified non-governmental research entity identified in the guidelines issued by the National Institutes of Health for center support grants.
 - vii. Any of the following if the conditions described in paragraph (2) are met:
 - I. The Department of Veterans Affairs.
 - II. The Department of Defense.
 - III. The Department of Energy.
- (B) The study or investigation is conducted under an investigational new drug application reviewed by the Food and Drug Administration.
- (C) The study or investigation is a drug trial that is exempt from having such an investigational new drug application.
- (2) CONDITIONS FOR DEPARTMENTS. —The conditions described in this paragraph, for a study or investigation conducted by a Department ("departments" as referenced above in vii.), are that the study or investigation has been reviewed and approved through a system of peer review that the Secretary (of the respective departments listed above in vii.) determines—
 - (A) to be comparable to the system of peer review of studies and investigations used by the National Institutes of Health, and
 - (B) assures unbiased review of the highest scientific standards by qualified individuals who have no interest in the outcome of the review.
- (e) LIFE-THREATENING CONDITION DEFINED. —In this section, the term 'life-threatening condition' means any disease or condition from which the likelihood of death is probable unless the course of the disease or condition is interrupted.

<u>General Laws of Massachusetts Part I, Title XXII Chapter 175: Section 47K –Off-label use drug use: cancer treatment</u>

No individual policy of accident and sickness insurance issued pursuant to section one hundred and eight which provides coverage for prescription drugs, nor any group blanket policy of accident and sickness insurance issued pursuant to section one hundred and ten which provides coverage for prescription drugs, shall exclude coverage of any such drug used for the treatment of cancer on the grounds that the off-label use of the drug has not been approved by the United States Food and Drug Administration for that indication; provided, however, that such drug is recognized for treatment of such indication in one of the standard reference compendia, or in the medical literature, or by the commissioner under the provisions of section forty-seven L.

General Laws of Massachusetts Part I, Title XXII Chapter 175: Sections 470 –HIV/AIDS treatment; insurance coverage for certain off-label use of prescription drugs

No individual policy of accident and sickness insurance issued or renewed pursuant to section one hundred and eight, which provides coverage for prescription drugs, nor any group blanket policy of accident and sickness



insurance issued pursuant to section one hundred and ten which provides coverage for prescription drugs, shall exclude coverage of any such drug for HIV/AIDS treatment on the grounds that the off-label use of the drug has not been approved by the federal food and drug administration for that indication, if such drug is recognized for treatment of such indication in one of the standard reference compendia, or in the medical literature, or by the commissioner under the provisions of section forty-seven P of this chapter.

<u>General Laws of Massachusetts Chapter 176G: Section 4G. Off-label use of prescription drugs for HIV/AIDS treatment</u>

Any individual or group health insurance maintenance contract which provides coverage for prescription drugs shall provide coverage for off-label uses of prescription drugs used in the treatment of HIV/AIDS as set forth in sections forty-seven O and forty-seven P of chapter one hundred and seventy-five.

The following CPT/HCPCS procedure codes are investigational and unproven and therefore not covered.

Code	Description
15011	Harvest of skin for skin cell suspension autograft; first 25 sq cm or less
	Harvest of skin for skin cell suspension autograft; each additional 25 sq cm or
15012	part thereof (List separately in addition to code for primary procedure)
	Preparation of skin cell suspension autograft, requiring enzymatic processing,
	manual mechanical disaggregation of skin cells, and filtration; first 25 sq cm or
15013	less of harvested skin
	Preparation of skin cell suspension autograft, requiring enzymatic processing,
	manual mechanical disaggregation of skin cells, and filtration; each additional
	25 sq cm of harvested skin or part thereof (List separately in addition to code
15014	for primary procedure)
	Application of skin cell suspension autograft to wound and donor sites,
	including application of primary dressing, trunk, arms, legs; first 480 sq cm or
15015	less
	Application of skin cell suspension autograft to wound and donor sites,
	including application of primary dressing, trunk, arms, legs; each additional 480
15016	sq cm or part thereof (List separately in addition to code for primary procedure)
	Application of skin cell suspension autograft to wound and donor sites,
45047	including application of primary dressing, face, scalp, eyelids, mouth, neck, ears,
15017	orbits, genitalia, hands, feet, and/or multiple digits; first 480 sq cm or less
	Application of skin cell suspension autograft to wound and donor sites,
	including application of primary dressing, face, scalp, eyelids, mouth, neck, ears,
45040	orbits, genitalia, hands, feet, and/or multiple digits; each additional 480 sq cm
15018	or part thereof (List separately in addition to code for primary procedure)
20560	Needle insertion(s) without injection(s); 1 or 2 muscle(s)
20561	Needle insertion(s) without injection(s); 3 or more muscles
	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral
22526	including fluoroscopic guidance; single
	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral
	including fluoroscopic guidance; 1 or more additional levels (List separately in
22527	addition to code for primary procedure)



	Total disc arthroplasty (artificial disc), anterior approach, including discectomy
	to prepare interspace (other than for decompression); second interspace,
22860	lumbar (List separately in addition to code for primary procedure)
	Insertion of interlaminar/interspinous process stabilization/distraction device,
	without fusion, including image guidance when performed, with open
22867	decompression, lumbar; single level
	Insertion of interlaminar/interspinous process stabilization/distraction device,
	without fusion, including image guidance when performed, with open
	decompression, lumbar; second level (List separately in addition to code for
22868	primary procedure)
	Insertion of interlaminar/interspinous process stabilization/distraction device,
	without open decompression or fusion, including image guidance when
22869	performed, lumbar; single level
	Insertion of interlaminar/interspinous process stabilization/distraction device,
	without open decompression or fusion, including image guidance when
	performed, lumbar; second level (List separately in addition to code for primary
22870	procedure)
	Arthrodesis, sacroiliac joint, percutaneous, with image guidance, including
	placement of intra-articular implant(s) (eg, bone allograft[s], synthetic
27278	device[s]), without placement of transfixation device
	Repair of nasal valve collapse with subcutaneous/submucosal lateral wall
30468	implant(s)
	Repair of nasal valve collapse with low energy, temperature-controlled (ie,
30469	radiofrequency) subcutaneous/submucosal remodeling
	Nasal/sinus endoscopy, surgical; with destruction by radiofrequency ablation,
31242	posterior nasal nerve
	Nasal/sinus endoscopy, surgical; with destruction by cryoablation, posterior
31243	nasal nerve
	Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s)
	including pleura or chest wall when involved by tumor extension, percutaneous,
32994	including imaging guidance when performed, unilateral; cryoablation
33275	Transcatheter removal of permanent leadless pacemaker, right ventricular
	Insertion of phrenic nerve stimulator system (pulse generator and stimulating
	lead[s]), including vessel catheterization, all imaging guidance, and pulse
33276	generator initial analysis with diagnostic mode activation, when performed
	Insertion of phrenic nerve stimulator transvenous sensing lead (List separately
33277	in addition to code for primary procedure)
	Removal of phrenic nerve stimulator, including vessel catheterization, all
	imaging guidance, and interrogation and programming, when performed;
33278	system, including pulse generator and lead(s)
	Removal of phrenic nerve stimulator, including vessel catheterization, all
	imaging guidance, and interrogation and programming, when performed;
33279	transvenous stimulation or sensing lead(s) only



	Damoval of phranic parva ctimulator, including vaccal cathotoxization, all
	Removal of phrenic nerve stimulator, including vessel catheterization, all
22200	imaging guidance, and interrogation and programming, when performed; pulse
33280	generator only
33281	Repositioning of phrenic nerve stimulator transvenous lead(s)
	Removal and replacement of phrenic nerve stimulator, including vessel
	catheterization, all imaging guidance, and interrogation and programming,
33287	when performed; pulse generator
	Removal and replacement of phrenic nerve stimulator, including vessel
	catheterization, all imaging guidance, and interrogation and programming,
33288	when performed; transvenous stimulation or sensing lead(s)
	Transcatheter placement and subsequent removal of cerebral embolic
	protection device(s), including arterial access, catheterization, imaging, and
	radiological supervision and interpretation, percutaneous (List separately in
33370	addition to code for primary procedure)
	Endovascular stent repair of coarctation of the ascending, transverse, or
	descending thoracic or abdominal aorta, involving stent placement; across
33894	major side branches
	Endovascular stent repair of coarctation of the ascending, transverse, or
	descending thoracic or abdominal aorta, involving stent placement; not crossing
33895	major side branches
	Percutaneous transluminal angioplasty of native or recurrent coarctation of the
33897	aorta
	Percutaneous pulmonary artery revascularization by stent placement, initial;
33900	normal native connections, unilateral
	Percutaneous pulmonary artery revascularization by stent placement, initial;
33901	normal native connections, bilateral
	Percutaneous pulmonary artery revascularization by stent placement, initial;
33902	abnormal connections, unilateral
	Percutaneous pulmonary artery revascularization by stent placement, initial;
33903	abnormal connections, bilateral
	Percutaneous pulmonary artery revascularization by stent placement, each
	additional vessel or separate lesion, normal or abnormal connections (List
33904	separately in addition to code for primary procedure)
	Endovascular repair of iliac artery at the time of aorto-iliac artery endograft
	placement by deployment of an iliac branched endograft including pre-
	procedure sizing and device selection, all ipsilateral selective iliac artery
	catheterization(s), all associated radiological supervision and interpretation, and
	all endograft extension(s) proximally to the aortic bifurcation and distally in the
	internal iliac, external iliac, and common femoral artery(ies), and treatment
	zone angioplasty/stenting, when performed, for rupture or other than rupture
	(eg, for aneurysm, pseudoaneurysm, dissection, arteriovenous malformation,
	penetrating ulcer, traumatic disruption), unilateral (List separately in addition to
34717	code for primary procedure)



	Endovascular repair of iliac artery, not associated with placement of an aorto-
	iliac artery endograft at the same session, by deployment of an iliac branched
	endograft, including pre-procedure sizing and device selection, all ipsilateral
	selective iliac artery catheterization(s), all associated radiological supervision
	and interpretation, and all endograft extension(s) proximally to the aortic
	bifurcation and distally in the internal iliac, external iliac, and common femoral
	artery(ies), and treatment zone angioplasty/stenting, when performed, for
	other than rupture (eg, for aneurysm, pseudoaneurysm, dissection,
34718	arteriovenous malformation, penetrating ulcer), unilateral
	Physician planning of a patient-specific fenestrated visceral aortic endograft
34839	requiring a minimum of 90 minutes of physician time
	Percutaneous arteriovenous fistula creation, upper extremity, single access of
	both the peripheral artery and peripheral vein, including fistula maturation
	procedures (eg, transluminal balloon angioplasty, coil embolization) when
	performed, including all vascular access, imaging guidance and radiologic
36836	supervision and interpretation
33030	Percutaneous arteriovenous fistula creation, upper extremity, separate access
	sites of the peripheral artery and peripheral vein, including fistula maturation
	· · · · · · · · · · · · · · · · · · ·
	procedures (eg, transluminal balloon angioplasty, coil embolization) when
2027	performed, including all vascular access, imaging guidance and radiologic
36837	supervision and interpretation
	Esophagogastroduodenoscopy, flexible, transoral; with delivery of thermal
42257	energy to the muscle of lower esophageal sphincter and/or gastric cardia, for
43257	treatment of gastroesophageal reflux disease
43285	Removal of esophageal sphincter augmentation device
	Esophagogastroduodenoscopy, flexible, transoral; with deployment of
43290	intragastric bariatric balloon
	Esophagogastroduodenoscopy, flexible, transoral; with removal of intragastric
43291	bariatric balloon(s)
	Gastric restrictive procedure, without gastric bypass, for morbid obesity;
43842	vertical-banded gastroplasty
	Gastric restrictive procedure, without gastric bypass, for morbid obesity; other
43843	than vertical-banded gastroplasty
	Insertion of transurethral ablation transducer for delivery of thermal ultrasound
	for prostate tissue ablation, including suprapubic tube placement during the
51721	same session and placement of an endorectal cooling device, when performed
	Cystourethroscopy, with mechanical urethral dilation and urethral therapeutic
	drug delivery by drug-coated balloon catheter for urethral stricture or stenosis,
52284	male, including fluoroscopy, when performed
	Periurethral transperineal adjustable balloon continence device; bilateral
53451	insertion, including cystourethroscopy and imaging guidance
	Periurethral transperineal adjustable balloon continence device; unilateral
53452	insertion, including cystourethroscopy and imaging guidance
33732	moethor, metaling cystodictinoscopy and imaging galdanec



	Periurethral transperineal adjustable balloon continence device; removal, each
53453	balloon
	Periurethral transperineal adjustable balloon continence device; percutaneous
53454	adjustment of balloon(s) fluid volume
	Cystourethroscopy with insertion of temporary device for ischemic remodeling
53865	(ie, pressure necrosis) of bladder neck and prostate
	Catheterization with removal of temporary device for ischemic remodeling (ie,
53866	pressure necrosis) of bladder neck and prostate
	Ablation of malignant prostate tissue, transrectal, with high intensity-focused
55880	ultrasound (HIFU), including ultrasound guidance
	Ablation of prostate tissue, transurethral, using thermal ultrasound, including
55881	magnetic resonance imaging guidance for, and monitoring of, tissue ablation;
	Ablation of prostate tissue, transurethral, using thermal ultrasound, including
	magnetic resonance imaging guidance for, and monitoring of, tissue ablation;
	with insertion of transurethral ultrasound transducer for delivery of thermal
	ultrasound, including suprapubic tube placement and placement of an
55882	endorectal cooling device, when performed
	Computer-aided mapping of cervix uteri during colposcopy, including optical
	dynamic spectral imaging and algorithmic quantification of the acetowhitening
57465	effect (List separately in addition to code for primary procedure)
	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic
	saline, enzyme) or mechanical means (eg, catheter) including radiologic
	localization (includes contrast when administered), multiple adhesiolysis
62263	sessions; 2 or more days
	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic
	saline, enzyme) or mechanical means (eg, catheter) including radiologic
	localization (includes contrast when administered), multiple adhesiolysis
62264	sessions; 1 day
	Injection(s), anesthetic agent(s) and/or steroid; genicular nerve branches,
64454	including imaging guidance, when performed
	Insertion or replacement of percutaneous electrode array, peripheral nerve,
64506	with integrated neurostimulator, including imaging guidance, when performed;
64596	initial electrode array
	Insertion or replacement of percutaneous electrode array, peripheral nerve,
	with integrated neurostimulator, including imaging guidance, when performed;
C4507	each additional electrode array (List separately in addition to code for primary
64597	procedure)
64500	Revision or removal of neurostimulator electrode array, peripheral nerve, with
64598	integrated neurostimulator Destruction by pourolytic agent, genicular perve branches including imaging
64624	Destruction by neurolytic agent, genicular nerve branches including imaging
64624	guidance, when performed
64722	Decompression; unspecified nerve(s) (specify)
66603	Implantation of iris prosthesis, including suture fixation and repair or removal of
66683	iris, when performed



	Insertion of drug-eluting implant, including punctal dilation when performed,
68841	into lacrimal canaliculus, each
	Medical physics dose evaluation for radiation exposure that exceeds
76145	institutional review threshold, including report
	Trabecular bone score (TBS), structural condition of the bone microarchitecture;
	using dual X-ray absorptiometry (DXA) or other imaging data on gray-scale
77089	variogram, calculation, with interpretation and report on fracture-risk
	Trabecular bone score (TBS), structural condition of the bone microarchitecture;
	technical preparation and transmission of data for analysis to be performed
77090	elsewhere
	Trabecular bone score (TBS), structural condition of the bone microarchitecture;
77091	technical calculation only
	Trabecular bone score (TBS), structural condition of the bone microarchitecture;
	interpretation and report on fracture-risk only by other qualified health care
77092	professional
80204	Methotrexate
80220	Hydroxychloroquine
	CCND1/IGH (t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major
81168	breakpoint, qualitative and quantitative, if performed
	NTRK1 (neurotrophic receptor tyrosine kinase 1) (eg, solid tumors) translocation
81191	analysis
	NTRK2 (neurotrophic receptor tyrosine kinase 2) (eg, solid tumors) translocation
81192	analysis
	NTRK3 (neurotrophic receptor tyrosine kinase 3) (eg, solid tumors) translocation
81193	analysis
	NTRK (neurotrophic-tropomyosin receptor tyrosine kinase 1, 2, and 3) (eg, solid
81194	tumors) translocation analysis
040=0	JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) targeted sequence
81279	analysis (eg, exons 12 and 13)
04303	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis, rs12979860
81283	variant
01220	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg,
81328	adverse drug reaction), gene analysis, common variant(s) (eg, *5)
01220	MPL (MPL proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative
81339	disorder) gene analysis; sequence analysis, exon 10
01246	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism), gene
81346	analysis, common variant(s) (eg, tandem repeat variant)
91257	TP53 (tumor protein 53) (eg, Li-Fraumeni syndrome) gene analysis; targeted sequence analysis (eg, 4 oncology)
81352	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using
81490	immunoassays, utilizing serum, prognostic algorithm reported as a disease activity score
01430	activity score



	Oncology (colon), mRNA, gene expression profiling by real-time RT-PCR of 12
	genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-
81525	embedded tissue, algorithm reported as a recurrence score
81323	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response
	by DAPI stain and morphology, predictive algorithm reported as a drug
81535	response score; first single drug or drug combination
01333	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response
	by DAPI stain and morphology, predictive algorithm reported as a drug
	response score; each additional single drug or drug combination (List separately
81536	in addition to code for primary procedure)
	Oncology (tumor of unknown origin), mRNA, gene expression profiling by real-
	time RT-PCR of 92 genes (87 content and 5 housekeeping) to classify tumor into
	main cancer type and subtype, utilizing formalin-fixed paraffin-embedded
	tissue, algorithm reported as a probability of a predicted main cancer type and
81540	subtype
	Oncology (prostate), mRNA gene expression profiling by real-time RT-PCR of 46
	genes (31 content and 15 housekeeping), utilizing formalin-fixed paraffin-
81541	embedded tissue, algorithm reported as a disease-specific mortality risk score
	Transplantation medicine (allograft rejection, pediatric liver and small bowel),
	measurement of donor and third-party-induced CD154+T-cytotoxic memory
04560	cells, utilizing whole peripheral blood, algorithm reported as a rejection risk
81560	score
82233	Beta-amyloid; 1-40 (Abeta 40)
82234	Beta-amyloid; 1-42 (Abeta 42)
82681	Estradiol; free, direct measurement (eg, equilibrium dialysis)
83529	Interleukin-6 (IL-6) (new code eff 1/1/2022)
83884	Neurofilament light chain (NfL)
84393	Tau, phosphorylated (eg, pTau 181, pTau 217), each
84394	Tau, total (tTau)
86015	Actin (smooth muscle) antibody (ASMA), each
86036	Antineutrophil cytoplasmic antibody (ANCA); screen, each antibody
86037	Antineutrophil cytoplasmic antibody (ANCA); titer, each antibody
	Aquaporin-4 (neuromyelitis optica [NMO]) antibody; flow cytometry (ie,
86053	fluorescence-activated cell sorting [FACS]), each
86231	Endomysial antibody (EMA), each immunoglobulin (Ig) class
	Myelin oligodendrocyte glycoprotein (MOG-lgG1) antibody; cell-based
86362	immunofluorescence assay (CBA), each
	Myelin oligodendrocyte glycoprotein (MOG-lgG1) antibody; flow cytometry (ie,
86363	fluorescence-activated cell sorting [FACS]), each
86596	Voltage-gated calcium channel antibody, each
	Infectious agent antigen detection by immunoassay technique (eg, enzyme
87467	immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence



	immunoassay [FIA], immunochemiluminometric assay [IMCA]), qualitative or
	semiquantitative; Hepatitis B surface antigen (HBsAg), quantitative
	Infectious agent genotype analysis by nucleic acid (DNA or RNA); severe acute
	respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-
87913	19]), mutation identification in targeted region(s)
90584	Dengue vaccine, quadrivalent, live, 2 dose schedule, for subcutaneous use
90593	Chikungunya virus vaccine, recombinant, for intramuscular use
90595	Influenza virus vaccine, quadrivalent (qIRV), mRNA; 30 mcg/0.5 mL dosage, for
90637	intramuscular use
30037	Influenza virus vaccine, quadrivalent (qIRV), mRNA; 60 mcg/0.5 mL dosage, for
90638	intramuscular use
90678	Respiratory syncytial virus vaccine, preF, subunit, bivalent, for intramuscular use
90078	Respiratory syncytial virus vaccine, mRNA lipid nanoparticles, for intramuscular
90683	
	USE
90880	Hypnotherapy Costs intestinal tractions introduced (or consule and cosess) color with
01112	Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), colon, with
91113	interpretation and report
	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
	disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for
91308	intramuscular use
91306	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
	disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative
91314	free, 25 mcg/0.25 mL dosage, for intramuscular use
91314	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
	disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative
	free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for
91315	intramuscular use
31313	Corneal hysteresis determination, by air impulse stimulation, unilateral or
92145	bilateral, with interpretation and report
	Percutaneous transluminal coronary lithotripsy (List separately in addition to
92972	code for primary procedure)
	Arterial pressure waveform analysis for assessment of central arterial pressures,
	includes obtaining waveform(s), digitization and application of nonlinear
	mathematical transformations to determine central arterial pressures and
	augmentation index, with interpretation and report, upper extremity artery,
93050	non-invasive
	Therapy activation of implanted phrenic nerve stimulator system, including all
93150	interrogation and programming
	Interrogation and programming (minimum one parameter) of implanted
93151	phrenic nerve stimulator system
	Interrogation and programming of implanted phrenic nerve stimulator system
93152	during polysomnography



Interrogation without programming of implanted phrenic nerve stimulator
system
Remote monitoring of a wireless pulmonary artery pressure sensor for up to 30
days, including at least weekly downloads of pulmonary artery pressure
recordings, interpretation(s), trend analysis, and report(s) by a physician or
other qualified health care
Myocardial strain imaging using speckle tracking-derived assessment of
myocardial mechanics (List separately in addition to codes for echocardiography
imaging)
Bioimpedance spectroscopy (BIS), extracellular fluid analysis for lymphedema
assessment(s)
Temperature gradient studies
Quantitative pupillometry with physician or other qualified health care
professional interpretation and report, unilateral or bilateral
Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of
skin; image acquisition and interpretation and report, first lesion
Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of
skin; image acquisition only, first lesion
Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of
skin; interpretation and report only, first lesion
Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of
skin; image acquisition and interpretation and report, each additional lesion
(List separately in addition to code for primary procedure)
Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of
skin; image acquisition only, each additional lesion (List separately in addition to
code for primary procedure)
Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of
skin; interpretation and report only, each additional lesion (List separately in
addition to code for primary procedure)
Application of a modality to 1 or more areas; low-level laser therapy (ie,
nonthermal and non-ablative) for post-operative pain reduction
diagnostic test of saliva to determine hormone levels (estrogen, testosterone)
and bio idential hormone replacement therapy
Oncology (hepatic), mRNA expression levels of 161 genes, utilizing fresh
hepatocellular carcinoma tumor tissue, with alpha-fetoprotein level, algorithm
reported as a risk classifier
Oncology (gastrointestinal neuroendocrine tumors), real-time PCR expression
analysis of 51 genes, utilizing whole peripheral blood, algorithm reported as a
nomogram of tumor disease index
Computer-assisted musculoskeletal surgical navigational orthopedic procedure,
with image-guidance based on fluoroscopic images (List separately in addition
to code for primary procedure)



	Computer-assisted musculoskeletal surgical navigational orthopedic procedure,
00557	with image-guidance based on CT/MRI images (List separately in addition to
0055T	code for primary procedure)
00747	Focused ultrasound ablation of uterine leiomyomata, including MR guidance;
0071T	total leiomyomata volume less than 200 cc of tissue
00707	Focused ultrasound ablation of uterine leiomyomata, including MR guidance;
0072T	total leiomyomata volume greater or equal to 200 cc of tissue
	Transcatheter placement of extracranial vertebral artery stent(s), including
0075T	radiologic supervision and interpretation, open or percutaneous; initial vessel
	Transcatheter placement of extracranial vertebral artery stent(s), including
	radiologic supervision and interpretation, open or percutaneous; each
0076T	additional vessel (List separately in addition to code for primary procedure)
	Infectious disease (bacterial and fungal), organism identification, blood culture,
	using rRNA FISH, 6 or more organism targets, reported as positive or negative
	with phenotypic minimum inhibitory concentration (MIC)-based antimicrobial
0086U	susceptibility
	Oncology (colorectal) screening, cell enumeration of circulating tumor cells,
	utilizing whole blood, algorithm, for the presence of adenoma or cancer,
0091U	reported as a positive or negative result
	Oncology (lung), three protein biomarkers, immunoassay using magnetic
	nanosensor technology, plasma, algorithm reported as risk score for likelihood
0092U	of malignancy
	Prescription drug monitoring, evaluation of 65 common drugs by LC-MS/MS,
0093U	urine, each drug reported detected or not detected
	Removal of total disc arthroplasty (artificial disc), anterior approach, each
	additional interspace, cervical (List separately in addition to code for primary
0095T	procedure)
	Inflammation (eosinophilic esophagitis), ELISA analysis of eotaxin-3 (CCL26 [C-C
	motif chemokine ligand 26]) and major basic protein (PRG2 [proteoglycan 2, pro
	eosinophil major basic protein]), specimen obtained by swallowed nylon string,
	algorithm reported as predictive probability index for active eosinophilic
0095U	esophagitis
	Human papillomavirus (HPV), high-risk types (ie, 16, 18, 31, 33, 35, 39, 45, 51,
0096U	52, 56, 58, 59, 66, 68), male urine
	Revision including replacement of total disc arthroplasty (artificial disc), anterior
	approach, each additional interspace, cervical (List separately in addition to
0098T	code for primary procedure)
	Placement of a subconjunctival retinal prosthesis receiver and pulse generator,
0100T	and implantation of intra-ocular retinal electrode array, with vitrectomy
	Extracorporeal shock wave involving musculoskeletal sys- tem, not otherwise
	specified; high energy
0101T	SpaceOAR



	Extracorporeal shock wave, high energy, performed by a physician, requiring
	anesthesia other than local, involving lateral humeral epicondyle
0102T	SpaceOAR
	Nephrology (chronic kidney disease), multiplex electrochemiluminescent
	immunoassay (ECLIA) of tumor necrosis factor receptor 1A, receptor
	superfamily 2 (TNFR1, TNFR2), and kidney injury molecule-1 (KIM-1) combined
	with longitudinal clinical data, including APOL1 genotype if available, and
	plasma (isolated fresh or frozen), algorithm reported as probability score for
0105U	rapid kidney function decline (RKFD)
	Quantitative sensory testing (QST), testing and interpretation per extremity;
0106T	using touch pressure stimuli to assess large diameter sensation
	Gastric emptying, serial collection of 7 timed breath specimens, non-
	radioisotope carbon-13 (13C) spirulina substrate, analysis of each specimen by
0106U	gas isotope ratio mass spectrometry, reported as rate of 13CO2 excretion
	Quantitative sensory testing (QST), testing and interpretation per extremity;
0107T	using vibration stimuli to assess large diameter fiber sensation
	Clostridium difficile toxin(s) antigen detection by immunoassay technique, stool,
0107U	qualitative, multiple-step method
	Quantitative sensory testing (QST), testing and interpretation per extremity;
0108T	using cooling stimuli to assess small nerve fiber sensation and hyperalgesia
	Gastroenterology (Barrett's esophagus), whole slide-digital imaging, including
	morphometric analysis, computer-assisted quantitative immunolabeling of 9
	protein biomarkers (p16, AMACR, p53, CD68, COX-2, CD45RO, HIF1a, HER-2,
	K20) and morphology, formalin-fixed paraffin-embedded tissue, algorithm
0108U	reported as risk of progression to high-grade dysplasia or cancer
	Quantitative sensory testing (QST), testing and interpretation per extremity;
0109T	using heat-pain stimuli to assess small nerve fiber sensation and hyperalgesia
	Infectious disease (Aspergillus species), real-time PCR for detection of DNA from
	4 species (A. fumigatus, A. terreus, A. niger, and A. flavus), blood, lavage fluid,
0109U	or tissue, qualitative reporting of presence or absence of each species
	Quantitative sensory testing (QST), testing and interpretation per extremity;
0110T	using other stimuli to assess sensation
	Prescription drug monitoring, one or more oral oncology drug(s) and
	substances, definitive tandem mass spectrometry with chromatography, serum
	or plasma from capillary blood or venous blood, quantitative report with
0110U	steady-state range for the prescribed drug(s) when detected
	Infectious agent detection and identification, targeted sequence analysis (16S
0112U	and 18S rRNA genes) with drug-resistance gene
	Respiratory infectious agent detection by nucleic acid (DNA and RNA), 18 viral
	types and subtypes and 2 bacterial targets, amplified probe technique, including
	multiplex reverse transcription for RNA targets, each analyte reported as
0115U	detected or not detected
	Prescription drug monitoring, enzyme immunoassay of 35 or more drugs
0116U	confirmed with LC-MS/MS, oral fluid, algorithm results reported as a patient-



liance measurement with risk of drug to drug interactions for prescribed cations
management, analysis of 11 endogenous analytes (methylmalonic acid,
urenic acid, homocysteine, pyroglutamic acid, vanilmandelate, 5-
oxyindoleacetic acid, hydroxymethylglutarate, ethylmalonate, 3-
exypropyl mercapturic acid (3-HPMA), quinolinic acid, kynurenic acid), LC-
1S, urine, algorithm reported as a pain-index score with likelihood of
cal biochemical function associated with pain
ology, ceramides by liquid chromatography—tandem mass spectrometry,
na, quantitative report with risk score for major cardiovascular events
ion, cryosurgical, of fibroadenoma, including ultrasound guidance, each
adenoma
cell disease, microfluidic flow adhesion (VCAM-1), whole blood
cell disease, microfluidic flow adhesion (P-Selectin), whole blood
anical fragility, RBC, shear stress and spectral analysis profiling
r gastrointestinal endoscopy, including esophagus, stomach, and either
uodenum and/or jejunum as appropriate, with injection of implant
rial into and along the muscle of the lower esophageal sphincter (eg, for
ment of gastroesophageal reflux disease)
ion, renal tumor(s), unilateral, percutaneous, cryotherapy
ious disease (fungi), fungal pathogen identification, DNA (15 fungal
ts), blood culture, amplified probe technique, each target reported as
ted or not detected
ious disease (bacteria and fungi), gram-positive organism identification
rug resistance element detection, DNA (20 gram-positive bacterial targets,
stance genes, 1 pan gram-negative bacterial target, 1 pan Candida target),
culture, amplified probe technique, each target reported as detected or
etected
cious disease (bacteria and fungi), gram-negative bacterial identification
rug resistance element detection, DNA (21 gram-negative bacterial
ts, 6 resistance genes, 1 pan gram-positive bacterial target, 1 pan Candida
t), amplified probe technique, each target reported as detected or not
assay, definitive, 120 or more drugs or metabolites, urine, quantitative
chromatography with tandem mass spectrometry (LC-MS/MS) using
ple reaction monitoring (MRM), with drug or metabolite description,
nents including sample validation, per date of service
inization administration by intramuscular injection of severe acute
ratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-
raccine, mRN-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25
osage, booster dose
assay, definitive, 160 or more drugs or metabolites, urine, quantitative
chromatography with tandem mass spectrometry (LC-MS/MS) using
100/CC 11 a 4 4 1 4 4 6 5 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7



	multiple reaction monitoring (MRM), with drug or metabolite description,
	comments including sample validation, per date of service
	Drug assay, definitive, 65 or more drugs or metabolites, urine, quantitative
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using
04.4511	multiple reaction monitoring (MRM), with drug or metabolite description,
0145U	comments including sample validation, per date of service
	Drug assay, definitive, 80 or more drugs or metabolites, urine, by quantitative
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using
	multiple reaction monitoring (MRM), with drug or metabolite description,
0146U	comments including sample validation, per date of service
	Drug assay, definitive, 85 or more drugs or metabolites, urine, quantitative
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using
	multiple reaction monitoring (MRM), with drug or metabolite description,
0147U	comments including sample validation, per date of service
	Drug assay, definitive, 100 or more drugs or metabolites, urine, quantitative
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using
	multiple reaction monitoring (MRM), with drug or metabolite description,
0148U	comments including sample validation, per date of service
	Drug assay, definitive, 60 or more drugs or metabolites, urine, quantitative
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using
	multiple reaction monitoring (MRM), with drug or metabolite description,
0149U	comments including sample validation, per date of service
0 - 10 0	Drug assay, definitive, 120 or more drugs or metabolites, urine, quantitative
	liquid chromatography with tandem mass spectrometry (LC-MS/MS) using
	multiple reaction monitoring (MRM), with drug or metabolite description,
0150U	comments including sample validation, per date of service
01300	Infectious disease (bacteria, fungi, parasites, and DNA viruses), DNA, PCR and
	next-generation sequencing, plasma, detection of >1,000 potential microbial
0152U	organisms for significant positive pathogens
01320	FGFR3 (fibroblast growth factor receptor 3) gene analysis (ie, p.R248C
015411	[c.742C>T], p.S249C [c.746C>G], p.G370C [c.1108G>T], p.Y373C [c.1118A>G],
0154U	FGFR3-TACC3v1, and FGFR3-TACC3v3)
	PIK3CA (phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit alpha)
	(eg, breast cancer) gene analysis (ie, p.C420R, p.E542K, p.E545A, p.E545D
	[g.1635G>T only], p.E545G, p.E545K, p.Q546E, p.Q546R, p.H1047L, p.H1047R,
0155U	p.H1047Y)
	Oncology (colorectal) screening, biochemical enzyme-linked immunosorbent
	assay (ELISA) of 3 plasma or serum proteins (teratocarcinoma derived growth
	factor-1 [TDGF-1, Cripto-1], carcinoembryonic antigen [CEA], extracellular
	matrix protein [ECM]), with demographic data (age, gender, CRC-screening
	compliance) using a proprietary algorithm and reported as likelihood of CRC or
0163U	advanced adenomas
	Removal of total disc arthroplasty, (artificial disc), anterior approach, each
	additional interspace, lumbar (List separately in addition to code for primary
0164T	procedure)
	Removal of total disc arthroplasty, (artificial disc), anterior approach, each additional interspace, lumbar (List separately in addition to code for primary



	Gastroenterology (irritable bowel syndrome [IBS]), immunoassay for anti-CdtB
	and anti-vinculin antibodies, utilizing plasma, algorithm for elevated or not
0164U	elevated qualitative results
	Revision including replacement of total disc arthroplasty (artificial disc), anterior
	approach, each additional interspace, lumbar (List separately in addition to
0165T	code for primary procedure)
	Peanut allergen-specific IgE and quantitative assessment of 64 epitopes using
	enzyme-linked immunosorbent assay (ELISA), blood, individual epitope results
0165U	and interpretation
	Liver disease, 10 biochemical assays (?2-macroglobulin, haptoglobin,
	apolipoprotein A1, bilirubin, GGT, ALT, AST, triglycerides, cholesterol, fasting
	glucose) and biometric and demographic data, utilizing serum, algorithm
	reported as scores for fibrosis, necroinflammatory activity, and steatosis with a
0166U	summary interpretation
	Gonadotropin, chorionic (hCG), immunoassay with direct optical observation,
0167U	blood
	Computer-aided detection (CAD) (computer algorithm analysis of digital image
	data for lesion detection) with further physician review for interpretation and
	report, with or without digitization of film radiographic images, chest
	radiograph(s), performed concurrent with primary interpretation (List
0174T	separately in addition to code for primary procedure)
	Oncology (solid tumor), mass spectrometric 30 protein targets, formalin-fixed
	paraffin-embedded tissue, prognostic and predictive algorithm reported as
	likely, unlikely, or uncertain benefit of 39 chemotherapy and targeted
0174U	therapeutic oncology agents
	Computer-aided detection (CAD) (computer algorithm analysis of digital image
	data for lesion detection) with further physician review for interpretation and
	report, with or without digitization of film radiographic images, chest
0175T	radiograph(s), performed remote from primary interpretation
	Cytolethal distending toxin B (CdtB) and vinculin IgG antibodies by
0176U	immunoassay (ie, ELISA)
	Oncology (breast cancer), DNA, PIK3CA (phosphatidylinositol-4,5-bisphosphate
	3-kinase catalytic subunit alpha) gene analysis of 11 gene variants utilizing
0177U	plasma, reported as PIK3CA gene mutation status
	Peanut allergen-specific quantitative assessment of multiple epitopes using
	enzyme-linked immunosorbent assay (ELISA), blood, report of minimum eliciting
0178U	exposure for a clinical reaction
	Red cell antigen (ABO blood group) genotyping (ABO), gene analysis
	Sanger/chain termination/conventional sequencing, ABO (ABO, alpha 1-3-N-
	acetylgalactosaminyltransferase and alpha 1-3-galactosyltransferase) gene,
0180U	including subtyping, 7 exons
	Red cell antigen (Colton blood group) genotyping (CO), gene analysis, AQP1
0181U	(aquaporin 1 [Colton blood group]) exon 1
	Red cell antigen (Cromer blood group) genotyping (CROM), gene analysis, CD55
0182U	(CD55 molecule [Cromer blood group]) exons 1-10



	Red cell antigen (Diego blood group) genotyping (DI), gene analysis, SLC4A1
0183U	(solute carrier family 4 member 1 [Diego blood group]) exon 19
01000	Red cell antigen (Dombrock blood group) genotyping (DO), gene analysis, ART4
0184U	(ADP-ribosyltransferase 4 [Dombrock blood group]) exon 2
010.10	Red cell antigen (H blood group) genotyping (FUT1), gene analysis, FUT1
0185U	(fucosyltransferase 1 [H blood group]) exon 4
01030	Red cell antigen (H blood group) genotyping (FUT2), gene analysis, FUT2
0186U	(fucosyltransferase 2) exon 2
01000	Red cell antigen (Duffy blood group) genotyping (FY), gene analysis, ACKR1
0187U	(atypical chemokine receptor 1 [Duffy blood group]) exons 1-2
01070	Red cell antigen (Gerbich blood group) genotyping (GE), gene analysis, GYPC
0188U	(glycophorin C [Gerbich blood group]) exons 1-4
01000	Red cell antigen (MNS blood group) genotyping (GYPA), gene analysis, GYPA
0189U	(glycophorin A [MNS blood group]) introns 1, 5, exon 2
01030	Red cell antigen (MNS blood group) genotyping (GYPB), gene analysis, GYPB
0190U	(glycophorin B [MNS blood group]) introns 1, 5, pseudoexon 3
01300	Red cell antigen (Indian blood group) genotyping (IN), gene analysis, CD44
0191U	(CD44 molecule [Indian blood group]) exons 2, 3, 6
01310	Red cell antigen (Kidd blood group) genotyping (JK), gene analysis, SLC14A1
0192U	(solute carrier family 14 member 1 [Kidd blood group]) gene promoter, exon 9
01920	Red cell antigen (JR blood group) genotyping (JR), gene analysis, ABCG2 (ATP
0193U	binding cassette subfamily G member 2 [Junior blood group]) exons 2-26
01930	Red cell antigen (Kell blood group) genotyping (KEL), gene analysis, KEL (Kell
0194U	metallo-endopeptidase [Kell blood group]) exon 8
0195U	KLF1 (Kruppel-like factor 1), targeted sequencing (ie, exon 13)
040611	Red cell antigen (Lutheran blood group) genotyping (LU), gene analysis, BCAM
0196U	(basal cell adhesion molecule [Lutheran blood group]) exon 3
	Red cell antigen (Landsteiner-Wiener blood group) genotyping (LW), gene
010711	analysis, ICAM4 (intercellular adhesion molecule 4 [Landsteiner-Wiener blood
0197U	group]) exon 1
0100T	Measurement of ocular blood flow by repetitive intraocular pressure sampling,
0198T	with interpretation and report
	Red cell antigen (RH blood group) genotyping (RHD and RHCE), gene analysis
010011	Sanger/chain termination/conventional sequencing, RHD (Rh blood group D
0198U	antigen) exons 1-10 and RHCE (Rh blood group CcEe antigens) exon 5
040011	Red cell antigen (Scianna blood group) genotyping (SC), gene analysis, ERMAP
0199U	(erythroblast membrane associated protein [Scianna blood group]) exons 4, 12
	Percutaneous sacral augmentation (sacroplasty), unilateral injection(s),
02007	including the use of a balloon or mechanical device, when used, 1 or more
0200T	needles, includes imaging guidance and bone biopsy, when performed
020011	Red cell antigen (Kx blood group) genotyping (XK), gene analysis, XK (X-linked Kx
0200U	blood group) exons 1-3



	Percutaneous sacral augmentation (sacroplasty), bilateral injections, including
	the use of a balloon or mechanical device, when used, 2 or more needles,
0201T	includes imaging guidance and bone biopsy, when performed
02011	Red cell antigen (Yt blood group) genotyping (YT), gene analysis, ACHE
0201U	(acetylcholinesterase [Cartwright blood group]) exon 2
02010	Posterior vertebral joint(s) arthroplasty (eg, facet joint[s] replacement),
	including facetectomy, laminectomy, foraminotomy, and vertebral column
	fixation, injection of bone cement, when performed, including fluoroscopy,
0202T	single level, lumbar spine
	Neurology (Alzheimer disease); cell aggregation using morphometric imaging
	and protein kinase C-epsilon (PKCe) concentration in response to
	amylospheroid treatment by ELISA, cultured skin fibroblasts, each reported as
0206U	positive or negative for Alzheimer disease
	Evacuation of meibomian glands, automated, using heat and intermittent
0207T	pressure, unilateral
	Neurology (Alzheimer disease); quantitative imaging of phosphorylated ERK1
	and ERK2 in response to bradykinin treatment by in situ immunofluorescence,
	using cultured skin fibroblasts, reported as a probability index for Alzheimer
0207U	disease (List separately in addition to code for primary procedure)
0209T	Pure tone audiometry (threshold), automated; air and bone
0210T	Speech audiometry threshold, automated
0210U	Syphilis test, non-treponemal antibody, immunoassay, quantitative (RPR)
0211T	Speech audiometry threshold, automated; with speech recognition
	Comprehensive audiometry threshold evaluation and speech recognition
0212T	(0209T, 0211T combined), automated
	Injection(s), diagnostic or therapeutic agent, paravertebral facet
	(zygapophyseal) joint (or nerves innervating that joint) with ultrasound
0213T	guidance, cervical or thoracic; single level
	Injection(s), diagnostic or therapeutic agent, paravertebral facet
	(zygapophyseal) joint (or nerves innervating that joint) with ultrasound
	guidance, cervical or thoracic; second level (List separately in addition to code
0214T	for primary procedure)
	Injection(s), diagnostic or therapeutic agent, paravertebral facet
	(zygapophyseal) joint (or nerves innervating that joint) with ultrasound
	guidance, cervical or thoracic; third and any additional level(s) (List separately in
0215T	addition to code for primary procedure)
	Injection(s), diagnostic or therapeutic agent, paravertebral facet
0046	(zygapophyseal) joint (or nerves innervating that joint) with ultrasound
0216T	guidance, lumbar or sacral; single level
	Injection(s), diagnostic or therapeutic agent, paravertebral facet
	(zygapophyseal) joint (or nerves innervating that joint) with ultrasound
0247T	guidance, lumbar or sacral; second level (List separately in addition to code for
0217T	primary procedure)



	Injection(s), diagnostic or therapeutic agent, paravertebral facet
	(zygapophyseal) joint (or nerves innervating that joint) with ultrasound
	guidance, lumbar or sacral; third and any additional level(s) (List separately in
0210T	
0218T	addition to code for primary procedure)
	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including
0210T	imaging and placement of bone graft(s) or synthetic device(s), single level;
0219T	cervical
	Infectious agent (human immunodeficiency virus), targeted viral next-
021011	generation sequence analysis (ie, protease [PR], reverse transcriptase [RT],
0219U	integrase [INT]), algorithm reported as prediction of antiviral drug susceptibility
	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including
0220T	imaging and placement of bone graft(s) or synthetic device(s), single level;
0220T	thoracic
	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including
0224T	imaging and placement of bone graft(s) or synthetic device(s), single level;
0221T	lumbar
	Red cell antigen (ABO blood group) genotyping (ABO), gene analysis, next-
022411	generation sequencing, ABO (ABO, alpha 1-3-N-acetylgalactosaminyltransferase
0221U	and alpha 1-3-galactosyltransferase) gene
	Placement of a posterior intrafacet implant(s), unilateral or bilateral, including
	imaging and placement of bone graft(s) or synthetic device(s), single level; each
02227	additional vertebral segment (List separately in addition to code for primary
0222T	procedure)
	Red cell antigen (RH blood group) genotyping (RHD and RHCE), gene analysis,
022211	next-generation sequencing, RH proximal promoter, exons 1-10, portions of
0222U	introns 2-3
	Infectious disease (bacterial or viral respiratory tract infection), pathogen-
	specific nucleic acid (DNA or RNA), 22 targets including severe acute respiratory
022211	syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR, nasopharyngeal
0223U	swab, each pathogen reported as detected or not detected
0224U	Antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)
02240	(Coronavirus disease [COVID-19]), includes titer(s), when performed
	Surrogate viral neutralization test (sVNT), severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), ELISA, plasma,
0226U	
02200	Serum Drug assay prosumptive 20 or more drugs or metabolites uring liquid
	Drug assay, presumptive, 30 or more drugs or metabolites, urine, liquid
	chromatography with tandem mass spectrometry (LC-MS/MS) using multiple
022711	reaction monitoring (MRM), with drug or metabolite description, includes
0227U	sample validation Injection(s), platelet rich plasma, any site, including image guidance, harvesting
0222T	
0232T	and preparation when performed
0224T	Transluminal peripheral atherectomy, open or percutaneous, including
0234T	radiological supervision and interpretation; renal artery



	Transluminal peripheral atherectomy, open or percutaneous, including
	radiological supervision and interpretation; visceral artery (except renal), each
0235T	vessel
	Transluminal peripheral atherectomy, open or percutaneous, including
0236T	radiological supervision and interpretation; abdominal aorta
	Transluminal peripheral atherectomy, open or percutaneous, including
	radiological supervision and interpretation; brachiocephalic trunk and branches,
0237T	each vessel
	Transluminal peripheral atherectomy, open or percutaneous, including
0238T	radiological supervision and interpretation; iliac artery, each vessel
	Obstetrics (preeclampsia), biochemical assay of placental-growth factor, time-
	resolved fluorescence immunoassay, maternal serum, predictive algorithm
0243U	reported as a risk score for preeclampsia
	Obstetrics (preterm birth), insulin-like growth factor-binding protein 4 (IBP4),
	sex hormone-binding globulin (SHBG), quantitative measurement by LC-MS/MS,
	utilizing maternal serum, combined with clinical data, reported as predictive-
0247U	risk stratification for spontaneous preterm birth
	Oncology (brain), spheroid cell culture in a 3D microenvironment, 12 drug
0248U	panel, tumor-response prediction for each drug
	Oncology (breast), semiquantitative analysis of 32 phosphoproteins and protein
	analytes, includes laser capture microdissection, with algorithmic analysis and
0249U	interpretative report
0251U	Hepcidin-25, enzyme-linked immunosorbent assay (ELISA), serum or plasma
	Insertion of anterior segment aqueous drainage device, without extraocular
0253T	reservoir, internal approach, into the suprachoroidal space
	Andrology (infertility), sperm-capacitation assessment of ganglioside GM1
	distribution patterns, fluorescence microscopy, fresh or frozen specimen,
	reported as percentage of capacitated sperm and probability of generating a
0255U	pregnancy score
	Trimethylamine/trimethylamine N-oxide (TMA/TMAO) profile, tandem mass
0256U	spectrometry (MS/MS), urine, with algorithmic analysis and interpretive report
	Very long chain acyl-coenzyme A (CoA) dehydrogenase (VLCAD), leukocyte
0257U	enzyme activity, whole blood
	Nephrology (chronic kidney disease), nuclear magnetic resonance spectroscopy
	measurement of myo-inositol, valine, and creatinine, algorithmically combined
	with cystatin C (by immunoassay) and demographic data to determine
0259U	estimated glomerular filtration rate (GFR), serum, quantitative
	Oncology (colorectal cancer), image analysis with artificial intelligence
	assessment of 4 histologic and immunohistochemical features (CD3 and CD8
	within tumor-stroma border and tumor core), tissue, reported as immune
0261U	response and recurrence-risk score
	Intramuscular autologous bone marrow cell therapy, with preparation of
0263T	harvested cells, multiple injections, one leg, including ultrasound guidance, if



	porformed, complete procedure including unilateral architectural horses
	performed; complete procedure including unilateral or bilateral bone marrow harvest
	Neurology (autism spectrum disorder [ASD]), quantitative measurements of 16
	central carbon metabolites (ie, \aketoglutarate, alanine, lactate, phenylalanine,
	pyruvate, succinate, carnitine, citrate, fumarate, hypoxanthine, inosine, malate,
	S-sulfocysteine, taurine, urate, and xanthine), liquid chromatography tandem
	mass spectrometry (LC-MS/MS), plasma, algorithmic analysis with result
0263U	reported as negative or positive (with metabolic subtypes of ASD)
02000	Intramuscular autologous bone marrow cell therapy, with preparation of
	harvested cells, multiple injections, one leg, including ultrasound guidance, if
0264T	performed; complete procedure excluding bone marrow harvest
0_0	Intramuscular autologous bone marrow cell therapy, with preparation of
	harvested cells, multiple injections, one leg, including ultrasound guidance, if
	performed; unilateral or bilateral bone marrow harvest only for intramuscular
0265T	autologous bone marrow cell therapy
	Implantation or replacement of carotid sinus baroreflex activation device; total
	system (includes generator placement, unilateral or bilateral lead placement,
	intra-operative interrogation, programming, and repositioning, when
0266T	performed)
	Implantation or replacement of carotid sinus baroreflex activation device; lead
	only, unilateral (includes intra-operative interrogation, programming, and
0267T	repositioning, when performed)
	Implantation or replacement of carotid sinus baroreflex activation device; pulse
	generator only (includes intra-operative interrogation, programming, and
0268T	repositioning, when performed)
	Revision or removal of carotid sinus baroreflex activation device; total system
	(includes generator placement, unilateral or bilateral lead placement, intra-
0269T	operative interrogation, programming, and repositioning, when performed)
	Revision or removal of carotid sinus baroreflex activation device; lead only,
	unilateral (includes intra-operative interrogation, programming, and
0270T	repositioning, when performed)
	Revision or removal of carotid sinus baroreflex activation device; pulse
	generator only (includes intra-operative interrogation, programming, and
0271T	repositioning, when performed)
	Interrogation device evaluation (in person), carotid sinus baroreflex activation
	system, including telemetric iterative communication with the implantable
	device to monitor device diagnostics and programmed therapy values, with
	interpretation and report (eg, battery status, lead impedance, pulse amplitude,
00707	pulse width, therapy frequency, pathway mode, burst mode, therapy start/stop
0272T	times each day);
	Interrogation device evaluation (in person), carotid sinus baroreflex activation
	system, including telemetric iterative communication with the implantable
00707	device to monitor device diagnostics and programmed therapy values, with
0273T	interpretation and report (eg, battery status, lead impedance, pulse amplitude,



	nulco width thorony from young, nothing and burst made thousant that
	pulse width, therapy frequency, pathway mode, burst mode, therapy start/stop
	times each day); with programming
	Percutaneous laminotomy/laminectomy (intralaminar approach) for
	decompression of neural elements, (with or without ligamentous resection,
	discectomy, facetectomy and/or foraminotomy) any method under indirect
	image guidance (e.g., fluoroscopic, CT), with or without the use of an
0274T	endoscope, single or multiple levels, unilateral or bilateral; cervical or thoracic
	Percutaneous laminotomy/laminectomy (intralaminar approach) for
	decompression of neural elements, (with or without ligamentous resection,
	discectomy, facetectomy and/or foraminotomy) any method under indirect
	image guidance (e.g., fluoroscopic, CT), with or without the use of an
	endoscope, single or multiple levels, unilateral or bilateral; cervical or thoracic,
0275T	lumbar
	Hematology (heparin-induced thrombocytopenia), platelet antibody reactivity
0275U	by flow cytometry, serum
	Transcutaneous electrical modulation pain reprocessing (eg, scrambler
0278T	therapy), each treatment session (includes placement of electrodes)
	Hematology (von Willebrand disease [VWD]), von Willebrand factor (VWF) and
	collagen III binding by enzyme-linked immunosorbent assays (ELISA), plasma,
0279U	report of collagen III binding
	Hematology (von Willebrand disease [VWD]), von Willebrand factor (VWF) and
	collagen IV binding by enzyme-linked immunosorbent assays (ELISA), plasma,
0280U	report of collagen IV binding
02000	Hematology (von Willebrand disease [VWD]), von Willebrand propeptide,
	enzyme-linked immunosorbent assays (ELISA), plasma, diagnostic report of von
0281U	Willebrand factor (VWF) propeptide antigen level
02010	von Willebrand factor (VWF), type 2B, platelet-binding evaluation,
0283U	radioimmunoassay, plasma
02030	von Willebrand factor (VWF), type 2N, factor VIII and VWF binding evaluation,
0284U	enzyme-linked immunosorbent assays (ELISA), plasma
02040	Oncology (breast ductal carcinoma in situ), protein expression profiling by
	immunohistochemistry of 7 proteins (COX2, FOXA1, HER2, Ki-67, p16, PR,
	SIAH2), with 4 clinicopathologic factors (size, age,
	margin status, palpability), utilizing formalin-fixed
020511	paraffin-embedded (FFPE) tissue, algorithm
0295U	reported as a recurrence risk score
	Infectious agent detection by nucleic acid (DNA or
000411	RNA), Bartonella henselae and Bartonella quintana,
0301U	droplet digital PCR (ddPCR);
	Infectious agent detection by nucleic acid (DNA or RNA), Bartonella henselae
	and Bartonella quintana, droplet digital PCR (ddPCR); following liquid
0302U	enrichment
	Hematology, red blood cell (RBC) adhesion to endothelial/subendothelial
	adhesion molecules, functional assessment, whole blood, with algorithmic
0303U	analysis and result reported as an RBC adhesion index; hypoxic



	Hematology, red blood cell (RBC) adhesion to endothelial/subendothelial
	adhesion molecules, functional assessment, whole blood, with algorithmic
0304U	analysis and result reported as an RBC adhesion index; hypoxic normoxic
	Hematology, red blood cell (RBC) functionality and deformity as a function of
0305U	shear stress, whole blood, reported as a maximum elongation index
03030	Cardiology (coronary artery disease [CAD]), analysis of 3 proteins (high
	sensitivity [hs] troponin, adiponectin, and kidney injury molecule-1 [KIM-1]),
0308U	plasma, algorithm reported as a risk score for obstructive CAD
03080	Cardiology (cardiovascular disease), analysis of 4 proteins (NT-proBNP,
	osteopontin, tissue inhibitor of metalloproteinase-1 [TIMP-1], and kidney injury
	molecule-1 [KIM-1]), plasma, algorithm reported as a risk score for major
0309U	adverse cardiac event
03090	
	Pediatrics (vasculitis, Kawasaki disease [KD]), analysis of 3 biomarkers (NT-
021011	proBNP, C-reactive protein, and T-uptake), plasma, algorithm reported as a risk
0310U	score for KD
	Infectious disease (bacterial), quantitative antimicrobial susceptibility reported
024411	as phenotypic minimum inhibitory concentration (MIC)-based antimicrobial
0311U	susceptibility for each organisms identified
	Autoimmune diseases (eg, systemic lupus erythematosus [SLE]), analysis of 8
	IgG autoantibodies and 2 cell-bound complement activation products using
	enzyme-linked immunosorbent immunoassay (ELISA), flow cytometry and
004011	indirect immunofluorescence, serum, or plasma and whole blood, individual
0312U	components reported along with an algorithmic SLE-likelihood assessment
0316U	Borrelia burgdorferi (Lyme disease), OspA protein evaluation, urine
	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary
	pathogens, identification of 20 bacterial and fungal organisms and identification
	of 16 associated antibiotic-resistance genes, multiplex amplified probe
0321U	technique
	Neurology (autism spectrum disorder [ASD]), quantitative measurements of 14
	acyl carnitines and microbiome-derived metabolites, liquid chromatography
	with tandem mass spectrometry (LC-MS/MS), plasma, results reported as
0322U	negative or positive for risk of metabolic subtypes associated with ASD
	infectious agent detection by nucleic acid (DNA and RNA), central nervous
	system pathogen, metagenomic next-generation sequencing, cerebrospinal
0323U	fluid (CSF), identification of pathogenic bacteria, viruses, parasites, or fungi
	Oncology (ovarian), spheroid cell culture, 4-drug panel (carboplatin,
	doxorubicin, gemcitabine, paclitaxel), tumor chemotherapy response prediction
0324U	for each drug
	Oncology (ovarian), spheroid cell culture, poly (ADP-ribose) polymerase (PARP)
	inhibitors (niraparib, olaparib, rucaparib, velparib), tumor response prediction
0325U	for each drug
	Fetal aneuploidy (trisomy 13, 18, and 21), DNA sequence analysis of selected
	regions using maternal plasma, algorithm reported as a risk score for each
0327U	trisomy, includes sex reporting, if performed



	Drug assay, definitive, 120 or more drugs and metabolites, urine, quantitative
	liquid chromatography with tandem mass spectrometry (LC-MS/MS), includes
	specimen validity and algorithmic analysis describing drug or metabolite and
	presence or absence of risks for a significant patient-adverse event, per date of
022811	•
0328U	service
022011	Infectious agent detection by nucleic acid (DNA or RNA), vaginal pathogen
0330U	panel, identification of 27 organisms, amplified probe technique, vaginal swab
	Myocardial sympathetic innervation imaging, planar qualitative and quantitative
0331T	assessment
	Myocardial sympathetic innervation imaging, planar qualitative and quantitative
0332T	assessment; with tomographic SPECT
0333T	Visual evoked potential, screening of visual acuity, automated
0335T	Extra-osseous subtalar joint implant for talotarsal stabilization
	Oncology (plasma cell disorders and myeloma), circulating plasma cell
	immunologic selection, identification, morphological characterization, and
	enumeration of plasma cells based on differential CD138, CD38, CD19, and
0337U	CD45 protein biomarker expression, peripheral blood
	Transcatheter renal sympathetic denervation, percutaneous approach including
	arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy,
	contrast injection(s), intraprocedural roadmapping and radiological supervision
	and interpretation, including pressure gradient measurements, flush aortogram
0338T	and diagnostic renal angiography when performed; unilateral
	Oncology (solid tumor), circulating tumor cell selection, identification,
	morphological characterization, detection and enumeration based on
	differential EpCAM, cytokeratins 8, 18, and 19, and CD45 protein biomarkers,
0338U	and quantification of HER2 protein biomarker-expressing cells, peripheral blood
00000	Transcatheter renal sympathetic denervation, percutaneous approach including
	arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy,
	contrast injection(s), intraprocedural roadmapping and radiological supervision
	and interpretation, including pressure gradient measurements, flush aortogram
0339T	and diagnostic renal angiography when performed; bilateral
03331	Oncology (pancreatic cancer), multiplex immunoassay of C5, C4, cystatin C,
	factor B, osteoprotegerin (OPG), gelsolin, IGFBP3, CA125 and multiplex
	electrochemiluminescent immunoassay (ECLIA) for CA19-9, serum, diagnostic
0342U	algorithm reported qualitatively as positive, negative, or borderline
03420	Hepatology (nonalcoholic fatty liver disease [NAFLD]), semiquantitative
	evaluation of 28 lipid markers by liquid chromatography with tandem mass
	spectrometry (LC-MS/MS), serum, reported as at-risk for nonalcoholic
024411	steatohepatitis (NASH) or not NASH
0344U	
0345T	Transcatheter mitral valve repair percutaneous approach via the coronary sinu
	Beta amyloid, AB40 and AB42 by liquid chromatography with tandem mass
0346U	spectrometry (LC-MS/MS), ratio, plasma
0347T	Placement of interstitial device(s) in bone for radiostereometric analysis (RSA)



	Padiologic evamination, radiostargemetric analysis (DCA), ching linelyses
0348T	Radiologic examination, radiostereometric analysis (RSA); spine, (includes, cervical, thoracic and lumbosacral, when performed)
05461	Radiologic examination, radiostereometric analysis (RSA); upper extremity(ies),
0349T	
03491	(includes shoulder, elbow and wrist, when performed)
02507	Radiologic examination, radiostereometric analysis (RSA); lower extremity(ies),
0350T	(includes hip, proximal femur, knee and ankle, when performed)
	Infectious disease (bacterial or viral), biochemical assays, tumor necrosis factor-
	related apoptosis-inducing ligand (TRAIL), interferon gamma-induced protein-10
025411	(IP-10), and C-reactive protein, serum, algorithm reported as likelihood of
0351U	bacterial infection
	Infectious disease (bacterial vaginosis and vaginitis), multiplex amplified probe
	technique, for detection of bacterial vaginosis-associated bacteria (BVAB-2,
	Atopobium vaginae, and Megasphera type 1), algorithm reported as detected or
	not detected and separate detection of Candida species (C. albicans, C.
	tropicalis, C. parapsilosis, C. dubliniensis), Candida glabrata/Candida krusei, and
025211	trichomonas vaginalis, vaginal-fluid specimen, each result reported as detected
0352U	or not detected
	Infectious agent detection by nucleic acid (DNA), Chlamydia trachomatis and
005011	Neisseria gonorrhoeae, multiplex amplified probe technique, urine, vaginal,
0353U	pharyngeal, or rectal, each pathogen reported as detected or not detected
	Human papilloma virus (HPV), high-risk types (ie, 16, 18, 31, 33, 45, 52 and 58)
	qualitative mRNA expression of E6/E7 by quantitative polymerase chain
0354U	reaction (qPCR)
	Oncology (melanoma), artificial intelligence (AI)-enabled quantitative mass
	spectrometry analysis of 142 unique pairs of glycopeptide and product
	fragments, plasma, prognostic, and predictive algorithm reported as likely,
0357U	unlikely, or uncertain benefit from immunotherapy agents
	Bioelectrical impedance analysis whole body composition assessment, with
0358T	interpretation and report
	Neurology (mild cognitive impairment), analysis of β-amyloid 1-42 and 1-40,
	chemiluminescence enzyme immunoassay, cerebral spinal fluid, reported as
0358U	positive, likely positive, or negative
	Oncology (prostate cancer), analysis of all prostate-specific antigen (PSA)
	structural isoforms by phase separation and immunoassay, plasma, algorithm
0359U	reports risk of cancer
	Oncology (lung), enzyme-linked immunosorbent assay (ELISA) of 7
	autoantibodies (p53, NY-ESO-1, CAGE, GBU4-5, SOX2, MAGE A4, and HuD),
0360U	plasma, algorithm reported as a categorical result for risk of malignancy
0361U	Neurofilament light chain, digital immunoassay, plasma, quantitative
	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9,
	IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine, algorithm
0365U	reported as a probability of bladder cancer
0365U	reported as a probability of bladder cancer



	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9,
	IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine, algorithm
0366U	reported as a probability of recurrent bladder cancer
03000	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9,
	IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine,
	diagnostic algorithm reported as a risk score for probability of rapid recurrence
0367U	of recurrent or persistent cancer following transurethral resection
03070	Infectious agent detection by nucleic acid (DNA and RNA), gastrointestinal
	pathogens, 31 bacterial, viral, and parasitic organisms and identification of 21
0369U	associated antibiotic-resistance genes, multiplex amplified probe technique
03030	Infectious agent detection by nucleic acid (DNA and RNA), surgical wound
	pathogens, 34 microorganisms and identification of 21 associated antibiotic-
0370U	resistance genes, multiplex amplified probe technique, wound swab
03700	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary
	pathogen, semiquantitative identification, DNA from 16 bacterial organisms and
	1 fungal organism, multiplex amplified probe technique via quantitative
0371U	polymerase chain reaction (qPCR), urine
00710	Infectious disease (genitourinary pathogens), antibiotic-resistance gene
	detection, multiplex amplified probe technique, urine, reported as an
0372U	antimicrobial stewardship risk score
	Infectious agent detection by nucleic acid (DNA and RNA), respiratory tract
	infection, 17 bacteria, 8 fungus, 13 virus, and 16 antibiotic-resistance genes,
0373U	multiplex amplified probe technique, upper or lower respiratory specimen
	Infectious agent detection by nucleic acid (DNA or RNA), genitourinary
	pathogens, identification of 21 bacterial and fungal organisms and identification
	of 21 associated antibiotic-resistance genes, multiplex amplified probe
0374U	technique, urine
	Oncology (ovarian), biochemical assays of 7 proteins (follicle stimulating
	hormone, human epididymis protein 4, apolipoprotein A-1, transferrin, beta-2
	macroglobulin, prealbumin [ie, transthyretin], and cancer antigen 125),
0375U	algorithm reported as ovarian cancer risk score
	Oncology (prostate cancer), image analysis of at least 128 histologic features
	and clinical factors, prognostic algorithm determining the risk of distant
	metastases, and prostate cancer-specific mortality, includes predictive
0376U	algorithm to androgen deprivation-therapy response, if appropriate
	Cardiovascular disease, quantification of advanced serum or plasma lipoprotein
	profile, by nuclear magnetic resonance (NMR) spectrometry with report of a
0377U	lipoprotein profile (including 23 variables)
	Visual field assessment, with concurrent real time data analysis and accessible
	data storage with patient initiated data transmitted to a remote surveillance
	center for up to 30 days; review and interpretation with report by a physician or
0378T	other qualified health care professional
	RFC1 (replication factor C subunit 1), repeat expansion variant analysis by
0378U	traditional and repeat-primed PCR, blood, saliva, or buccal swab



	VC - 16-14
	Visual field assessment, with concurrent real time data analysis and accessible
	data storage with patient initiated data transmitted to a remote surveillance
	center for up to 30 days; technical support and patient instructions,
	surveillance, analysis, and transmission of daily and emergent data reports as
0379T	prescribed by a physician or other qualified health care professional
	Maple syrup urine disease monitoring by patient-collected blood card sample,
	quantitative measurement of allo-isoleucine, leucine, isoleucine, and valine,
0381U	liquid chromatography with tandem mass spectrometry (LC-MS/MS)
	Hyperphenylalaninemia monitoring by patient-collected blood card sample,
	quantitative measurement of phenylalanine and tyrosine, liquid
0382U	chromatography with tandem mass spectrometry (LC-MS/MS)
	Tyrosinemia type I monitoring by patient-collected blood card sample,
	quantitative measurement of tyrosine, phenylalanine, methionine,
	succinylacetone, nitisinone, liquid chromatography with tandem mass
0383U	spectrometry (LC-MS/MS)
	Nephrology (chronic kidney disease), carboxymethyllysine, methylglyoxal
	hydroimidazolone, and carboxyethyl lysine by liquid chromatography with
	tandem mass spectrometry (LC-MS/MS) and HbA1c and estimated glomerular
	filtration rate (GFR), with risk score reported for predictive progression to high-
0384U	stage kidney disease
	Nephrology (chronic kidney disease), apolipoprotein A4 (ApoA4), CD5 antigen-
	like (CD5L), and insulin-like growth factor binding protein 3 (IGFBP3) by enzyme-
	linked immunoassay (ELISA), plasma, algorithm combining results with HDL,
	estimated glomerular filtration rate (GFR) and clinical data reported as a risk
0385U	score for developing diabetic kidney disease
	High dose rate electronic brachytherapy, skin surface application, per fraction,
0394T	includes basic dosimetry, when performed
	High dose rate electronic brachytherapy, interstitial or intracavitary treatment,
0395T	per fraction, includes basic dosimetry, when performed
03331	Insertion or replacement of permanent cardiac contractility modulation system,
	including contractility evaluation when performed, and programming of sensing
0408T	and therapeutic parameters; pulse generator with transvenous electrodes
04001	Insertion or replacement of permanent cardiac contractility modulation system,
1	including contractility evaluation when performed, and programming of sensing
0409T	and therapeutic parameters; pulse generator only
04031	Insertion or replacement of permanent cardiac contractility modulation system,
	including contractility evaluation when performed, and programming of sensing
0410T	and therapeutic parameters; atrial electrode only
04101	
	Insertion or replacement of permanent cardiac contractility modulation system,
0444T	including contractility evaluation when performed, and programming of sensing
0411T	and therapeutic parameters; ventricular electrode only
	Removal of permanent cardiac contractility modulation system; pulse generator
0412T	only
	Removal of permanent cardiac contractility modulation system; transvenous
0413T	electrode (atrial or ventricular)



	Removal and replacement of permanent cardiac contractility modulation
0414T	system pulse generator only
	Repositioning of previously implanted cardiac contractility modulation
0415T	transvenous electrode, (atrial or ventricular lead)
	Relocation of skin pocket for implanted cardiac contractility modulation pulse
0416T	generator
	Programming device evaluation (in person) with iterative adjustment of the
	implantable device to test the function of the device and select optimal
	permanent programmed values with analysis, including review and report,
0417T	implantable cardiac contractility modulation system
	Interrogation device evaluation (in person) with analysis, review and report,
	includes connection, recording and disconnection per patient encounter,
0418T	implantable cardiac contractility modulation system
	Destruction of neurofibroma, extensive (cutaneous, dermal extending into
0419T	subcutaneous); face, head and neck, greater than 50 neurofibromas
	Destruction of neurofibroma, extensive (cutaneous, dermal extending into
0420T	subcutaneous); trunk and extremities, extensive, greater than 100 neurofib
0422T	Tactile breast imaging by computer-aided tactile sensors, unilateral or bilateral
	Insertion or replacement of neurostimulator system for treatment of central
	sleep apnea; complete system (transvenous placement of right or left
0424T	stimulation lead, sensing lead, implantable pulse generator)
	Insertion or replacement of neurostimulator system for treatment of central
0425T	sleep apnea; sensing lead only
	Insertion or replacement of neurostimulator system for treatment of central
0426T	sleep apnea; stimulation lead only
	Insertion or replacement of neurostimulator system for treatment of central
0427T	sleep apnea; pulse generator only
	Monocyte distribution width, whole blood (List separately in addition to code
0427U	for primary procedure)
	Removal of neurostimulator system for treatment of central sleep apnea; pulse
0428T	generator only
	Removal of neurostimulator system for treatment of central sleep apnea;
0429T	sensing lead only
	Human papillomavirus (HPV), oropharyngeal swab, 14 high-risk types (ie, 16, 18,
0429U	31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68)
	Removal of neurostimulator system for treatment of central sleep apnea;
0430T	stimulation lead on
	Gastroenterology, malabsorption evaluation of alpha-1-antitrypsin,
0430U	calprotectin, pancreatic elastase and reducing substances, feces, quantitative
	Removal and replacement of neurostimulator system for treatment of central
0431T	sleep apnea, pulse generator only
	Glycine receptor alpha1 IgG, serum or cerebrospinal fluid (CSF), live cell-binding
0431U	assay (LCBA), qualitative



	Repositioning of neurostimulator system for treatment of central sleep apnea;
0432T	stimulation lead only
	Kelch-like protein 11 (KLHL11) antibody, serum or cerebrospinal fluid (CSF), cell-
0432U	binding assay, qualitative
	Repositioning of neurostimulator system for treatment of central sleep apnea;
0433T	sensing lead only
	Interrogation device evaluation implanted neurostimulator pulse generator
0434T	system for central sleep apnea
	Programming device evaluation of implanted neurostimulator pulse generator
0435T	system for central sleep apnea; single session
	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells (CSCs),
	from cultured CSCs and primary tumor cells, categorical drug response reported
	based on cytotoxicity percentage observed, minimum of 14 drugs or drug
0435U	combinations
	Programming device evaluation of implanted neurostimulator pulse generator
0436T	system for central sleep apnea; during sleep study
	Oncology (lung), plasma analysis of 388 proteins, using aptamerbased
	proteomics technology, predictive algorithm reported as clinical benefit from
0436U	immune checkpoint inhibitor therapy
	Implantation of non-biologic or synthetic implant (eg, polypropylene) for fascial
	reinforcement of the abdominal wall (List separately in addition to code for
0437T	primary procedure)
	Myocardial contrast perfusion echocardiography, at rest or with stress, for
	assessment of myocardial ischemia or viability (List separately in addition to
0439T	code for primary procedure)
	Ablation, percutaneous, cryoablation, includes imaging guidance; upper
0440T	extremity distal/peripheral nerve
	Ablation, percutaneous, cryoablation, includes imaging guidance; lower
0441T	extremity distal/peripheral nerve
	Ablation, percutaneous, cryoablation, includes imaging guidance; nerve plexus
0442T	or other truncal nerve (eg, brachial plexus, pudendal nerve)
	Real-time spectral analysis of prostate tissue by fluorescence spectroscopy,
	including imaging guidance (List separately in addition to code for primary
0443T	procedure)
0444	Initial placement of a drug-eluting ocular insert under one or more eyelids,
0444T	including fitting, training, and insertion, unilateral or bilateral
	Subsequent placement of a drug-eluting ocular insert under one or more
04457	eyelids, including re-training, and removal of existing insert, unilateral or
0445T	bilateral
0464T	Visual evoked potential, testing for glaucoma, with interpretation and report
	Suprachoroidal injection of a pharmacologic agent (does not include supply of
0465T	medication)
L 0.4.50T	Retinal polarization scan, ocular screening with on-site automated results,
0469T	bilateral



	Device analysation intermediate and interlanguages of the control
	Device evaluation, interrogation, and initial programming of intra-ocular retinal
	electrode array (eg, retinal prosthesis), in person, with iterative adjustment of
	the implantable device to test functionality, select optimal permanent
	programmed values with analysis, including visual training, with review and
0472T	report by a qualified health care professional
	Device evaluation and interrogation of intra-ocular retinal electrode array (eg,
	retinal prosthesis), in person, including reprogramming and visual training,
0473T	when performed, with review and report by a qualified health care professional
	Insertion of anterior segment aqueous drainage device, with creation of
0474T	intraocular reservoir, internal approach, into the supraciliary space
	Injection(s), autologous white blood cell concentrate (autologous protein
	solution), any site, including image guidance, harvesting and preparation, when
0481T	performed
	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic
0483T	valve; percutaneous approach, including transseptal puncture, when performed
	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic
0484T	valve; transthoracic exposure (eg, thoracotomy, transapical)
	Optical coherence tomography (OCT) of middle ear, with interpretation and
0485T	report; unilateral
	Optical coherence tomography (OCT) of middle ear, with interpretation and
0486T	report; bilateral
	Autologous adipose-derived regenerative cell therapy for scleroderma in the
	hands; adipose tissue harvesting, isolation and preparation of harvested cells
	including incubation with cell dissociation enzymes, removal of non-viable cells
0489T	and debris, determination of concentration and dilution of regenerative cells
	Autologous adipose-derived regenerative cell therapy for scleroderma in the
0490T	hands; multiple injections in one or both hands
	Surgical preparation and cannulation of marginal (extended) cadaver donor
	lung(s) to ex vivo organ perfusion system, including decannulation, separation
	from the perfusion system, and cold preservation of the allograft prior to
0494T	implantation, when perform
	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ
	perfusion system by physician or qualified health care professional, including
	physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary
	artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak
	and plateau airway pressure, dynamic compliance and perfusate gas analysis),
	including bronchoscopy and X ray when performed; first two hours in sterile
0495T	field
<u> </u>	Initiation and monitoring marginal (extended) cadaver donor lung(s) organ
	perfusion system by physician or qualified health care professional, including
	physiological and laboratory assessment (eg, pulmonary artery flow, pulmonary
	artery pressure, left atrial pressure, pulmonary vascular resistance, mean/peak
	and plateau airway pressure, dynamic compliance and perfusate gas analysis),
0406T	including bronchoscopy and X ray when performed; each additional hour (List
0496T	separately in addition to code for primary procedure)



	Cystourethroscopy, with mechanical dilation and urethral therapeutic drug
	delivery for urethral stricture or stenosis, including fluoroscopy, when
0499T	performed
	Infectious agent detection by nucleic acid (DNA or RNA), human papillomavirus
	(HPV) for five or more separately reported high-risk HPV types (eg, 16, 18, 31,
0500T	33, 35, 39, 45, 51, 52, 56, 58, 59, 68) (ie, genotyping)
	Endovenous femoral-popliteal arterial revascularization, with transcatheter
	placement of intravascular stent graft(s) and closure by any method, including
	percutaneous or open vascular access, ultrasound guidance for vascular access
	when performed, all catheterization(s) and intraprocedural roadmapping and
	imaging guidance necessary to complete the intervention, all associated
	radiological supervision and interpretation, when performed, with crossing of
0505T	the occlusive lesion in an extraluminal fashion
	Macular pigment optical density measurement by heterochromatic flicker
0506T	photometry, unilateral or bilateral, with interpretation and report
	Near-infrared dual imaging (ie, simultaneous reflective and trans-illuminated
05077	light) of meibomian glands, unilateral or bilateral, with interpretation and
0507T	report
05007	Pulse-echo ultrasound bone density measurement resulting in indicator of axial
0508T	bone mineral density, tibia
0509T	Electroretinography (ERG) with interpretation and report, pattern (PERG)
0510T	Removal of sinus tarsi implant
0511T	Removal and reinsertion of sinus tarsi implant
	Extracorporeal shock wave for integumentary wound healing, high energy,
	including topical application and dressing care; initial wound
0512T	SpaceOAR
	Extracorporeal shock wave for integumentary wound healing, high energy,
	including topical application and dressing care; each additional wound (List
	separately in addition to code for primary procedure)
0513T	SpaceOAR
	Insertion of wireless cardiac stimulator for left ventricular pacing, including
	device interrogation and programming, and imaging supervision and
0=4==	interpretation, when performed; complete system (includes electrode and
0515T	generator [transmitter and battery])
	Insertion of wireless cardiac stimulator for left ventricular pacing, including
OF4CT	device interrogation and programming, and imaging supervision and
0516T	interpretation, when performed; electrode only
	Insertion of wireless cardiac stimulator for left ventricular pacing, including
	device interrogation and programming, and imaging supervision and
0E17T	interpretation, when performed; pulse generator component(s) (battery and/or
0517T	transmitter) only
0E10T	Removal of only pulse generator component(s) (battery and/or transmitter) of
0518T	wireless cardiac stimulator for left ventricular pacing



	Removal and replacement of wireless cardiac stimulator for left ventricular
0519T	pacing; pulse generator component(s) (battery and/or transmitter)
	Removal and replacement of wireless cardiac stimulator for left ventricular
	pacing; pulse generator component(s) (battery and/or transmitter), including
0520T	placement of a new electrode
	Interrogation device evaluation (in person) with analysis, review and report,
	includes connection, recording, and disconnection per patient encounter,
0521T	wireless cardiac stimulator for left ventricular pacing
UUL 1	Programming device evaluation (in person) with iterative adjustment of the
	implantable device to test the function of the device and select optimal
	permanent programmed values with analysis, including review and report,
0522T	wireless cardiac stimulator for eft ventricular pacing
	Intraprocedural coronary fractional flow reserve (FFR) with 3D functional
	mapping of color-coded FFR values for the coronary tree, derived from coronary
	angiogram data, for real-time review and interpretation of possible
	atherosclerotic stenosis(es) iintervention (List separately in addition to code for
0523T	primary procedure)
	Endovenous catheter directed chemical ablation with balloon isolation of
	incompetent extremity vein, open or percutaneous, including all vascular
	access, catheter manipulation, diagnostic imaging, imaging guidance and
0524T	monitoring
	Insertion or replacement of intracardiac ischemia monitoring system, including
	testing of the lead and monitor, initial system programming, and imaging
	supervision and interpretation; complete system (electrode and implantable
0525T	monitor)
	Insertion or replacement of intracardiac ischemia monitoring system, including
	testing of the lead and monitor, initial system programming, and imaging
0526T	supervision and interpretation; electrode only
	Insertion or replacement of intracardiac ischemia monitoring system, including
	testing of the lead and monitor, initial system programming, and imaging
0527T	supervision and interpretation; implantable monitor only
	Programming device evaluation (in person) of intracardiac ischemia monitoring
	system with iterative adjustment of programmed values, with analysis, review,
0528T	and report
	Interrogation device evaluation (in person) of intracardiac ischemia monitoring
0529T	system with analysis, review, and report
	Removal of intracardiac ischemia monitoring system, including all imaging
	supervision and interpretation; complete system (electrode and implantable
0530T	monitor)
	Removal of intracardiac ischemia monitoring system, including all imaging
0531T	supervision and interpretation; electrode only
	Removal of intracardiac ischemia monitoring system, including all imaging
0532T	supervision and interpretation; implantable monitor only



	Continuous recording of movement disorder symptoms, including bradykinesia,
	dyskinesia, and tremor for 6 days up to 10 days; includes set-up, patient
05227	training, configuration of monitor, data upload, analysis and initial report
0533T	configuration, download revi
	Continuous recording of movement disorder symptoms, including bradykinesia,
	dyskinesia, and tremor for 6 days up to 10 days; set-up, patient training,
0534T	configuration of monitor
	Continuous recording of movement disorder symptoms, including bradykinesia,
	dyskinesia, and tremor for 6 days up to 10 days; data upload, analysis and initial
0535T	report configuration
	Continuous recording of movement disorder symptoms, including bradykinesia,
	dyskinesia, and tremor for 6 days up to 10 days; download review,
0536T	interpretation and report
	Myocardial imaging by magnetocardiography (MCG) for detection of cardiac
	ischemia, by signal acquisition using minimum 36 channel grid, generation of
	magnetic-field time-series images, quantitative analysis of magnetic dipoles,
	machine learning-derived clinical scoring, and automated report generation,
0541T	single study;
	Myocardial imaging by magnetocardiography (MCG) for detection of cardiac
	ischemia, by signal acquisition using minimum 36 channel grid, generation of
	magnetic-field time-series images, quantitative analysis of magnetic dipoles,
	machine learning-derived clinical scoring, and automated report generation,
0542T	single study; interpretation and report
	Transapical mitral valve repair, including transthoracic echocardiography, when
0543T	performed, with placement of artificial chordae tendineae
	Transcatheter mitral valve annulus reconstruction, with implantation of
	adjustable annulus reconstruction device, percutaneous approach including
0544T	transseptal puncture
	Transcatheter tricuspid valve annulus reconstruction with implantation of
0545T	adjustable annulus reconstruction device, percutaneous approach
	Radiofrequency spectroscopy, real time, intraoperative margin assessment, at
0546T	the time of partial mastectomy, with report
-	Bone-material quality testing by microindentation(s) of the tibia(s), with results
0547T	reported as a score
	Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies,
0552T	provided by a physician or other qualified health care professional
3321	Percutaneous transcatheter placement of iliac arteriovenous anastomosis
	implant, inclusive of all radiological supervision and interpretation,
	intraprocedural roadmapping, and imaging guidance necessary to complete the
0553T	intervention
03331	Bone strength and fracture risk using finite element analysis of functional data,
	and bone-mineral density, utilizing data from a computed tomography scan;
05547	retrieval and transmission of the scan data, assessment of bone strength and
0554T	fracture risk and bone mineral density, interpretation and report



0555T	retrieval and transmission of the scan data
0556T	assessment of bone strength and fracture risk and bone mineral density
0557T	interpretation and report
	Computed tomography scan taken for the purpose of biomechanical computed
0558T	tomography analysis
	Anatomic model 3D-printed from image data set(s); first individually prepared
0559T	and processed component of an anatomic structure
	each additional individually prepared and processed component of an anatomic
0560T	structure (List separately in addition to code for primary procedure)
	Anatomic guide 3D-printed and designed from image data set(s); first anatomic
0561T	guide
	each additional anatomic guide (List separately in addition to code for primary
0562T	procedure)
	Evacuation of meibomian glands, using heat delivered through wearable, open-
0563T	eye eyelid treatment devices and manual gland expression, bilateral
	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells (CSCs),
	from cultured CSCs and primary tumor cells, categorical drug response reported
	based on percent of cytotoxicity observed, a minimum of 14 drugs or drug
0564T	combinations
	Autologous cellular implant derived from adipose tissue for the treatment of
0565T	osteoarthritis of the knees; tissue harvesting and cellular implant creation
	Autologous cellular implant derived from adipose tissue for the treatment of
OFCCT	osteoarthritis of the knees; injection of cellular implant into knee joint including
0566T	ultrasound guidance, unilateral
00677	Permanent fallopian tube occlusion with degradable biopolymer implant,
0567T	transcervical approach, including transvaginal ultrasound Introduction of mixture of saline and air for sonosalpingography to confirm
	occlusion of fallopian tubes, transcervical approach, including transvaginal
0568T	ultrasound and pelvic ultrasound
0569T	
05091	Transcatheter tricuspid valve repair, percutaneous approach; initial prosthesis Transcatheter tricuspid valve repair, percutaneous approach; each additional
	prosthesis during same session (List separately in addition to code for primary
0570T	procedure)
03701	Insertion or replacement of implantable cardioverter-defibrillator system with
	substernal electrode(s), including all imaging guidance and electrophysiological
	evaluation (includes defibrillation threshold evaluation, induction of arrhythmia,
	evaluation of sensing for arrhythmia termination, and programming or
0571T	reprogramming of sensing or therapeutic parameters), when performed
0572T	Insertion of substernal implantable defibrillator electrode
0573T	Removal of substernal implantable defibrillator electrode
03/31	Repositioning of previously implanted substernal implantable defibrillator-
0574T	pacing electrode
UJ/ TI	Programming device evaluation (in person) of implantable cardioverter-
0575T	defibrillator system with substernal electrode, with iterative adjustment of the
03/31	definition system with substential electrode, with iterative adjustifient of the



	implantable device to test the function of the device and select optimal
	· ·
	permanent programmed values with analysis, review and report by a physician
	or other qualified health care professional
	Interrogation device evaluation (in person) of implantable cardioverter-
	defibrillator system with substernal electrode, with analysis, review and report
05767	by a physician or other qualified health care professional, includes connection,
0576T	recording and disconnection per patient encounter
	Electrophysiological evaluation of implantable cardioverter-defibrillator system
	with substernal electrode (includes defibrillation threshold evaluation,
05777	induction of arrhythmia, evaluation of sensing for arrhythmia termination, and
0577T	programming or reprogramming of sensing or therapeutic parameters)
	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead
05707	implantable cardioverter-defibrillator system with interim analysis, review(s)
0578T	and report(s) by a physician or other qualified health care professional
	Interrogation device evaluation(s) (remote), up to 90 days, substernal lead
	implantable cardioverter-defibrillator system, remote data acquisition(s),
	receipt of transmissions and technician review, technical support and
0579T	distribution of results
0580T	Removal of substernal implantable defibrillator pulse generator only
	Ablation, malignant breast tumor(s), percutaneous, cryotherapy, including
0581T	imaging guidance when performed, unilateral
	Transurethral ablation of malignant prostate tissue by high-energy water vapor
0582T	thermotherapy, including intraoperative imaging and needle guidance
	Tympanostomy (requiring insertion of ventilating tube), using an automated
0583T	tube delivery system, iontophoresis local anesthesia
	Islet cell transplant, includes portal vein catheterization and infusion, including
	all imaging, including guidance, and radiological supervision and interpretation,
0584T	when performed; percutaneous
	Islet cell transplant, includes portal vein catheterization and infusion, including
	all imaging, including guidance, and radiological supervision and interpretation,
0585T	when performed; laparoscopic
	Islet cell transplant, includes portal vein catheterization and infusion, including
	all imaging, including guidance, and radiological supervision and interpretation,
0586T	when performed; open
	Percutaneous implantation or replacement of integrated single device
	neurostimulation system including electrode array and receiver or pulse
	generator, including analysis, programming, and imaging guidance when
0587T	performed, posterior tibial nerve
	Revision or removal of integrated single device neurostimulation system
	including electrode array and receiver or pulse generator, including analysis,
0588T	programming, and imaging guidance when performed, posterior tibial nerve
	Electronic analysis with simple programming of implanted integrated
	neurostimulation system (eg, electrode array and receiver), including contact
0589T	group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose



	lockout, patient-selectable parameters, responsive neurostimulation, detection
	algorithms, closed-loop parameters, and passive parameters, when performed
	by physician or other qualified health care professional, posterior tibial nerve, 1-
	3 parameters
	Electronic analysis with complex programming of implanted integrated
	neurostimulation system (eg, electrode array and receiver), including contact
	group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose
	lockout, patient-selectable parameters, responsive neurostimulation, detection
	algorithms, closed-loop parameters, and passive parameters, when performed
OFOOT	by physician or other qualified health care professional, posterior tibial nerve, 4
0590T	or more parameters
0591T	Health and well-being coaching face-to-face; individual, initial assessment
	Health and well-being coaching face-to-face; individual, follow-up session, at
0592T	least 30 minutes
	Health and well-being coaching face-to-face; group (2 or more individuals), at
0593T	least 30 minutes
	Osteotomy, humerus, with insertion of an externally controlled intramedullary
	lengthening device, including intraoperative imaging, initial and subsequent
	alignment assessments, computations of adjustment schedules, and
0594T	management of the intramedullary lengthening device
	Temporary female intraurethral valve-pump (ie, voiding prosthesis); initial
0596T	insertion, including urethral measurement
	Temporary female intraurethral valve-pump (ie, voiding prosthesis);
0597T	replacement
	Noncontact real-time fluorescence wound imaging, for bacterial presence,
0598T	location, and load, per session; first anatomic site (eg, lower extremity)
	Noncontact real-time fluorescence wound imaging, for bacterial presence,
	location, and load, per session; each additional anatomic site (eg, upper
0599T	extremity) (List separately in addition to code for primary procedure)
	Ablation, irreversible electroporation; 1 or more tumors per organ, including
0600T	imaging guidance, when performed, percutaneous
	Ablation, irreversible electroporation; 1 or more tumors, including fluoroscopic
0601T	and ultrasound guidance, when performed, open
	Glomerular filtration rate (GFR) measurement(s), transdermal, including sensor
0602T	placement and administration of a single dose of fluorescent pyrazine agent
	Glomerular filtration rate (GFR) monitoring, transdermal, including sensor
	placement and administration of more than one dose of fluorescent pyrazine
0603T	agent, each 24 hours
	Optical coherence tomography (OCT) of retina, remote, patient-initiated image
	capture and transmission to a remote surveillance center unilateral or bilateral;
0604T	initial device provision, set-up and patient education on use of equipment
30011	Optical coherence tomography (OCT) of retina, remote, patient-initiated image
0605T	capture and transmission to a remote surveillance center unilateral or bilateral;
00001	capture and transmission to a remote surveniance tenter unliateral of blidteral,



	romate survoillance contextachnical support, data analyses and reports with a
	remote surveillance center technical support, data analyses and reports, with a
	minimum of 8 daily recordings, each 30 days
	Optical coherence tomography (OCT) of retina, remote, patient-initiated image
	capture and transmission to a remote surveillance center unilateral or bilateral;
	review, interpretation and report by the prescribing physician or other qualified
	health care professional of remote surveillance center data analyses, each 30
0606T	days
	Remote monitoring of an external continuous pulmonary fluid monitoring
	system, including measurement of radiofrequency-derived pulmonary fluid
	levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm
	(eg, ECG data), transmitted to a remote 24-hour attended surveillance center;
0607T	set-up and patient education on use of equipment
	Remote monitoring of an external continuous pulmonary fluid monitoring
	system, including measurement of radiofrequency-derived pulmonary fluid
	levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm
	(eg, ECG data), transmitted to a remote 24-hour attended surveillance center;
	analysis of data received and transmission of reports to the physician or other
0608T	qualified health care professional
	Percutaneous transcatheter implantation of interatrial septal shunt device,
	including right and left heart catheterization, intracardiac echocardiography,
0613T	and imaging guidance by the proceduralist, when performed
	Removal and replacement of substernal implantable defibrillator pulse
0614T	generator
	Eye-movement analysis without spatial calibration, with interpretation and
0615T	report
	Insertion of iris prosthesis, including suture fixation and repair or removal of iris,
	when performed; without removal of crystalline lens or intraocular lens,
0616T	without insertion of intraocular lens
	Insertion of iris prosthesis, including suture fixation and repair or removal of iris,
	when performed; with removal of crystalline lens and insertion of intraocular
0617T	lens
	Insertion of iris prosthesis, including suture fixation and repair or removal of iris,
	when performed; with secondary intraocular lens placement or intraocular lens
0618T	exchange
	Cystourethroscopy with transurethral anterior prostate commissurotomy and
	drug delivery, including transrectal ultrasound and fluoroscopy, when
0619T	performed
	Endovascular venous arterialization, tibial or peroneal vein, with transcatheter
	placement of intravascular stent graft(s) and closure by any method, including
	percutaneous or open vascular access, ultrasound guidance for vascular access
	when performed, all catheterization(s) and intraprocedural roadmapping and
	imaging guidance necessary to complete the intervention, all associated
0620T	radiological supervision and interpretation, when performed
0621T	Trabeculostomy ab interno by laser



0622T	Trabeculostomy ab interno by laser; with use of ophthalmic endoscope
	Automated quantification and characterization of coronary atherosclerotic
	plaque to assess severity of coronary disease, using data from coronary
	computed tomographic angiography; data preparation and transmission,
	computerized analysis of data, with review of computerized analysis output to
0623T	reconcile discordant data, interpretation and report
0624 (Rev Code)	FDA Investigational Device (Rev Code)
	Automated quantification and characterization of coronary atherosclerotic
	plaque to assess severity of coronary disease, using data from coronary
0624T	computed tomographic angiography; data preparation and transmission
	Automated quantification and characterization of coronary atherosclerotic
	plaque to assess severity of coronary disease, using data from coronary
	computed tomographic angiography; computerized analysis of data from
0625T	coronary computed tomographic angiography
	Automated quantification and characterization of coronary atherosclerotic
	plaque to assess severity of coronary disease, using data from coronary
	computed tomographic angiography; review of computerized analysis output to
0626T	reconcile discordant data, interpretation and report
	Percutaneous injection of allogeneic cellular and/or tissue-based product,
	intervertebral disc, unilateral or bilateral injection, with fluoroscopic guidance,
0627T	lumbar; first level
	Percutaneous injection of allogeneic cellular and/or tissue-based product,
	intervertebral disc, unilateral or bilateral injection, with fluoroscopic guidance,
	lumbar; each additional level (List separately in addition to code for primary
0628T	procedure)
	Percutaneous injection of allogeneic cellular and/or tissue-based product,
	intervertebral disc, unilateral or bilateral injection, with CT guidance, lumbar;
0629T	first level
	Percutaneous injection of allogeneic cellular and/or tissue-based product,
06207	intervertebral disc, unilateral or bilateral injection, with CT guidance, lumbar;
0630T	each additional level (List separately in addition to code for primary procedure)
	Transcutaneous visible light hyperspectral imaging measurement of
06347	oxyhemoglobin, deoxyhemoglobin, and tissue oxygenation, with interpretation
0631T	and report, per extremity
	Percutaneous transcatheter ultrasound ablation of nerves innervating the
0622T	pulmonary arteries, including right heart catheterization, pulmonary artery
0632T	angiography, and all imaging guidance Wisplace skip concer thermal enjectropy measurement(s) and assessment of
	Wireless skin sensor thermal anisotropy measurement(s) and assessment of flow in cerebrospinal fluid shunt, including ultrasound guidance, when
0639T	performed
00331	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for
	measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue
	oxygenation [StO2]); image acquisition, interpretation and report, each flap or
0640T	wound
0040 I	Would



	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for
	measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue
0641T	oxygenation [StO2]); image acquisition only, each flap or wound
	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for
	measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue
0642T	oxygenation [StO2]); interpretation and report only, each flap or wound
	Transcatheter left ventricular restoration device implantation including right
	and left heart catheterization and left ventriculography when performed,
0643T	arterial approach
	Transcatheter removal or debulking of intracardiac mass (eg, vegetations,
	thrombus) via suction (eg, vacuum, aspiration) device, percutaneous approach,
	with intraoperative reinfusion of aspirated blood, including imaging guidance,
0644T	when performed
	Transcatheter implantation of coronary sinus reduction device including
	vascular access and closure, right heart catheterization, venous angiography,
	coronary sinus angiography, imaging guidance, and supervision and
0645T	interpretation, when performed
	Transcatheter tricuspid valve implantation/replacement (TTVI) with prosthetic
	valve, percutaneous approach, including right heart catheterization, temporary
	pacemaker insertion, and selective right ventricular or right atrial angiography,
0646T	when performed
	Insertion of gastrostomy tube, percutaneous, with magnetic gastropexy, under
0647T	ultrasound guidance, image documentation and report
	Quantitative magnetic resonance for analysis of tissue composition (eg, fat,
	iron, water content), including multiparametric data acquisition, data
	preparation and transmission, interpretation and report, obtained without
	diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue,
0648T	target structure) during the same session
	Quantitative magnetic resonance for analysis of tissue composition (eg, fat,
	iron, water content), including multiparametric data acquisition, data
	preparation and transmission, interpretation and report, obtained with
	diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue,
0649T	target structure) (List separately in addition to code for primary procedure)
	Programming device evaluation (remote) of subcutaneous cardiac rhythm
	monitor system, with iterative adjustment of the implantable device to test the
	function of the device and select optimal permanently programmed values with
	analysis, review and report by a physician or other qualified health care
0650T	professional
	Magnetically controlled capsule endoscopy, esophagus through stomach,
0651T	including intraprocedural positioning of capsule, with interpretation and report
	Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including
	collection of specimen(s) by brushing or washing, when performed (separate
0652T	procedure)
	Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or
0653T	multiple



	Esophagogastroduodenoscopy, flexible, transnasal; with insertion of
0654T	intraluminal tube or catheter
00311	Transperineal focal laser ablation of malignant prostate tissue, including
	transrectal imaging guidance, with MR-fused images or other enhanced
0655T	ultrasound imaging
	Electrical impedance spectroscopy of 1 or more skin lesions for automated
0658T	melanoma risk score
	Transcatheter intracoronary infusion of supersaturated oxygen in conjunction
	with percutaneous coronary revascularization during acute myocardial
	infarction, including catheter placement, imaging guidance (eg, fluoroscopy),
0659T	angiography, and radiologic supervision and interpretation
	Implantation of anterior segment intraocular nonbiodegradable drug-eluting
0660T	system, internal approach
	Removal and reimplantation of anterior segment intraocular nonbiodegradable
0661T	drug-eluting implant
0664T	Donor hysterectomy (including cold preservation); open, from cadaver donor
0665T	Donor hysterectomy (including cold preservation); open, from living donor
00031	Donor hysterectomy (including cold preservation); laparoscopic or robotic, from
0666T	living donor
	Donor hysterectomy (including cold preservation); recipient uterus allograft
0667T	transplantation from cadaver or living donor
	Backbench standard preparation of cadaver or living donor uterine allograft
	prior to transplantation, including dissection and removal of surrounding soft
0668T	tissues and preparation of uterine vein(s) and uterine artery(ies), as necessary
	Backbench reconstruction of cadaver or living donor uterus allograft prior to
0669T	transplantation; venous anastomosis, each
	Backbench reconstruction of cadaver or living donor uterus allograft prior to
0670T	transplantation; arterial anastomosis, each
	Endovaginal cryogen-cooled, monopolar radiofrequency remodeling of the
	tissues surrounding the female bladder neck and proximal urethra for urinary
0672T	incontinence
	Ablation, benign thyroid nodule(s), percutaneous, laser, including imaging
0673T	guidance
	Laparoscopic insertion of new or replacement of permanent implantable
	synchronized diaphragmatic stimulation system for augmentation of cardiac
0674T	function, including an implantable pulse generator and diaphragmatic lead(s)
	Laparoscopic insertion of new or replacement of diaphragmatic lead(s),
	permanent implantable synchronized diaphragmatic stimulation system for
	augmentation of cardiac function, including connection to an existing pulse
0675T	generator; first lead
	Laparoscopic insertion of new or replacement of diaphragmatic lead(s),
	permanent implantable synchronized diaphragmatic stimulation system for
0676T	augmentation of cardiac function, including connection to an existing pulse



generator; each additional lead (List separately in addition to code for procedure) Laparoscopic repositioning of diaphragmatic lead(s), permanent implan synchronized diaphragmatic stimulation system for augmentation of ca function, including connection to an existing pulse generator; first reposition lead Laparoscopic repositioning of diaphragmatic lead(s), permanent implant synchronized diaphragmatic stimulation system for augmentation of ca function, including connection to an existing pulse generator; each additional repositioned lead (List separately in addition to code for primary proceduration and proceduration of call diaphragmatic stimulation system for augmentation of call diaphragmatic stimulation system for augmentation of call function and synchronized diaphragmatic stimulation system for augmentation of call function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of call diaphragmatic stimulation system for augmentatio	rtable rdiac sitioned rtable rdiac itional dure) rdiac
Laparoscopic repositioning of diaphragmatic lead(s), permanent implant synchronized diaphragmatic stimulation system for augmentation of cate function, including connection to an existing pulse generator; first reposition lead Laparoscopic repositioning of diaphragmatic lead(s), permanent implant synchronized diaphragmatic stimulation system for augmentation of cate function, including connection to an existing pulse generator; each additionary repositioned lead (List separately in addition to code for primary process laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cate function Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cate function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	rdiac sitioned rtable rdiac itional dure) e rdiac
synchronized diaphragmatic stimulation system for augmentation of ca function, including connection to an existing pulse generator; first reposited Laparoscopic repositioning of diaphragmatic lead(s), permanent implant synchronized diaphragmatic stimulation system for augmentation of ca function, including connection to an existing pulse generator; each addition repositioned lead (List separately in addition to code for primary procedular Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of ca function Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of ca function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	rdiac sitioned rtable rdiac itional dure) e rdiac
function, including connection to an existing pulse generator; first report lead Laparoscopic repositioning of diaphragmatic lead(s), permanent implant synchronized diaphragmatic stimulation system for augmentation of cate function, including connection to an existing pulse generator; each addition repositioned lead (List separately in addition to code for primary process and the process of t	sitioned rdiac itional dure) rdiac
Laparoscopic repositioning of diaphragmatic lead(s), permanent implant synchronized diaphragmatic stimulation system for augmentation of cate function, including connection to an existing pulse generator; each additionary repositioned lead (List separately in addition to code for primary process Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cate function Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cate function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	rtable rdiac itional dure) e rdiac ole rdiac
Laparoscopic repositioning of diaphragmatic lead(s), permanent implant synchronized diaphragmatic stimulation system for augmentation of cate function, including connection to an existing pulse generator; each additionary process. It is separately in additionated to code for primary process. It is separately in additionated to code for primary process. It is separately in additionated to code for primary process. It is separately in additionated to code for primary process. It is separately in additionated to code for primary process. It is separately in additionary permanent implantable synchronized diaphragmatic stimulation system for augmentation of cate of c	rdiac itional dure) e rdiac ole rdiac
synchronized diaphragmatic stimulation system for augmentation of ca function, including connection to an existing pulse generator; each addition of case of the content of	rdiac itional dure) e rdiac ole rdiac
function, including connection to an existing pulse generator; each additional repositioned lead (List separately in addition to code for primary process. Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of case function Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of case function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function diaphragmatic stimulation system for augmentation of cardiac function	itional dure) e rdiac ole rdiac
7 repositioned lead (List separately in addition to code for primary process Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of cate function Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cate function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	dure) rdiac ole rdiac
Laparoscopic removal of diaphragmatic lead(s), permanent implantable synchronized diaphragmatic stimulation system for augmentation of ca function Insertion or replacement of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of ca function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	rdiac ole rdiac
synchronized diaphragmatic stimulation system for augmentation of ca function Insertion or replacement of pulse generator only, permanent implantate synchronized diaphragmatic stimulation system for augmentation of ca function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	rdiac ole rdiac
function Insertion or replacement of pulse generator only, permanent implantate synchronized diaphragmatic stimulation system for augmentation of ca function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	ole rdiac
Insertion or replacement of pulse generator only, permanent implantate synchronized diaphragmatic stimulation system for augmentation of ca function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	rdiac
synchronized diaphragmatic stimulation system for augmentation of ca 0680T function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronized diaphragmatic stimulation system for augmentation of cardiac function	rdiac
0680T function, with connection to existing lead(s) Relocation of pulse generator only, permanent implantable synchronize diaphragmatic stimulation system for augmentation of cardiac function	
Relocation of pulse generator only, permanent implantable synchronize diaphragmatic stimulation system for augmentation of cardiac function	
diaphragmatic stimulation system for augmentation of cardiac function	1
U6811 Connection to existing dual leads	, with
3	
Removal of pulse generator only, permanent implantable synchronized	
0682T diaphragmatic stimulation system for augmentation of cardiac function	
Programming device evaluation (in-person) with iterative adjustment of	
implantable device to test the function of the device and select optimal	
permanent programmed values with analysis, review and report by a ph	nysician
or other qualified health care professional, permanent implantable	
synchronized diaphragmatic stimulation system for augmentation of ca	rdiac
0683T function	
Peri-procedural device evaluation (in-person) and programming of devi	
system parameters before or after a surgery, procedure, or test with an	
review, and report by a physician or other qualified health care professi	
permanent implantable synchronized diaphragmatic stimulation system	າ for
0684T augmentation of cardiac function	
Interrogation device evaluation (in-person) with analysis, review and re	
physician or other qualified health care professional, including connecti	
recording and disconnection per patient encounter, permanent implant	
synchronized diaphragmatic stimulation system for augmentation of ca	rdiac
0685T function	
Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of ma	lignant
0686T hepatocellular tissue, including image guidance	
Treatment of amblyopia using an online digital program; device supply,	
0687T educational set-up, and initial session	
Treatment of amblyopia using an online digital program; assessment of	patient
performance and program data by physician or other qualified health ca	are
0688T professional, with report, per calendar month	



	Quantitative ultrasound tissue characterization (non-elastographic), including
	interpretation and report, obtained without diagnostic ultrasound examination
0689T	of the same anatomy (eg, organ, gland, tissue, target structure)
00031	Quantitative ultrasound tissue characterization (non-elastographic), including
	interpretation and report, obtained with diagnostic ultrasound examination of
	the same anatomy (eg, organ, gland, tissue, target structure) (List separately in
0690T	addition to code for primary procedure)
	Automated analysis of an existing computed tomography study for vertebral
	fracture(s), including assessment of bone density when performed, data
0691T	preparation, interpretation, and report
0692T	Therapeutic ultrafiltration
	Comprehensive full body computer-based markerless 3D kinematic and kinetic
0693T	motion analysis and report
	3-dimensional volumetric imaging and reconstruction of breast or axillary lymph
	node tissue, each excised specimen, 3-dimensional automatic specimen
0694T	reorientation, interpretation and report, real-time intraoperative
	Body surface-activation mapping of pacemaker or pacing cardioverter-
	defibrillator lead(s) to optimize electrical synchrony, cardiac resynchronization
	therapy device, including connection, recording, disconnection, review, and
0695T	report; at time of implant or replacement
	Body surface-activation mapping of pacemaker or pacing cardioverter-
	defibrillator lead(s) to optimize electrical synchrony, cardiac resynchronization
	therapy device, including connection, recording, disconnection, review, and
0696T	report; at time of follow-up interrogation or programming device evaluation
	Quantitative magnetic resonance for analysis of tissue composition (eg, fat,
	iron, water content), including multiparametric data acquisition, data
	preparation and transmission, interpretation and report, obtained without
	diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue,
0697T	target structure) during the same session; multiple organs
	Quantitative magnetic resonance for analysis of tissue composition (eg, fat,
	iron, water content), including multiparametric data acquisition, data
	preparation and transmission, interpretation and report, obtained with
	diagnostic MRI examination of the same anatomy (eg, organ, gland, tissue,
0698T	target structure); multiple organs (List separately in addition to code for primary procedure)
0699T	Injection, posterior chamber of eye, medication
0700T	Molecular fluorescent imaging of suspicious nevus; first lesion
0701T	Molecular fluorescent imaging of suspicious nevus; each additional lesion (List
0701T	separately in addition to code for primary procedure)
0704T	Remote treatment of amblyopia using an eye tracking device; device supply
0/041	with initial set-up and patient education on use of equipment
	Remote treatment of amblyopia using an eye tracking device; surveillance
0705T	center technical support including data transmission with analysis, with a
0705T	minimum of 18 training hours, each 30 days



	Remote treatment of amblyopia using an eye tracking device; interpretation
	and report by physician or other qualified health care professional, per calendar
0706T	month
	Injection(s), bone-substitute material (eg, calcium phosphate) into subchondral
	bone defect (ie, bone marrow lesion, bone bruise, stress injury, microtrabecular
	fracture), including imaging guidance and arthroscopic assistance for joint
0707T	visualization
0708T	Intradermal cancer immunotherapy; preparation and initial injection
	Intradermal cancer immunotherapy; each additional injection (List separately in
0709T	addition to code for primary procedure)
	Noninvasive arterial plaque analysis using software processing of data from
	non-coronary computerized tomography angiography; including data
	preparation and transmission, quantification of the structure and composition
	of the vessel wall and assessment for lipid-rich necrotic core plaque to assess
0710T	atherosclerotic plaque stability, data review, interpretation and report
	Noninvasive arterial plaque analysis using software processing of data from
	non-coronary computerized tomography angiography; data preparation and
0711T	transmission
	Noninvasive arterial plaque analysis using software processing of data from
	non-coronary computerized tomography angiography; quantification of the
	structure and composition of the vessel wall and assessment for lipid-rich
0712T	necrotic core plaque to assess atherosclerotic plaque stability
	Noninvasive arterial plaque analysis using software processing of data from
	non-coronary computerized tomography angiography; data review,
0713T	interpretation and report
	Transperineal laser ablation of benign prostatic hyperplasia, including imaging
0714T	guidance
	Percutaneous transluminal coronary lithotripsy (List separately in addition to
0715T	code for primary procedure)
	Cardiac acoustic waveform recording with automated analysis and generation
0716T	of coronary artery disease risk score
	Autologous adipose-derived regenerative cell (ADRC) therapy for partial
	thickness rotator cuff tear; adipose tissue harvesting, isolation and preparation
	of harvested cells, including incubation with cell dissociation enzymes, filtration,
0717T	washing and concentration of ADRCs
	Autologous adipose-derived regenerative cell (ADRC) therapy for partial
	thickness rotator cuff tear; injection into supraspinatus tendon including
0718T	ultrasound guidance, unilateral
	Posterior vertebral joint replacement, including bilateral facetectomy,
	laminectomy, and radical discectomy, including imaging guidance, lumbar spine,
0719T	single segment
	Percutaneous electrical nerve field stimulation, cranial nerves, without
0720T	implantation



0721T S S S S S S S S S	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained without concurrent CT examination of any structure contained in previously acquired diagnostic imaging Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained with concurrent CT examination of any structure contained in the concurrently acquired diagnostic imaging dataset List separately in addition to code for primary procedure) Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral
0721T	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained with concurrent CT examination of any structure contained in the concurrently acquired diagnostic imaging dataset List separately in addition to code for primary procedure) Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral
0722T (0722T (0723T (0723T (0724T (0725T (07	Quantitative computed tomography (CT) tissue characterization, including interpretation and report, obtained with concurrent CT examination of any structure contained in the concurrently acquired diagnostic imaging dataset. List separately in addition to code for primary procedure) Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral
0722T (0722T (0723T (0724T (0725T (07	Interpretation and report, obtained with concurrent CT examination of any structure contained in the concurrently acquired diagnostic imaging dataset List separately in addition to code for primary procedure) Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral
0722T (Extructure contained in the concurrently acquired diagnostic imaging dataset List separately in addition to code for primary procedure) Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0722T (List separately in addition to code for primary procedure) Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral
0723T (0723T (0724T (0725T (0725T (0727T (0728T (0729T (0730T (0731T (0732T (07	Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained without diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for orimary procedure) Vestibular device implantation, unilateral
0723T (0723T (0723T (0724T (0725T (07	diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral
0723T (eg, organ, gland, tissue, target structure) during the same session Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for orimary procedure) Vestibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0724T	Quantitative magnetic resonance cholangiopancreatography (QMRCP) including data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0724T	data preparation and transmission, interpretation and report, obtained with diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0724T	diagnostic magnetic resonance imaging (MRI) examination of the same anatomy eg, organ, gland, tissue, target structure) (List separately in addition to code for orimary procedure) Vestibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0724T	eg, organ, gland, tissue, target structure) (List separately in addition to code for primary procedure) Vestibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0724T	orimary procedure) /estibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0725T N 0726T F 0727T F 0728T C 0729T F 0730T E 0731T F 0732T F	Vestibular device implantation, unilateral Removal of implanted vestibular device, unilateral
0726T F 0727T F 0728T	Removal of implanted vestibular device, unilateral
0727T F 0728T [0729T	•
0728T [] 0729T	
0729T	Removal and replacement of implanted vestibular device, unilateral
0729T	Diagnostic analysis of vestibular implant, unilateral; with initial programming
0730T 8 0731T A 0732T I	Diagnostic analysis of vestibular implant, unilateral; with subsequent
0730T g 0731T A 0732T I	programming
0731T	Frabeculotomy by laser, including optical coherence tomography (OCT)
0732T I	guidance
F	Augmentative AI-based facial phenotype analysis with report
ļ r	mmunotherapy administration with electroporation, intramuscular
_	Remote body and limb kinematic measurement-based therapy ordered by a
1 0733T	physician or other qualified health care professional; supply and technical
	support, per 30 days
	Remote body and limb kinematic measurement-based therapy ordered by a
1 '	physician or other qualified health care professional; treatment management
	services by a physician or other qualified health care professional, per calendar
	month
	Preparation of tumor cavity, with placement of a radiation therapy applicator
	or intraoperative radiation therapy (IORT) concurrent with primary craniotomy
	List separately in addition to code for primary procedure) Colonic lavage, 35 or more liters of water, gravity-fed, with induced defecation,
	ncluding insertion of rectal catheter
	Kenograft implantation into the articular surface
	Freatment planning for magnetic field induction ablation of malignant prostate
	issue, using data from previously performed magnetic resonance imaging (MRI)
	examination
0739T i	Ablation of malignant prostate tissue by magnetic field induction, including all
0738T 6	



	installation and intraprocedural temperature monitoring, thermal dosimetry,
	bladder irrigation, and magnetic field nanoparticle activation Remote autonomous algorithm-based recommendation system for insulin dose
0740T	calculation and titration; initial set-up and patient education
07401	Remote autonomous algorithm-based recommendation system for insulin dose
	calculation and titration; provision of software, data collection, transmission,
0741T	and storage, each 30 days
07411	Absolute quantitation of myocardial blood flow (AQMBF), single-photon
	emission computed tomography (SPECT), with exercise or pharmacologic stress,
	and at rest, when performed (List separately in addition to code for primary
0742T	procedure)
	Bone strength and fracture risk using finite element analysis of functional data
	and bone-mineral density, with concurrent vertebral fracture assessment,
	utilizing data from a computed tomography scan, retrieval and transmission of
	the scan data, measurement of bone strength and bone mineral density and
	classification of any vertebral fractures, with overall fracture risk assessment,
0743T	interpretation and report
	Insertion of bioprosthetic valve, open, femoral vein, including duplex ultrasound
	imaging guidance, when performed, including autogenous or nonautogenous
0744T	patch graft (eg, polyester, ePTFE, bovine pericardium), when performed
	Cardiac focal ablation utilizing radiation therapy for arrhythmia; noninvasive
	arrhythmia localization and mapping of arrhythmia site (nidus), derived from
	anatomical image data (eg, CT, MRI, or myocardial perfusion scan) and electrical
0745T	data (eg, 12-lead ECG data), and identification of areas of avoidance
	Cardiac focal ablation utilizing radiation therapy for arrhythmia; conversion of
	arrhythmia localization and mapping of arrhythmia site (nidus) into a
0746T	multidimensional radiation treatment plan
	Cardiac focal ablation utilizing radiation therapy for arrhythmia; delivery of
0747T	radiation therapy, arrhythmia
	Injections of stem cell product into perianal perifistular soft tissue, including
	fistula preparation (eg, removal of setons, fistula curettage, closure of internal
0748T	openings)
	Bone strength and fracture-risk assessment using digital X-ray radiogrammetry-
	bone mineral density (DXR-BMD) analysis of bone mineral density (BMD)
	utilizing data from a digital X ray, retrieval and transmission of digital X ray data,
	assessment of bone strength and fracture-risk and BMD, interpretation and
0749T	report;
	Bone strength and fracture-risk assessment using digital X-ray radiogrammetry-
	bone mineral density (DXR-BMD) analysis of bone mineral density (BMD)
	utilizing data from a digital X ray, retrieval and transmission of digital X ray data,
	assessment of bone strength and fracture-risk and BMD, interpretation and
07507	report; with single-view digital X-ray examination of the hand taken for the
0750T	purpose of DXR-BMD



	Digitization of glass microscope slides for level II, surgical pathology, gross and
	microscopic examination (List separately in addition to code for primary
0751T	procedure)
0/311	Digitization of glass microscope slides for level III, surgical pathology, gross and
	microscopic examination (List separately in addition to code for primary
0752T	procedure)
07321	Digitization of glass microscope slides for level IV, surgical pathology, gross and
	microscopic examination (List separately in addition to code for primary
0753T	procedure)
07331	Digitization of glass microscope slides for level V, surgical pathology, gross and
	microscopic examination (List separately in addition to code for primary
0754T	procedure)
67611	Digitization of glass microscope slide for level VI, surgical pathology, gross and
	microscopic examination (List separately in addition to code for primary
0755T	procedure)
	Digitization of glass microscope slides for special stain, including interpretation
	and report, group I, for microorganisms (eg, acid fast, methenamine silver) (List
0756T	separately in addition to code for primary procedure)
	Digitization of glass microscope slides for special stain, including interpretation
	and report, group II, all other (eg, iron, trichrome), except stain for
	microorganisms, stains for enzyme constituents, or immunocytochemistry and
	immunohistochemistry (List separately in addition to code for primary
0757T	procedure)
	Digitization of glass microscope slides for special stain, including interpretation
	and report, histochemical stain on frozen tissue block (List separately in
0758T	addition to code for primary procedure)
	Digitization of glass microscope slides for special stain, including interpretation
	and report, group III, for enzyme constituents (List separately in addition to
0759T	code for primary procedure)
	Digitization of glass microscope slides for immunohistochemistry or
	immunocytochemistry, per specimen, initial single antibody stain procedure
0760T	(List separately in addition to code for primary procedure)
	Digitization of glass microscope slides for immunohistochemistry or
	immunocytochemistry, per specimen, each additional single antibody stain
0761T	procedure (List separately in addition to code for primary procedure)
	Digitization of glass microscope slides for immunohistochemistry or
	immunocytochemistry, per specimen, each multiplex antibody stain procedure
0762T	(List separately in addition to code for primary procedure)
	Digitization of glass microscope slides for morphometric analysis, tumor
	immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone
	receptor), quantitative or semiquantitative, per specimen, each single antibody
	stain procedure, manual (List separately in addition to code for primary
0763T	procedure)
	Assistive algorithmic electrocardiogram risk-based assessment for cardiac
0764T	dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic



	conditions (another), related to concurrently a sufferenced electric conditions (1):-t
	cardiomyopathy); related to concurrently performed electrocardiogram (List separately in addition to code for primary procedure)
	Assistive algorithmic electrocardiogram risk-based assessment for cardiac
07657	dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic
0765T	cardiomyopathy); related to previously performed electrocardiogram
	Transcutaneous magnetic stimulation by focused low-frequency
	electromagnetic pulse, peripheral nerve, initial treatment, with identification
	and marking of the treatment location, including noninvasive
07667	electroneurographic localization (nerve conduction localization), when
0766T	performed; first nerve
	Transcutaneous magnetic stimulation by focused low-frequency
	electromagnetic pulse, peripheral nerve, initial treatment, with identification
	and marking of the treatment location, including noninvasive
	electroneurographic localization (nerve conduction localization), when
07677	performed; each additional nerve (List separately in addition to code for
0767T	primary procedure)
	Transcutaneous magnetic stimulation by focused low-frequency
	electromagnetic pulse, peripheral nerve, subsequent treatment, including
07607	noninvasive electroneurographic localization (nerve conduction localization),
0768T	when performed; first nerve
	Transcutaneous magnetic stimulation by focused low-frequency
	electromagnetic pulse, peripheral nerve, subsequent treatment, including
	noninvasive electroneurographic localization (nerve conduction localization),
07607	when performed; each additional nerve (List separately in addition to code for
0769T	primary procedure)
07707	Virtual reality technology to assist therapy (List separately in addition to code
0770T	for primary procedure)
	Virtual reality (VR) procedural dissociation services provided by the same
	physician or other qualified health care professional performing the diagnostic
	or therapeutic service that the VR procedural dissociation supports, requiring
	the presence of an independent, trained observer to assist in the monitoring of
	the patient's level of dissociation or consciousness and physiological status;
0771T	initial 15 minutes of intraservice time, patient age 5 years or older
	Virtual reality (VR) procedural dissociation services provided by the same
	physician or other qualified health care professional performing the diagnostic
	or therapeutic service that the VR procedural dissociation supports, requiring
	the presence of an independent, trained observer to assist in the monitoring of
	the patient's level of dissociation or consciousness and physiological status;
	each additional 15 minutes intraservice time (List separately in addition to code
0772T	for primary service)
	Virtual reality (VR) procedural dissociation services provided by a physician or
	other qualified health care professional other than the physician or other
	qualified health care professional performing the diagnostic or therapeutic
	service that the VR procedural dissociation supports; initial 15 minutes of
0773T	intraservice time, patient age 5 years or older



	Vistoral seality (VD) seasond seal disconsisting a series as seasond at his confession as
	Virtual reality (VR) procedural dissociation services provided by a physician or
	other qualified health care professional other than the physician or other
	qualified health care professional performing the diagnostic or therapeutic
	service that the VR procedural dissociation supports; each additional 15
	minutes intraservice time (List separately in addition to code for primary
0774T	service)
	Arthrodesis, sacroiliac joint, percutaneous, with image guidance, includes
0775T	placement of intra-articular implant(s) (eg, bone allograft[s], synthetic device[s])
	Therapeutic induction of intra-brain hypothermia, including placement of a
	mechanical temperature-controlled cooling device to the neck over carotids and
	head, including monitoring (eg, vital signs and sport concussion assessment tool
0776T	5 [SCAT5]), 30 minutes of treatment
	Real-time pressure-sensing epidural guidance system (List separately in addition
0777T	to code for primary procedure)
	Surface mechanomyography (sMMG) with concurrent application of inertial
	measurement unit (IMU) sensors for measurement of multi-joint range of
0778T	motion, posture, gait, and muscle function
	Gastrointestinal myoelectrical activity study, stomach through colon, with
0779T	interpretation and report
	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device
	and circumferential radiofrequency destruction of the pulmonary nerves,
0781T	including fluoroscopic guidance when performed; bilateral mainstem bronchi
	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device
	and circumferential radiofrequency destruction of the pulmonary nerves,
0782T	including fluoroscopic guidance when performed; unilateral mainstem bronchus
0.02.	Transcutaneous auricular neurostimulation, set-up, calibration, and patient
0783T	education on use of equipment
07001	Insertion or replacement of percutaneous electrode array, spinal, with
0784T	integrated neurostimulator, including imaging guidance, when performed
07011	Revision or removal of neurostimulator electrode array, spinal, with integrated
0785T	neurostimulator
07831	Insertion or replacement of percutaneous electrode array, sacral, with
0786T	integrated neurostimulator, including imaging guidance, when performed
07801	Revision or removal of neurostimulator electrode array, sacral, with integrated
0787T	neurostimulator
0/6/1	
	Electronic analysis with simple programming of implanted integrated
	neurostimulation system (eg, electrode array and receiver), including contact
	group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose
	lockout, patient-selectable parameters, responsive neurostimulation, detection
	algorithms, closed-loop parameters, and passive parameters, when performed
07007	by physician or other qualified health care professional, spinal cord or sacral
0788T	nerve, 1-3 parameters
	Electronic analysis with complex programming of implanted integrated
0789T	neurostimulation system (eg, electrode array and receiver), including contact



	and the second s
	group(s), amplitude, pulse width, frequency (Hz), on/off cycling, burst, dose
	lockout, patient-selectable parameters, responsive neurostimulation, detection
	algorithms, closed-loop parameters, and passive parameters, when performed
	by physician or other qualified health care professional, spinal cord or sacral
	nerve, 4 or more parameters
	Motor-cognitive, semi-immersive virtual reality-facilitated gait training, each 15
0791T	minutes (List separately in addition to code for primary procedure)
	Application of silver diamine fluoride 38%, by a physician or other qualified
0792T	health care professional
	Percutaneous transcatheter thermal ablation of nerves innervating the
	pulmonary arteries, including right heart catheterization, pulmonary artery
0793T	angiography, and all imaging guidance
	Patient-specific, assistive, rules-based algorithm for ranking pharmaco-
	oncologic treatment options based on the patient's tumor-specific cancer
	marker information obtained from prior molecular pathology,
	immunohistochemical, or other pathology results which have been previously
0794T	interpreted and reported separately
	Transcatheter insertion of permanent dual-chamber leadless pacemaker,
	including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial
	angiography, right ventriculography, femoral venography) and device
	evaluation (eg, interrogation or programming), when performed; complete
0795T	system (ie, right atrial and right ventricular pacemaker components)
	Transcatheter insertion of permanent dual-chamber leadless pacemaker,
	including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial
	angiography, right ventriculography, femoral venography) and device
	evaluation (eg, interrogation or programming), when performed; right atrial
	pacemaker component (when an existing right ventricular single leadless
0796T	pacemaker exists to create a dual-chamber leadless pacemaker system)
	Transcatheter insertion of permanent dual-chamber leadless pacemaker,
	including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial
	angiography, right ventriculography, femoral venography) and device
	evaluation (eg, interrogation or programming), when performed; right
	ventricular pacemaker component (when part of a dual-chamber leadless
0797T	pacemaker system)
	Transcatheter removal of permanent dual-chamber leadless pacemaker,
	including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial
	angiography, right ventriculography, femoral venography), when performed;
0798T	complete system (ie, right atrial and right ventricular pacemaker components)
0,301	Transcatheter removal of permanent dual-chamber leadless pacemaker,
	including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial
	angiography, right ventriculography, femoral venography), when performed;
0799T	right atrial pacemaker component
0/331	
	Transcatheter removal of permanent dual-chamber leadless pacemaker,
0000T	including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial
T0080	angiography, right ventriculography, femoral venography), when performed;



	right ventricular nacemaker component (when next of a dual shareber leadless
	right ventricular pacemaker component (when part of a dual-chamber leadless
	pacemaker system)
	Transcatheter removal and replacement of permanent dual-chamber leadless
	pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound,
	right atrial angiography, right ventriculography, femoral venography) and device
00047	evaluation (eg, interrogation or programming), when performed; dual-chamber
0801T	system (ie, right atrial and right ventricular pacemaker components)
	Transcatheter removal and replacement of permanent dual-chamber leadless
	pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound,
	right atrial angiography, right ventriculography, femoral venography) and device
	evaluation (eg, interrogation or programming), when performed; right atrial
0802T	pacemaker component
	Transcatheter removal and replacement of permanent dual-chamber leadless
	pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound,
	right atrial angiography, right ventriculography, femoral venography) and device
	evaluation (eg, interrogation or programming), when performed; right
	ventricular pacemaker component (when part of a dual-chamber leadless
0803T	pacemaker system)
	Programming device evaluation (in person) with iterative adjustment of
	implantable device to test the function of device and to select optimal
	permanent programmed values, with analysis, review, and report, by a
	physician or other qualified health care professional, leadless pacemaker
0804T	system in dual cardiac chambers
	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie,
0805T	caval valve implantation [CAVI]); percutaneous femoral vein approach
	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie,
0806T	caval valve implantation [CAVI]); open femoral vein approach
	Pulmonary tissue ventilation analysis using software-based processing of data
	from separately captured cinefluorograph images; in combination with
	previously acquired computed tomography (CT) images, including data
	preparation and transmission, quantification of pulmonary tissue ventilation,
0807T	data review, interpretation and report
	Pulmonary tissue ventilation analysis using software-based processing of data
	from separately captured cinefluorograph images; in combination with
	computed tomography (CT) images taken for the purpose of pulmonary tissue
	ventilation analysis, including data preparation and transmission, quantification
0808T	of pulmonary tissue ventilation, data review, interpretation and report
	Arthrodesis, sacroiliac joint, percutaneous or minimally invasive (indirect
	visualization), with image guidance, placement of transfixing device(s) and intra-
0809T	articular implant(s), including allograft or synthetic device(s)
33031	Subretinal injection of a pharmacologic agent, including vitrectomy and 1 or
0810T	more retinotomies
00101	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment);
0011T	, , , , , , , , , , , , , , , , , , , ,
0811T	set-up and patient education on use of equipment



	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment);
0812T	device supply with automated report generation, up to 10 days
00121	
0813T	Esophagogastroduodenoscopy, flexible, transoral, with volume adjustment of
00131	intragastric bariatric balloon
0814T	Percutaneous injection of calcium-based biodegradable osteoconductive
08141	material, proximal femur, including imaging guidance, unilateral
	Ultrasound-based radiofrequency echographic multi-spectrometry (REMS),
0815T	bone-density study and fracture-risk assessment, 1 or more sites, hips, pelvis, or
08131	Spine Open insertion or replacement of integrated neurostimulation system for
	bladder dysfunction including electrode(s) (eg, array or leadless), and pulse
0816T	generator or receiver, including analysis, programming, and imaging guidance,
00101	when performed, posterior tibial nerve; subcutaneous
	Open insertion or replacement of integrated neurostimulation system for bladder dysfunction including electrode(s) (eg, array or leadless), and pulse
0817T	generator or receiver, including analysis, programming, and imaging guidance,
06171	when performed, posterior tibial nerve; subfascial
	Revision or removal of integrated neurostimulation system for bladder
0818T	dysfunction, including analysis, programming, and imaging, when performed, posterior tibial nerve; subcutaneous
00101	
	Revision or removal of integrated neurostimulation system for bladder dysfunction, including analysis, programming, and imaging, when performed,
0819T	posterior tibial nerve; subfascial
08131	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis
	intervention), as needed, during psychedelic medication therapy; first physician
0820T	or other qualified health care professional, each hour
08201	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis
	intervention), as needed, during psychedelic medication therapy; second
	physician or other qualified health care professional, concurrent with first
	physician or other qualified health care professional, each hour (List separately
0821T	in addition to code for primary procedure)
00211	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis
	intervention), as needed, during psychedelic medication therapy; clinical staff
	under the direction of a physician or other qualified health care professional,
	concurrent with first physician or other qualified health care professional, each
0822T	hour (List separately in addition to code for primary procedure)
00221	Transcatheter insertion of permanent single-chamber leadless pacemaker, right
	atrial, including imaging guidance (eg, fluoroscopy, venous ultrasound, right
	atrial angiography and/or right ventriculography, femoral venography,
	cavography) and device evaluation (eg, interrogation or programming), when
0823T	performed
	Transcatheter removal of permanent single-chamber leadless pacemaker, right
	atrial, including imaging guidance (eg, fluoroscopy, venous ultrasound, right
	atrial angiography and/or right ventriculography, femoral venography,
0824T	cavography), when performed
	1 22.20.4b.11) mich benomies



	Transacth star ramoval and replacement of normaneut single shamber leadless
	Transcatheter removal and replacement of permanent single-chamber leadless
	pacemaker, right atrial, including imaging guidance (eg, fluoroscopy, venous
	ultrasound, right atrial angiography and/or right ventriculography, femoral
	venography, cavography) and device evaluation (eg, interrogation or
0825T	programming), when performed
	Programming device evaluation (in person) with iterative adjustment of the
	implantable device to test the function of the device and select optimal
	permanent programmed values with analysis, review and report by a physician
	or other qualified health care professional, leadless pacemaker system in single-
0826T	cardiac chamber
	Digitization of glass microscope slides for cytopathology, fluids, washings, or
	brushings, except cervical or vaginal; smears with interpretation (List separately
0827T	in addition to code for primary procedure)
	Digitization of glass microscope slides for cytopathology, fluids, washings, or
	brushings, except cervical or vaginal; simple filter method with interpretation
0828T	(List separately in addition to code for primary procedure)
	Digitization of glass microscope slides for cytopathology, concentration
	technique, smears, and interpretation (eg, Saccomanno technique) (List
0829T	separately in addition to code for primary procedure)
	Digitization of glass microscope slides for cytopathology, selective-cellular
	enhancement technique with interpretation (eg, liquid-based slide preparation
	method), except cervical or vaginal (List separately in addition to code for
0830T	primary procedure)
	Digitization of glass microscope slides for cytopathology, cervical or vaginal (any
	reporting system), requiring interpretation by physician (List separately in
0831T	addition to code for primary procedure)
00311	Digitization of glass microscope slides for cytopathology, smears, any other
	source; screening and interpretation (List separately in addition to code for
0832T	primary procedure)
00321	Digitization of glass microscope slides for cytopathology, smears, any other
	source; preparation, screening and interpretation (List separately in addition to
ООЭЭТ	
0833T	code for primary procedure)
	Digitization of glass microscope slides for cytopathology, smears, any other
0004	source; extended study involving over 5 slides and/or multiple stains (List
0834T	separately in addition to code for primary procedure)
	Digitization of glass microscope slides for cytopathology, evaluation of fine
	needle aspirate; immediate cytohistologic study to determine adequacy for
	diagnosis, first evaluation episode, each site (List separately in addition to code
0835T	for primary procedure)
	Digitization of glass microscope slides for cytopathology, evaluation of fine
	needle aspirate; immediate cytohistologic study to determine adequacy for
	diagnosis, each separate additional evaluation episode, same site (List
0836T	separately in addition to code for primary procedure)



	Digitization of glass microscope slides for cytopathology, evaluation of fine
	needle aspirate; interpretation and report (List separately in addition to code
0837T	for primary procedure)
08371	Digitization of glass microscope slides for consultation and report on referred
	slides prepared elsewhere (List separately in addition to code for primary
0838T	procedure)
00301	Digitization of glass microscope slides for consultation and report on referred
	material requiring preparation of slides (List separately in addition to code for
0839T	primary procedure)
08331	Digitization of glass microscope slides for consultation, comprehensive, with
	review of records and specimens, with report on referred material (List
0840T	separately in addition to code for primary procedure)
06401	Digitization of glass microscope slides for pathology consultation during surgery;
	first tissue block, with frozen section(s), single specimen (List separately in
0841T	addition to code for primary procedure)
00411	Digitization of glass microscope slides for pathology consultation during surgery;
	each additional tissue block with frozen section(s) (List separately in addition to
0842T	code for primary procedure)
08421	Digitization of glass microscope slides for pathology consultation during surgery;
	cytologic examination (eg, touch preparation, squash preparation), initial site
0843T	(List separately in addition to code for primary procedure)
00431	Digitization of glass microscope slides for pathology consultation during surgery;
	cytologic examination (eg, touch preparation, squash preparation), each
0844T	additional site (List separately in addition to code for primary procedure)
00441	Digitization of glass microscope slides for immunofluorescence, per specimen;
	initial single antibody stain procedure (List separately in addition to code for
0845T	primary procedure)
00431	Digitization of glass microscope slides for immunofluorescence, per specimen;
	each additional single antibody stain procedure (List separately in addition to
0846T	code for primary procedure)
00401	Digitization of glass microscope slides for examination and selection of retrieved
	archival (ie, previously diagnosed) tissue(s) for molecular analysis (eg, KRAS
0847T	mutational analysis) (List separately in addition to code for primary procedure)
00171	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per
	specimen; initial single probe stain procedure (List separately in addition to
0848T	code for primary procedure)
	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per
	specimen; each additional single probe stain procedure (List separately in
0849T	addition to code for primary procedure)
	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per
	specimen; each multiplex probe stain procedure (List separately in addition to
0850T	code for primary procedure)
	Digitization of glass microscope slides for morphometric analysis, in situ
0851T	hybridization (quantitative or semiquantitative), manual, per specimen; initial
1001.	, a. raization (quantitative of beiniquantitative), manual, per specimen, militar



	single probe stain procedure (List separately in addition to code for primary
	procedure)
	Digitization of glass microscope slides for morphometric analysis, in situ
	hybridization (quantitative or semiquantitative), manual, per specimen; each
	additional single probe stain procedure (List separately in addition to code for
0852T	primary procedure)
08321	Digitization of glass microscope slides for morphometric analysis, in situ
	hybridization (quantitative or semiquantitative), manual, per specimen; each
	multiplex probe stain procedure (List separately in addition to code for primary
0853T	procedure)
08331	Digitization of glass microscope slides for blood smear, peripheral,
00547	interpretation by physician with written report (List separately in addition to
0854T	code for primary procedure)
00557	Digitization of glass microscope slides for bone marrow, smear interpretation
0855T	(List separately in addition to code for primary procedure)
OOFCT	Digitization of glass microscope slides for electron microscopy, diagnostic (List
0856T	separately in addition to code for primary procedure)
	Opto-acoustic imaging, breast, unilateral, including axilla when performed, real-
00577	time with image documentation, augmentative analysis and report (List
0857T	separately in addition to code for primary procedure)
	Externally applied transcranial magnetic stimulation with concomitant
0858T	measurement of evoked cortical potentials with automated report
	Noncontact near-infrared spectroscopy (eg, for measurement of
	deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), other than
	for screening for peripheral arterial disease, image acquisition, interpretation,
	and report; each additional anatomic site (List separately in addition to code for
0859T	primary procedure)
	Noncontact near-infrared spectroscopy (eg, for measurement of
	deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), for
	screening for peripheral arterial disease, including provocative maneuvers,
0860T	image acquisition, interpretation, and report, one or both lower extremities
	Removal of pulse generator for wireless cardiac stimulator for left ventricular
0861T	pacing; both components (battery and transmitter)
	Relocation of pulse generator for wireless cardiac stimulator for left ventricular
	pacing, including device interrogation and programming; battery component
0862T	only
	Relocation of pulse generator for wireless cardiac stimulator for left ventricular
	pacing, including device interrogation and programming; transmitter
0863T	component only
	Low-intensity extracorporeal shock wave therapy involving corpus cavernosum,
0864T	low energy
	Quantitative magnetic resonance image (MRI) analysis of the brain with
	comparison to prior magnetic resonance (MR) study(ies), including lesion
0865T	identification, characterization, and quantification, with brain volume(s)



	quantification and/or severity score, when performed, data preparation and transmission, interpretation and report, obtained without diagnostic MRI examination of the brain during the same session
0866T	Quantitative magnetic resonance image (MRI) analysis of the brain with comparison to prior magnetic resonance (MR) study(ies), including lesion detection, characterization, and quantification, with brain volume(s) quantification and/or severity score, when performed, data preparation and transmission, interpretation and report, obtained with diagnostic MRI examination of the brain (List separately in addition to code for primary procedure)
A2001	Innovamatrix ac, per square centimeter
A2002	Mirragen advanced wound matrix, per square centimeter
A2004	Xcellistem, per square centimeter
A2005	Microlyte matrix, per square centimeter
A2006	Novosorb synpath dermal matrix, per square centimeter
A2007	Restrata, per square centimeter
A2008	Theragenesis, per square centimeter
A2009	Symphony, per square centimeter
A2010	Apis, per square centimeter
A2011	Supra sdrm, per square centimeter
A2012	Suprathel, per square centimeter
A2013	Innovamatrix fs, per square centimeter
A2014	Omeza collagen matrix, per 100 mg
A2015	Phoenix wound matrix, per square centimeter
A2016	Permeaderm b, per square centimeter
A2017	Permeaderm glove, each
A2018	Permeaderm c, per square centimeter
A2019	Kerecis omega3 marigen shield, per square centimeter
A2020	Ac5 advanced wound system (ac5)
A2021	Neomatrix, per square centimeter
A2022	Innovaburn or innovamatrix xl, per square centimeter
A2023	Innovamatrix pd, 1 mg
A2024	Resolve matrix, per square centimeter
A2025	Miro3d, per cubic centimeter
A2026	Restrata minimatrix, 5 mg
A2027	Matriderm, per square centimeter
A2028	Micromatrix flex, per mg
A2030	Miro3d fibers, per milligram
A2031	Mirodry wound matrix, per square centimeter
A2032	Myriad matrix, per square centimeter



A2033	Myriad morcells, 4 milligrams
A2034	Foundation drs solo, per square centimeter
A2035	Corplex p or theracor p or allacor p, per milligram
	Integrated lancing and blood sample testing cartridges for home blood glucose
A4271	monitor, per month
	Adhesive clip applied to the skin to secure external electrical nerve stimulator
A4438	controller, each
A4468	Exsufflation belt, includes all supplies and accessories
	Distal transcutaneous electrical nerve stimulator, stimulates peripheral nerves
A4540	of the upper arm
A4541	Monthly supplies for use of device coded at e0733
	Supplies and accessories for external upper limb tremor stimulator of the
A4542	peripheral nerves of the wrist
A 4 5 4 4	Electrode for external lower extremity nerve stimulator for restless legs
A4544	syndrome
A4560	Neuromuscular electrical stimulator (nmes), disposable, replacement only
A 45C2	Rectal control system for vaginal insertion, for long term use, includes pump
A4563	and all supplies and accessories, any type each
A4564	Pessary, disposable, any type
A4593	Neuromodulation stimulator system, adjunct to rehabilitation therapy regime, controller
A4595	Neuromodulation stimulator system, adjunct to rehabilitation therapy regime,
A4594	mouthpiece each
714334	Cranial electrotherapy stimulation (ces) system supplies and accessories, per
A4596	month
A7049	Expiratory positive airway pressure intranasal resistance valve
A9156	Oral mucoadhesive, any type (liquid, gel, paste, etc.), per 1 ml
A9286	Hygienic item or device, disposable or non-disposable, any type, each
7.52.50	Prescription digital visual therapy, software-only, fda cleared, per course of
A9292	treatment
	Graphite crucible for preparation of technetium tc 99m-labeled carbon aerosol,
A9506	one crucible
A9591	Fluoroestradiol f 18, diagnostic, 1 millicurie
A9592	Copper cu-64, dotatate, diagnostic, 1 millicurie
A9601	Flortaucipir f 18 injection, diagnostic, 1 millicurie
A9602	Fluorodopa f-18, diagnostic, per millicurie
A9609	Fludeoxyglucose f18 up to 15 millicuries
A9615	Injection, pegulicianine, 1 mg
Active release technique	injection, pegunduline, 1 mg
(ART) by Chiropractor	Active release technique (ART) by Chiropractor
Active Release Therapy	Active Release Therapy (ART) is a type of massage therapy
Active Release Therapy	Acupressure Energy medicine.



Anser ADA, Anser IFX Lab	
Tests	Anser ADA and Anser IFX lab tests, refreshed benchmarking and Hayes
AxioBionics Wearable	Aliser Abar and Aliser it Alab tests, refreshed benchinarking and hayes
Therapy Functional	
Neuromuscular Electrical	AxioBionics Wearable Therapy Functional Neuromuscular Electrical Stimulation
Stimulation NMES	NMES
Bee Venom Therapy	Bee Venom Therapy (BVT)
BiowaveGO	
Neuromodulation Pain	Biggs CO No. 19 and Julius Brig Thomas Brigs
Therapy Device	BiowaveGO Neuromodulation Pain Therapy Device
C1052	Hemostatic agent, gastrointestinal, topical
C1062	Intravertebral body fracture augmentation with implant (e.g., metal, polymer)
	Catheter, transluminal intravascular lesion preparation device, bladed, sheathed
C1600	(insertable)
	Endoscope, single-use (i.e. disposable), pulmonary, imaging/illumination device
C1601	(insertable)
	Orthopedic/device/drug matrix/absorbable bone void filler, antimicrobial-
C1602	eluting (implantable)
	Retrieval device, insertable, laser (used to retrieve intravascular inferior vena
C1603	cava filter)
	Graft, transmural transvenous arterial bypass (implantable), with all delivery
C1604	system components
	Pacemaker, leadless, dual chamber (right atrial and right ventricular implantable
	components), rate-responsive, including all necessary components for
C1605	implantation
	Adapter, single-use (i.e. disposable), for attaching ultrasound system to upper
C1606	gastrointestinal endoscope
	Orthopedic/device/drug matrix for opposing bone-to-bone or soft tissue-to
C1734	bone (implantable)
	Endoscope, single-use (i.e. disposable), urinary tract, imaging/illumination
C1747	device (insertable)
	Endoscope, single-use (i.e. disposable), upper gi, imaging/illumination device
C1748	(insertable)
C1761	Catheter, transluminal intravascular lithotripsy, coronary
C1821	Interspinous process distraction device (implantable)
C1824	Generator, cardiac contractility modulation (implantable)
	Generator, neurostimulator (implantable), non-rechargeable with carotid sinus
C1825	baroreceptor stimulation lead(s)
	Generator, neurostimulator (implantable), includes closed feedback loop leads
	and all implantable components, with rechargeable battery and charging
C1826	system
	Generator, neurostimulator (implantable), non-rechargeable, with implantable
C1827	stimulation lead and external paired stimulation controller



C1831	Personalized, anterior and lateral interbody cage (implantable)
	Autograft suspension, including cell processing and application, and all system
C1832	components
	Monitor, cardiac, including intracardiac lead and all system components
C1833	(implantable)
	Pressure sensor system, includes all components (e.g., introducer, sensor),
C1834	intramuscular (implantable), excludes mobile (wireless) software application
C1839	Iris prosthesis
C1884	Embolization protective system
C1982	Catheter, pressure generating, one-way valve, intermittently occlusive
C2613	Lung Biopsy Plug with Delivery System
	Catheter placement in coronary artery(s) for coronary angiography, including
	intraprocedural injection(s) for coronary angiography, imaging supervision and
	interpretation with left heart catheterization including intraprocedural
	injection(s) for left ventriculography, when performed and intraprocedural
	coronary fractional flow reserve (ffr) with 3d functional mapping of color-coded
	ffr values for the coronary tree, derived from coronary angiogram data, for real-
	time review and interpretation of possible atherosclerotic stenosis(es)
C7557	intervention
C9089	Bupivacaine, collagen-matrix implant, 1 mg
C9150	Xenon xe-129 hyperpolarized gas, diagnostic, per study dose
C9250	Human plasma fibrin sealant, vapor-heated, solvent-detergent (Artiss), 2 ml
	Focused ultrasound ablation/therapeutic intervention, other than uterine
C9734	leiomyomata, with magnetic resonance (MR) guidance
	Bronchoscopy, rigid or flexible, transbronchial ablation of lesion(s) by
	microwave energy, including fluoroscopic guidance, when performed, with
	computed tomography acquisition(s) and 3-d rendering, computer-assisted,
	image-guided navigation, and endobronchial ultrasound (ebus) guided
	transtracheal and/or transbronchial sampling (eg, aspiration[s]/biopsy[ies]) and
	all mediastinal and/or hilar lymph node stations or structures and therapeutic
C9751	intervention(s)
	Intraoperative near-infrared fluorescence lymphatic mapping of lymph node(s)
	(sentinel or tumor draining) with administration of indocyanine green (ICG) (List
C9756	separately in addition to code for primary procedure)
	Laminotomy (hemilaminectomy), with decompression of nerve root(s),
	including partial facetectomy, foraminotomy and excision of herniated
	intervertebral disc, and repair of annular defect with implantation of bone
C0757	anchored annular closure device, including annular defect measurement,
C9757	alignment and sizing assessment, and image guidance; 1 interspace, lumbar
	Blinded procedure for NYHA Class III/IV heart failure; transcatheter
	implantation of interatrial shunt or placebo control, including right heart
C07E9	catheterization, transesophageal echocardiography (TEE)/intracardiac
C9758	echocardiography (ICE), and all imaging with or without guidance (e.g.,



	ultrasound, fluoroscopy), performed in an approved investigational device
	exemption (IDE) study
	, , , ,
	Transcatheter intraoperative blood vessel microinfusion(s) (e.g., intraluminal,
C07F0	vascular wall and/or perivascular) therapy, any vessel, including radiological
C9759	supervision and interpretation, when performed
	Non-randomized, non-blinded procedure for nyha class ii, iii, iv heart failure;
	transcatheter implantation of interatrial shunt or placebo control, including
	right and left heart catheterization, transeptal puncture, trans-esophageal
	echocardiography (tee)/intracardiac echocardiography (ice), and all imaging
00700	with or without guidance (e.g., ultrasound, fluoroscopy), performed in an
C9760	approved investigational device exemption (ide) study
	Cystourethroscopy, with ureteroscopy and/or pyeloscopy, with lithotripsy
	(ureteral catheterization is included) and vacuum aspiration of the kidney,
C9761	collecting system and urethra if applicable
	Revascularization, endovascular, open or percutaneous, any vessel(s); with
	intravascular lithotripsy, includes angioplasty within the same vessel(s), when
C9764	performed
	Revascularization, endovascular, open or percutaneous, any vessel(s); with
	intravascular lithotripsy, and transluminal stent placement(s), includes
C9765	angioplasty within the same vessel(s), when performed
	Revascularization, endovascular, open or percutaneous, any vessel(s); with
	intravascular lithotripsy and atherectomy, includes angioplasty within the same
C9766	vessel(s), when performed
	Revascularization, endovascular, open or percutaneous, any vessel(s); with
	intravascular lithotripsy and transluminal stent placement(s), and atherectomy,
C9767	includes angioplasty within the same vessel(s), when performed
	Endoscopic ultrasound-guided direct measurement of hepatic portosystemic
	pressure gradient by any method (list separately in addition to code for primary
C9768	procedure)
	Cystourethroscopy, with insertion of temporary prostatic implant/stent with
C9769	fixation/anchor and incisional struts
	Nasal/sinus endoscopy, cryoablation nasal tissue(s) and/or nerve(s), unilateral
C9771	or bilateral
	Revascularization, endovascular, open or percutaneous, tibial/peroneal
	artery(ies), with intravascular lithotripsy, includes angioplasty within the same
C9772	vessel (s), when performed
	Revascularization, endovascular, open or percutaneous, tibial/peroneal
	artery(ies); with intravascular lithotripsy, and transluminal stent placement(s),
C9773	includes angioplasty within the same vessel(s), when performed
	Revascularization, endovascular, open or percutaneous, tibial/peroneal
	artery(ies); with intravascular lithotripsy and atherectomy, includes angioplasty
C9774	within the same vessel (s), when performed
	Revascularization, endovascular, open or percutaneous, tibial/peroneal
C9775	artery(ies); with intravascular lithotripsy and transluminal stent placement(s),



	and atherectomy, includes angioplasty within the same vessel (s), when
	performed
	Intraoperative near-infrared fluorescence imaging of major extra-hepatic bile
	duct(s) (e.g., cystic duct, common bile duct and common hepatic duct) with
	intravenous administration of indocyanine green (icg) (list separately in addition
C9776	
C3770	to code for primary procedure) Ecophagoal musecal integrity testing by electrical impedance, transcral (list
C9777	Esophageal mucosal integrity testing by electrical impedance, transoral (list
C9777	separately in addition to code for primary procedure)
C0770	Endoscopic submucosal dissection (ESD), including endoscopy or colonoscopy,
C9779	mucosal closure, when performed
	Arthroscopy, shoulder, surgical; with implantation of subacromial spacer (e.g.,
60704	balloon), includes debridement (e.g., limited or extensive), subacromial
C9781	decompression, acromioplasty, and biceps tenodesis when performed
	Blinded procedure for new york heart association (nyha) class ii or iii heart
	failure, or canadian cardiovascular society (ccs) class iii or iv chronic refractory
	angina; transcatheter intramyocardial transplantation of autologous bone
	marrow cells (e.g., mononuclear) or placebo control, autologous bone marrow
	harvesting and preparation for transplantation, left heart catheterization
	including ventriculography, all laboratory services, and all imaging with or
	without guidance (e.g., transthoracic echocardiography, ultrasound,
	fluoroscopy), performed in an approved investigational device exemption (ide)
C9782	study
	Blinded procedure for transcatheter implantation of coronary sinus reduction
	device or placebo control, including vascular access and closure, right heart
	catherization, venous and coronary sinus angiography, imaging guidance and
	supervision and interpretation when performed in an approved investigational
C9783	device exemption (ide) study
	Gastric restrictive procedure, endoscopic sleeve gastroplasty, with
	esophagogastroduodenoscopy and intraluminal tube insertion, if performed,
C9784	including all system and tissue anchoring components
	Echocardiography image post processing for computer aided detection of heart
C9786	failure with preserved ejection fraction, including interpretation and report
C9787	Gastric electrophysiology mapping with simultaneous patient symptom profiling
	3d predictive model generation for pre-planning of a cardiac procedure, using
C9793	data from cardiac computed tomographic angiography with report
	Repair of enterocutaneous fistula small intestine or colon (excluding anorectal
C9796	fistula) with plug (e.g., porcine small intestine submucosa [sis])
	Vascular embolization or occlusion procedure with use of a pressure-generating
	catheter (e.g., one-way valve, intermittently occluding), inclusive of all
	radiological supervision and interpretation, intraprocedural roadmapping, and
	imaging guidance necessary to complete the intervention; for tumors, organ
C9797	ischemia, or infarction
C3/3/	ischemia, or imarcuon



	Endocapie defect elecure within the entire gestraintectinal tract including
	Endoscopic defect closure within the entire gastrointestinal tract, including
50004	upper endoscopy (including diagnostic, if performed) or colonoscopy (including
C9901	diagnostic, if performed), with all system and tissue anchoring components
CARTIVA® SCI Synthetic	
Cartilage Implant for Joint	
Pain	CARTIVA® SCI Synthetic Cartilage Implant for Joint Pain
	Cefaly is a small, portable, battery-powered, prescription device that resembles
	a plastic headband worn across the forehead and atop the ears as a treatment
Cefaly Device	for migraines
Central Auditory	
Processing Disorder	
Hearing Exam	Central Auditory Processing Disorder Hearing Exam
Cold and Compression	
Therapy Devices	brand names:Game Ready, NICE 1
Coolief Radiofrequency	
Device and Treatment	Coolief Radiofrequency Device and Treatment
Corus CAD Gene	
Expression test	Corus Coronary Artery Disease Gene Expression test
	Cranial electrotherapy stimulation (CES), also known as cranial electrical
Cranial electrotherapy	stimulation, transcranial electrical stimulation, or electrical stimulation therapy
stimulation	for the treatment of anxiety and migraines using a device called Alpha-Stim
	Craniosacral Therapy also referred to as cranial osteopathy, cranial therapy, bio-
	cranial therapy, bio cranial stretching, Craniopathy, Sacro Occipital technique,
	involves intrinsic movements of the bones of the skull which are believed to
Craniosacral therapy	reveal different rhythmic tidal motions in the body.
Dry Needling	Dry Needling
D. y Heedining	Powered pressure reducing underlay/pad, alternating, with pump, includes
E0183	heavy duty
20103	Topical oxygen delivery system, not otherwise specified, includes all supplies
E0446	and accessories
20440	Power source and control electronics unit for oral device/appliance for
	neuromuscular electrical stimulation of the tongue muscle, controlled by
E0490	hardware remote
20430	Oral device/appliance for neuromuscular electrical stimulation of the tongue
	muscle, used in conjunction with the power source and control electronics unit,
E0491	controlled by hardware remote, 90-day supply
L0+31	Power source and control electronics unit for oral device/appliance for
	neuromuscular electrical stimulation of the tongue muscle, controlled by phone
E0492	application
LU472	Oral device/appliance for neuromuscular electrical stimulation of the tongue
	-
E0403	muscle, used in conjunction with the power source and control electronics unit,
E0493	controlled by phone application, 90-day supply
50520	Electronic positional obstructive sleep apnea treatment, with sensor, includes
E0530	all components and accessories, any type



E0677	Non-pneumatic sequential compression garment, trunk
E0732	Cranial electrotherapy stimulation (ces) system, any type
	Transcutaneous electrical nerve stimulator for electrical stimulation of the
E0733	trigeminal nerve
E0734	External upper limb tremor stimulator of the peripheral nerves of the wrist
E0735	Non-invasive vagus nerve stimulator
E0736	Transcutaneous tibial nerve stimulator
20700	Upper extremity rehabilitation system providing active assistance to facilitate
E0738	muscle re-education, include microprocessor, all components and accessories
E0740	Nonimplanted pelvic floor electrical stimulator, complete system
E0743	External lower extremity nerve stimulator for restless legs syndrome, each
E0770	Functional Electrical Stimulation Device
E1629	Tablo hemodialysis system for the billable dialysis service
	Virtual reality cognitive behavioral therapy device (cbt), including pre-
E1905	programmed therapy software
	Home blood glucose monitor for use with integrated lancing/blood sample
E2104	testing cartridge
	Speech volume modulation system, any type, including all components and
E3000	accessories
Embrace 2 seizure	
monitoring smart	
wristband	Embrace 2 seizure monitoring smart wristband
	Emsella is a breakthrough treatment for incontinence and confidence. Emsella
Francilla Transferant	utilizes High-Intensity Focused Electromagnetic (HIFEM) technology to stimulate
Emsella Treatment	deep pelvic floor muscles and restore neuromuscular control.
EndeavorRx	EndeavorRx app is a digital treatment indicated for Children with ADHD
Epilepsy Watch	Epilepsy Watch - called Embrace
Fisher Wallace stimulator	Fisher Wallace stimulator
FlexiGraft	FlexiGraft
Freespira Digital	
Therapeutic for Panic	
Disorder and PTSD	Freespira Digital Therapeutic for Panic Disorder and PTSD
	Activity therapy, such as music, dance, art or play therapies not for recreation,
C017C	related to the care and treatment of patient's disabling mental health problems,
G0176	per session (45 minutes or more)
	Quantitative software measurements of cardiac volume, cardiac chambers
G0183	volumes and left ventricular wall mass derived from ct scan(s) data of the
00102	chest/heart (with or without contrast) Autologous platelet rich plasma (prp) for diabetic chronic wounds/ulcers, using
	an fda-cleared device (includes administration, dressings, phlebotomy,
G0465	centrifugation, and all other preparatory procedures, per treatment)
30403	centinugation, and an other preparatory procedures, per treatment



	Tympanoctomy with local or tonical anocthocia and insertion of a ventilating
	Tympanostomy with local or topical anesthesia and insertion of a ventilating
C05C1	tube when performed with tympanostomy tube delivery device, unilateral (list
G0561	separately in addition to 69433) (do not use in conjunction with 0583t)
COFCC	3d radiodensity-value bone imaging, algorithm derived, from previous magnetic
G0566	resonance examination of the same anatomy
Gammacore Non-Invasive	
Vagus Nerve Stimulator	
for headaches	Gammacore Non-Invasive Vagus Nerve Stimulator for headaches
Genecept Assay	Genecept Assay
	There is interest in the use of genetic testing to help in medication selection for
GeneSight Testing	psychiatric conditions
GI MAP Testing/IgG MAP	
Food Sensitivity Testing	GI MAP Testing/IgG MAP Food Sensitivity Testing
Hair Follice Toxic Element	
Exposure Profile test	A Metals Hair Test is ideal for checking current exposure to toxic metals
heel ultrasound as a bone	
density screening	heel ultrasound as a bone density screening
High Energy Shock Wave	, ,
Therapy	ESWT for foot conditions is not covered
Homeopathic Sports	
Therapy	Homeopathic sports therapy
Implantable hormone	Implantable hormone pellets for the treatment of menopausal symptoms (PRE
pellets	MENOPAUSE)
Integrative Medicine	
Consults	Integrative Medicine Consults
Intense Pulse Light for Dry	Integrative integration consums
Eye Disease	Intense Pulse Light for Dry Eye Disease
Lyc Discuse	Cryoneurolysis using the Lovera System (CPT Code 64640 is not an appropriate
lovera System	code for Lovera system)
J0591	
	Injection, deoxycholic acid, 1 mg
J3570	Laetrile
	Revefenacin inhalation solution, fda-approved final product, non-compounded,
J7677	administered through DME, 1 microgram
	Electronic positional obstructive sleep apnea treatment, with sensor, includes
K1001	all components and accessories, any type
	Cranial electrotherapy stimulation (CES) system, includes all supplies and
K1002	accessories, any type
	Low frequency ultrasonic diathermy treatment device for home use, includes all
K1004	components and accessories
	Bilateral hip, knee, ankle, foot device, powered, includes pelvic component,
	single or double upright(s), knee joints any type, with or without ankle joints
	any type, includes all components and accessories, motors, microprocessors,
K1007	sensors



	Speech volume modulation system, any type, including all components and
K1009	accessories
V1014	Addition, endoskeletal knee-shin system, 4 bar linkage or multiaxial, fluid swing
K1014	and stance phase control Transcutaneous electrical nerve stimulator for electrical stimulation of the
K1016	
	trigeminal nerve
K1017	Monthly supplies for use of device coded at k1016
K1018	External upper limb tremor stimulator of the peripheral nerves of the wrist
K1019	Monthly supplies for use of device coded at k1018
K1020	Non-invasive vagus nerve stimulator
K1021	Exsufflation belt, includes all supplies and accessories
	Addition to lower extremity prosthesis, endoskeletal, knee disarticulation,
K1022	above knee, hip disarticulation, positional rotation unit, any type
	Distal transcutaneous electrical nerve stimulator, stimulates peripheral nerves
K1023	of the upper arm. Nerivio Migra Device
	Nonpneumatic compression controller with sequential calibrated gradient
K1024	pressure
K1025	Nonpneumatic sequential compression garment, full arm
	Oral device/appliance used to reduce upper airway collapsibility, without fixed
K1027	mechanical hinge, custom fabricated, includes fitting and adjustment
	Power source and control electronics unit for oral device/appliance for
	neuromuscular electrical stimulation of the tongue muscle for the reduction of
K1028	snoring and obstructive sleep apnea, controlled by phone application
	Oral device/appliance for neuromuscular electrical stimulation of the tongue
	muscle, used in conjunction with the power source and control electronics unit,
K1029	controlled by phone application, 90-day supply
	External recharging system for battery (internal) for use with implanted cardiac
K1030	contractility modulation generator, replacement only
K1031	Non-pneumatic compression controller without calibrated gradient pressure
K1032	Non-pneumatic sequential compression garment, full leg
K1033	Non-pneumatic sequential compression garment, half leg
	Supplies and accessories (e.g., transducer) for low frequency ultrasonic
K1036	diathermy treatment device, per month
	Knee-ankle-foot (KAF) device, any material, single or double upright, swing
	and/or stance phase microprocessor control with adjustability, includes all
	components (e.g., sensors, batteries, charger), any type activation, with or
L2006	without ankle joint(s), custom fabricated
	Addition to lower extremity prostheses, osseointegrated external prosthetic
L5991	connector
	Upper extremity addition, external powered feature, myoelectronic control
L6700	module, additional emg inputs, pattern-recognition decoding intent movement
	Injectable bulking agent, dextranomer/hyaluronic acid copolymer implant, anal
L8605	canal, 1 ml, includes shipping and necessary supplies



	Miscellaneous external component, supply or accessory for use with the argus ii
L8608	retinal prosthesis system
18008	Electrical stimulator supplies (external) for use with implantable
L8678	neurostimulator, per month
18078	
	Powered upper extremity range of motion assist device, elbow, wrist, hand with
10704	single or double upright(s), includes microprocessor, sensors, all components
L8701	and accessories, custom fabricated
	Powered upper extremity range of motion assist device, elbow, wrist, hand,
	finger, single or double upright(s), includes microprocessor, sensors, all
L8702	components and accessories, custom fabricated
	External lower extremity sensory prosthesis, cutaneous stimulation of
L8720	mechanoreceptors proximal to the ankle, per leg
Laser treatment	
experimental and	
investigational for	
removal nail fungus	Laser treatment experimental and investigational for removal nail fungus
(Onychomycosis).	(Onychomycosis).
Laser treatment for Lichen	
sclerosus	Laser treatment for Lichen sclerosus
Laser treatment to	
rosacea with an IPL beam	
or Excel V beam	Laser treatment to rosacea with an IPL beam or Excel V beam
Latera Absorbable Nasal	
Implant	Latera Absorbable Nasal Implant
Lidocaine Infusion-for pain	
management	Lidocaine Infusion-for pain management
M0076	Prolotherapy
	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab,
	includes infusion or injection and post administration monitoring, subsequent
M0240	repeat doses
	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab
	includes infusion or injection, and post administration monitoring in the home
	or residence, this includes a beneficiary's home that has been made provider-
	based to the hospital during the covid-19 public health emergency, subsequent
M0241	repeat doses
	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab
M0243	includes infusion or injection, and post administration monitoring
1110273	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab
	includes infusion or injection, and post administration monitoring in the home
	or residence; this includes a beneficiary's home that has been made provider-
M0244	based to the hospital during the covid-19 public health emergency
IVIUZ 11	
M0245	Intravenous infusion, bamlanivimab and etesevimab, includes infusion and post
M0245	administration monitoring



	Intravenous infusion, bamlanivimab and etesevimab, includes infusion and post
	administration monitoring in the home or residence; this includes a
	beneficiary's home that has been made provider-based to the hospital during
M0246	the covid-19 public health emergency
Massage Therapy	Massage Therapy performed by a massage therapist.
Medtronic Extended	Madhrania Estandad Insulia Infusion Cat
Insulin Infusion Set miraDry for reduce	Medtronic Extended Insulin Infusion Set
underarm sweat	miraDry for reduce underarm sweat
Monalisa Touch	Monalisa Touch
Widitalisa Todeli	Remote Glucose Monitoring for patients with type 1 diabetes (including
MySentry by MedTronics.	pregnant women with poorly controlled type 1 diabetes (medaning
Nail Fungus Laser Surgery	Treatment of nail fungus with laser
NeuroMD Corrective	
Therapy Device	NeuroMD Corrective Therapy Device
Oasis Pro Cranio-Electro	
Stimulatio Device	Oasis Pro CES Device- Cranio-Electro Stimulation
Ozone Therapy or	
Oxidative Therapy	Ozone Therapy/Oxidative Therapy
Pantaloons	Pantaloons
Proton Beam Radiation	
Therapy for Prostate	But a Barra Bullistina Thomas for Burstata Consu
Cancer	Proton Beam Radiation Therapy for Prostate Cancer
Pulsed RF ablation	Radiofrequency (RF) treatment is a minimally invasive procedure that has been used for treating various chronic pain syndromes
Q0240	Injection, casirivimab and imdevimab, 600 mg
Q0243	Injection, casirivimab and imdevimab, 300 mg
Q0244	Injection, casirvimab and imdevimab, 2400 mg
Q0245	Injection, bamlanivimab and etesevimab, 2100 mg
Q4155 Q4156	Neox Flo or Clarix Flo 1 mg
	Neox 100 or Clarix 100, per sq cm
Q4157	Revitalon, per sq cm
Q4158	Kerecis Omega3, per sq cm
Q4159	Affinity, per square centimeter
Q4160	Nushield, per square centimeter
Q4161	Bio-ConneKt wound matrix, per sq cm
Q4166	Cytal, per sq cm
Q4167	Truskin, per sq cm
Q4168	AmnioBand, 1 mg
Q4169	Artacent wound, per sq cm
Q4170	Cygnus, per sq cm



Q4171	Interfyl, 1 mg
Q4173	PalinGen or PalinGen XPlus, per sq cm
Q4174	PalinGen or ProMatrX, 0.36 mg per 0.25 cc
Q4175	Miroderm, per sq cm
Q4176	Neopatch, per square centimeter
Q4177	Floweramnioflo, 0.1 cc
Q4178	Floweramniopatch, per square centimeter
Q4179	Flowerderm, per square centimeter
Q4180	Revita, per square centimeter
Q4181	Amnio wound, per square centimeter
Q4182	Transcyte, per square centimeter
Q4183	Surgigraft, per square centimeter
Q4184	Cellesta, per square centimeter
Q4185	Cellesta flowable amnion (25 mg per cc); per 0.5 cc
Q4187	Epicord, per square centimeter
Q4188	Amnioarmor, per square centimeter
Q4189	Artacent ac, 1 mg
Q4190	Artacent ac, per square centimeter
Q4191	Restorigin, per square centimeter
Q4192	Restorigin, 1 cc
Q4193	Coll-e-derm, per square centimeter
Q4194	Novachor, per square centimeter
Q4195	Puraply, per square centimeter
Q4196	Puraply am, per square centimeter
Q4197	Puraply xt, per square centimeter
Q4198	Genesis amniotic membrane, per square centimeter
Q4200	Skin te, per square centimeter
Q4201	Matrion, per square centimeter
Q4202	Keroxx (2.5g/cc), 1cc
Q4203	Derma-gide, per square centimeter
Q4204	Xwrap, per square centimeter
Q4205	Membrane graft or membrane wrap, per square centimeter
Q4206	Fluid flow or fluid GF, 1 cc
Q4208	Novafix, per square cenitmeter
Q4209	Surgraft, per square centimeter
Q4210	Axolotl graft or axolotl dualgraft, per square centimeter
Q4211	Amnion bio or Axobiomembrane, per square centimeter
Q4212	Allogen, per cc
Q4213	Ascent, 0.5 mg



Q4214	Cellesta cord, per square centimeter
Q4215	Axolotl ambient or axolotl cryo, 0.1 mg
Q4213	Artacent cord, per square centimeter
Q4216	Woundfix, BioWound, Woundfix Plus, BioWound Plus, Woundfix Xplus or
Q4217	BioWound Xplus, per square centimeter
Q4218	Surgicord, per square centimeter
Q4219	Surgigraft-dual, per square centimeter
Q4220	BellaCell HD or Surederm, per square centimeter
Q4221	Amniowrap2, per square centimeter
Q4221 Q4222	Progenamatrix, per square centimeter
Q4222	MyOwn skin, includes harvesting and preparation procedures, per square
Q4226	centimeter
Q4227	Amniocore, per square centimeter
Q4229	Cogenex amniotic membrane, per square centimeter
Q4230	Cogenex flowable amnion, per 0.5 cc
Q4231	Corplex p, per cc
Q4232	Corplex, per square centimeter
Q4233	Surfactor or nudyn, per 0.5 cc
Q4234	Xcellerate, per square centimeter
Q4235	Amniorepair or altiply, per square centimeter
Q4237	Cryo-cord, per square centimeter
Q4238	Derm-maxx, per square centimeter
Q4239	Amnio-maxx or amnio-maxx lite, per square centimeter
Q4240	Corecyte, for topical use only, per 0.5 cc
Q4241	Polycyte, for topical use only, per 0.5 cc
Q4242	Amniocyte plus, per 0.5 cc
Q4244	Procenta, per 200 mg
Q4245	Amniotext, per cc
Q4246	Coretext or protext, per cc
Q4247	Amniotext patch, per square centimeter
Q4248	Dermacyte amniotic membrane allograft, per square centimeter
Q4249	Amniply, for topical use only, per square centimeter
Q4250	Amnioamp-mp, per square centimeter
Q4251	Vim, per sq cm
Q4252	Vendaje, per sq cm
Q4253	Zenith Amniotic Membrane, per sq cm
Q4254	Novafix dl, per square centimeter
Q4255	Reguard, for topical use only, per square centimeter
Q4265	Neostim tl, per square centimeter
Q1203	recostin d, per square centimeter



Q4266	Neostim membrane, per square centimeter
Q4267	Neostim dl, per square centimeter
Q4268	Surgraft ft, per square centimeter
Q4269	Surgraft xt, per square centimeter
Q4270	Complete sl, per square centimeter
Q4271	Complete ft, per square centimeter
Q4272	Esano a, per square centimeter
Q4273	Esano aaa, per square centimeter
Q4274	Esano ac, per square centimeter
Q4275	Esano aca, per square centimeter
Q4276	Orion, per square centimeter
Q4277	Woundplus membrane or e-graft, per square centimeter
Q4278	Epieffect, per square centimeter
Q4279	Vendaje ac, per square centimeter
Q4280	Xcell amnio matrix, per square centimeter
Q4281	Barrera sl or barrera dl, per square centimeter
Q4282	Cygnus dual, per square centimeter
Q4283	Biovance tri-layer or biovance 3I, per square centimeter
Q4284	Dermabind sl, per square centimeter
Q4285	Nudyn dl or nudyn dl mesh, per square centimeter
Q4286	Nudyn sl or nudyn slw, per square centimeter
Q4287	Dermabind dl, per square centimeter
Q4288	Dermabind ch, per square centimeter
Q4289	Revoshield + amniotic barrier, per square centimeter
Q4290	Membrane wrap-hydro, per square centimeter
Q4291	Lamellas xt, per square centimeter
Q4292	Lamellas, per square centimeter
Q4293	Acesso dl, per square centimeter
Q4294	Amnio quad-core, per square centimeter
Q4295	Amnio tri-core amniotic, per square centimeter
Q4296	Rebound matrix, per square centimeter
Q4297	Emerge matrix, per square centimeter
Q4298	Amnicore pro, per square centimeter
Q4299	Amnicore pro+, per square centimeter
Q4300	Acesso tl, per square centimeter
Q4301	Activate matrix, per square centimeter
Q4302	Complete aca, per square centimeter
Q4303	Complete aa, per square centimeter
Q4304	Grafix plus, per square centimeter



Q4305	American amnion ac tri-layer, per square centimeter
Q4306	American amnion ac, per square centimeter
Q4307	American amnion, per square centimeter
Q4308	Sanopellis, per square centimeter
Q4309	Via matrix, per square centimeter
Q4310	Procenta, per 100 mg
Q4311	Acesso, per square centimeter
Q4312	Acesso ac, per square centimeter
Q4313	Dermabind fm, per square centimeter
Q4314	Reeva ft, per square centimeter
Q4315	Regenelink amniotic membrane allograft, per square centimeter
Q4316	Amchoplast, per square centimeter
Q4317	Vitograft, per square centimeter
Q4318	E-graft, per square centimeter
Q4319	Sanograft, per square centimeter
Q4320	Pellograft, per square centimeter
Q4321	Renograft, per square centimeter
Q4322	Caregraft, per square centimeter
Q4323	Alloply, per square centimeter
Q4324	Amniotx, per square centimeter
Q4325	Acapatch, per square centimeter
Q4326	Woundplus, per square centimeter
Q4327	Duoamnion, per square centimeter
Q4328	Most, per square centimeter
Q4329	Singlay, per square centimeter
Q4330	Total, per square centimeter
Q4331	Axolotl graft, per square centimeter
Q4332	Axolotl dualgraft, per square centimeter
Q4333	Ardeograft, per square centimeter
Q4334	Amnioplast 1, per square centimeter
Q4335	Amnioplast 2, per square centimeter
Q4336	Artacent c, per square centimeter
Q4337	Artacent trident, per square centimeter
Q4338	Artacent velos, per square centimeter
Q4339	Artacent vericlen, per square centimeter
Q4340	Simpligraft, per square centimeter
Q4341	Simplimax, per square centimeter
Q4342	Theramend, per square centimeter
Q4343	Dermacyte ac matrix amniotic membrane allograft, per square centimeter



Q4344	Tri-membrane wrap, per square centimeter
Q4346	Shelter dm matrix, per square centimeter
Q4347	Rampart dl matrix, per square centimeter
Q4348	Sentry sl matrix, per square centimeter
Q4349	Mantle dl matrix, per square centimeter
Q4350	Palisade dm matrix, per square centimeter
Q4351	Enclose tl matrix, per square centimeter
Q4352	Overlay sl matrix, per square centimeter
Q4353	Xceed tl matrix, per square centimeter
Q4354	Palingen dual-layer membrane, per square centimeter
	Abiomend xplus membrane and abiomend xplus hydromembrane, per square
Q4355	centimeter
Q4356	Abiomend membrane and abiomend hydromembrane, per square centimeter
Q4357	Xwrap plus, per square centimeter
Q4358	Xwrap dual, per square centimeter
Q4359	Choriply, per square centimeter
Q4360	Amchoplast fd, per square centimeter
Q4361	Epixpress, per square centimeter
Q4362	Cygnus disk, per square centimeter
Q4363	Amnio burgeon membrane and hydromembrane, per square centimeter
	Amnio burgeon xplus membrane and xplus hydromembrane, per square
Q4364	centimeter
Q4365	Amnio burgeon dual-layer membrane, per square centimeter
Q4366	Dual layer amnio burgeon x-membrane, per square centimeter
Q4367	Amniocore sl, per square centimeter
Q5109	Injection, infliximab-qbtx, biosimilar, (ixifi), 10 mg
Q9982	Flutemetamol F18, diagnostic, per study dose, up to 5 millicuries
Q9983	Florbetaben F18, diagnostic, per study dose, up to 8.1 millicuries
Reflexology	Reflexology is the application of pressure to areas on the feet or the hands
Reiki	Reiki
Robotic laser treatment	
for Covid 19 long haulers	Robotic laser treatment for Covid 19 long haulers
ROMTech	PONAToch PowtokleConnect Povice
PortableConnect Device	ROMTech PortableConnect Device
S1091	Stent, non-coronary, temporary, with delivery system (propel)
S2300	Arthroscopy, shoulder, surgical; with thermally-induced capsulorrhaphy
S3722	Dose optimization by area under the curve (AUC) analysis, for infusional 5-fluorouracil
S4024	Air polymer-type a intrauterine foam, per study dose
5.021	1 por june. type a microaterine round, per stody dose



	Scintimammography (radioimmunoscintigraphy of the breast), unilateral,
S8080	including supply of radiopharmaceutical
S8130	Interferential current stimulator, 2 channel
S8131	Interferential current stimulator, 4 channel
S8948	Application of a modality (requiring constant provider attendance) to one or more areas; low-level laser; each 15 minutes; Low Level laser Therapy (aka Red-Light Therapy) related to Skin; Cold laser Therapy, Low Level Light Therapy, Photobiomodulation
S9034	Extracorporeal shockwave lithotripsy for gall stones
S9090	Vertebral axial decompression, per session
Soundard Lumbar hama	Medical foods for noninborn errors of metabolism
Saunders Lumbar home Traction Devices	Saunders Lumbar home Traction Devices
Schroth method of	
Physical Therapy	Schroth method of Physical Therapy
Shock Wave Therapy	ESWT for foot conditions is not covered
Speech Therapy tool'	Speech Buddies Tools can help anyone over four years old that has problems
Speech Buddies	with one or more of the R, S, L, SH, or CH sounds.
Stem Cell Therapy	Stem Cell therapy for the treatment of osteoarthritis
Suit therapy/Dynamic Movement Orthosis	
(DMO)	Suit therapy/Dynamic Movement Orthosis (DMO)
Symfony Toric vision	
intraocular lenses	Symfony Toric vision intraocular lenses
The Dutch hormone Test	The Dutch hormone Test
Thermal Shrinkage	Also referred to as Electrothermal Shrinkage or Thermal Capsulorrhaphy
Trexo Robotics home gait	
trainer	electro-mechanical gait assist for Rifton gait trainer
Upper Limb Myoelectric	Harris Harb Marria de Calbreta
Orthosis Vibroacoustic Thorany	Upper Limb Myoelectric Orthosis
Vibroacoustic Therapy System	Vibroacoustic Therapy System
Virtual Reality Therapy	Virtual Reality Therapy
Vivaer Procedure	Vivaer radiofrequency ablation for treatment of nasal obstruction
Whole Body Hyperthermia treatment for Lyme	
Disease	Whole Body Hyperthermia treatment for Lyme Disease
Wilderness Therapy	Wilderness Therapy

Effective

January 2026: Ad hoc update. Variation for OneCare and SCO members added

October 2025: Ad hoc update. Codes updated. August 2025: Ad hoc update. Codes updated.



July 2025: Ad hoc update. Codes updated.

June 2025: Ad hoc update. Codes updated.

May 2025: Annual update. Medicare variation clarified.

January 2025: Ad hoc update. Codes updated. Corrected policy effective date.

December 2024: Ad hoc update. Codes updated. Medicare Advantage language clarified. MassHealth language added. References updated.

August 2024: Ad hoc update. Codes updated.

May 2024: Annual update. Medicare Advantage language added. Codes updated.

September 2023: Ad hoc update. Medtronic Extended Infusion Set removed from policy.

August 2023: Ad hoc update. Codes updated.

July 2023: Ad hoc update. Codes updated.

May 2023: Annual update.

January 2023: Ad hoc update. Codes updated.

October 2022: Ad hoc update. Codes updated.

July 2022: Ad hoc update. Codes updated.

May 2022: Annual update. Under Coverage Guidelines, added verbiage "high-quality" to case control studies.

Codes updated.

March 2022: Ad hoc update. Codes updated.

January 2022: Ad hoc update. Codes updated.

October 2021: Ad hoc update. Codes updated.

September 2021: Ad hoc update. Codes updated.

August 2021: Ad hoc update. Codes updated.

July 2021: Annual update. Codes updated.

April 2021: Ad hoc update. Codes updated.

March 2021: Ad hoc update. Codes updated.

February 2021: Ad hoc update. Codes updated.

September 2020: Ad hoc update. Codes updated.

August 2020: Ad hoc update. Codes updated.

July 2020: Ad hoc update. Codes updated.

May 2020: Annual update.

March 1, 2020: Ad hoc update. Codes updated.

October 1, 2019: Ad hoc update. Codes updated.

August 2019: Annual update. Codes updated.

May 2019: Ad hoc update. Code update.

December 2018: Annual update.

October 2018: Ad hoc update. Added additional codes.

April 2018: Annual update. Added codes.

April 2017: Annual update. Added language to include General laws.

February 2017: Annual update.

February 2016: Annual update.

February 2015: Effective date.

References

Accountable Care Partnership Plan Contract for the MassHealth Accountable Care Organization Program, Appendix C, Exhibit 4: MassHealth Excluded Services – All Coverage Types



General Laws of Massachusetts Chapter 175: Section 47K. Off-label drug use; cancer treatment

General Laws of Massachusetts Chapter 175: Section 470. HIV/AIDS treatment; insurance coverage for certain off-label use of prescription drugs

General Laws of Massachusetts Chapter 176G: Section 4F. Group health maintenance contracts; coverage for bone marrow transplants

General Laws of Massachusetts Chapter 176G: Section 4G. Off-label use of prescription drugs for HIV/AIDS treatment

General Laws of Massachusetts - Part I, Title XXII, Chapter 175, Section 110L-Clinical Trials; Definition

Public Law 111 - 148 - Patient Protection and Affordable Care Act, Section 2709

Division of Insurance Bulletin 2002-13 Re: Insurance Coverage of Qualified Clinical Trials

