

Medical Policy Reconstructive and Cosmetic Procedures

Policy Number: 051

Policy Number: 051	6				
	Commercial and Qualified Health Plans	MassHealth	Medicare Advantage	OneCare	Senior Care Options (SCO)
Authorization required	X	X	X	X	X
No Prior Authorization Pectus excavatum Pectus carinatum Tangential biopsy of skin Punch biopsy of skin Incisional biopsy of skin Excisions and simple closure of benign lesions Excision of malignant lesions Injection into skin Destruction of some benign lesions	X	X	X	X	X
Not Payable		X (15824, 15825, 15826, 15828, 15829, 36482, 36483, 0479T, 0480T)			

Overview

The purpose of this document is to describe the guidelines Mass General Brigham Health Plan utilizes to determine medical appropriateness of procedures considered reconstructive and cosmetic in nature. The treating specialist must request prior authorization for reconstructive and cosmetic procedures.

Coverage Guidelines

Mass General Brigham Health Plan generally provides coverage when the surgery or procedure is reconstructive in nature, i.e., needed to improve the functioning of a body part, treat an associated medical complication, or is otherwise medically necessary, even if the surgery or procedure may also improve or change the appearance of a portion of the body. While this policy addresses many common procedures, it does not address all specific procedures that may be considered solely cosmetic in nature and therefore excluded from coverage. Mass General Brigham Health Plan excludes coverage of cosmetic surgery and procedures that are performed primarily to improve or enhance a person's appearance as not medically necessary.



Mass General Brigham Health Plan covers medically necessary reconstructive surgery and procedures performed on structures of the body that are altered or damaged by congenital defects, developmental abnormalities, trauma, infection, tumors, or disease when there is a physical functional impairment or ongoing medical complication that is expected to be improved upon with the requested procedure. Mass General Brigham Health Plan will also consider reconstructive/restorative procedures of the face to correct severe disfigurement under the circumstances described below.

Mass General Brigham Health Plan covers medically necessary reconstructive procedures when the following are met:

- The medical condition or complication and the functional impairment is well documented by supportive testing and clinical notes (photos may be required, and when required may need to be emailed or mailed for visual clarity and quality); and
 - a. If the procedure is listed in the criteria below, the specific criteria must also be met; or
 - b. If the procedure is not listed above or in the criteria below, the medical necessity will be reviewed on an individual basis.
- 2. The requested procedure can be reasonably expected to resolve the medical condition or complication and functional impairment.

Note: For some conditions, a planned staged procedure may be medically appropriate, but for most conditions only the initial reconstructive procedure will be authorized unless a significant functional impairment or ongoing medical complication remains, and medical review criteria are met.

Members must meet the general coverage criteria and the criteria for any specific procedure below:

Eyelid(s)

- Blepharoplasty/Upper Blepharoptosis Repair for visual field impairment
- <u>Upper or Lower Blepharoplasty for Non-Visual Field issues</u>
- Brow Ptosis Repair

Ear(s)

Otoplasty

Nose

- Rhinoplasty
- Septoplasty

Facial

- See <u>Oral and Maxillofacial Surgery and Procedures</u> Medical Policy
- See Gender Affirming Procedures Medical Policy for applicable procedures

Chest

- See <u>Breast Surgeries Medical Policy for Breast Surgeries</u> and tattooing an areola
- Pectus excavatum
- Pectus carinatum
- Poland syndrome



Abdomen

Panniculectomy

Skin

- Skin Redundancy: Removal on arms, legs, and buttocks
- Dermabrasion
- Scar Revision
- Skin Lesion Removal
- Congenital Pigmented Nevi with possible increased malignancy potential
- Skin Tag Removal
- Hemangioma Destruction
- Port Wine Stain Treatment by Laser
- Hair Removal

Appendages

Supernumerary Digit Removal

Veins

• Varicose Vein Treatment

Trauma to the Face

Mass General Brigham Health Plan covers medically necessary restorative procedure for the face when all of the following are met:

- 1. The circumstances of the accidental trauma and the degree of injury are well documented by supportive testing and clinical notes. (Photos may be required, and when required, may need to be emailed or mailed for visual clarity and quality).
- 2. The procedure must be requested and performed within 18 months of the accidental injury; or
 - a. For children who have not reached full maturity (i.e., age 16 or less), the medical record must document that a delay greater than 18 months for performing the initial restorative procedure was required in order for growth to be complete; or
 - b. For any other delay greater than 18 months, the medical record must document that the postponement of the initial restorative procedure was required in order for optimal reconstruction, healing, and remodeling.
- 3. The requested procedure can be reasonably expected to have a successful outcome.

Note: Only the initial restorative procedure will be authorized, unless a significant functional impairment or ongoing medical complication remains, and medical review criteria for a reconstructive procedure are met.

Exclusions

See General Exclusions

Specific Criteria for Selected Reconstructed Procedures

Eyes



Blepharoplasty/Upper Blepharoptosis Repair for visual field impairment

Medical necessity for Blepharoplasty is determined through InterQual® criteria. To access the criteria, log in to Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.

Exclusions

See General Exclusions

Upper or Lower Blepharoplasty for Non-Visual Field issues

Medical necessity for upper or lower blepharoplasty for non-visual field issues is determined through InterQual® criteria. To access the criteria, log in to Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.

Exclusions

See General Exclusions

Brow Ptosis Repair

Medical necessity for brow ptosis repair is determined through InterQual® criteria. To access the criteria, log in to Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.

Ears

Otoplasty

Otoplasty is medically necessary for congenital absence of the ear (anotia) or severe (grade III) microtia. Otoplasty is considered cosmetic for all other indications.

Nose

Rhinoplasty

Medical necessity for rhinoplasty is determined through InterQual® criteria, which Mass General Brigham Health Plans has customized by including additional procedure codes. To access the customized criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.

Exclusions

See General Exclusions

Septoplasty

Medical necessity for septoplasty is determined through InterQual® criteria. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.

Exclusions

See General Exclusions

Chest

Pectus Excavatum surgical repair (Prior authorization not required)

Medical necessity for pectus excavatum repair is determined through InterQual® criteria. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.



Pectus Carinatum surgical repair (Prior authorization not required)

Surgical repair is generally not medically necessary, as the condition is asymptomatic in the vast majority of people. Mass General Brigham Health Plan covers medically necessary surgical repair when:

- 1. The member has a severe chest wall deformity causing (or at risk for causing) cardiovascular or respiratory compromise; and
- 2. The medical record clearly documents the degree of deformity and its direct relationship to the symptoms including supportive cardiopulmonary testing such as pulmonary function testing; and
- 3. The member has completed bone growth, generally when greater than or equal to 15 years of age.

Pectus Carinatum bracing

Bracing for is generally not medically necessary, as the condition is asymptomatic in the vast majority of people. Mass General Brigham Health Plan covers medically necessary bracing when:

- 1. The member has a severe chest wall deformity causing (or at risk for causing) cardiovascular or respiratory compromise; and
- 2. The medical record clearly documents the degree of deformity and its direct relationship to the symptoms including supportive cardiopulmonary testing such as pulmonary function testing; and
- 3. There is documentation that the member understands and is willing to adhere to the recommended bracing protocol (number of hours and length of use); and
- 4. The member has been evaluated for scoliosis by physical exam or imaging, and has not been found to have moderate or severe scoliosis (Cobb angle greater than 25 degrees); and
- 5. The member is a child whose costal cartilage has been assessed as compliant.

Exclusions

- 1. Male pectoral augmentation for the purpose of enhancing the chest region unrelated to the surgical repair of the chest wall as covered in this policy or the <u>Breast Surgeries</u> policy.
- 2. See General Exclusions

Poland Syndrome

See Breast Surgeries Clinical Coverage Criteria for breast reconstruction for members with Poland Syndrome. Mass General Brigham Health Plan covers medically necessary surgical repair of associated chest wall deformity when one of the following are met:

- 1. The member has a chest wall deformity causing functional impairment such as diminished exercise tolerance or respiratory compromise; or
- 2. The medical record documents chest wall defects in which the chest viscera are exposed and susceptible.

Exclusions

1. Costal aplasia or hypoplasia without physical functional impairment.

Abdomen

Panniculectomy

Medical necessity for panniculectomy of the abdomen is determined through InterQual® criteria. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu. Photo documentation is required.



Exclusions

- 1. Abdominoplasty
- 2. See General Exclusions

Labiaplasty

Labiaplasty may be authorized for a diagnosis of labial hypertrophy in members at least 18 years of age when there is documentation of:

- 1. Functional deficit that interferes with activities of daily living;
- 2. Recurrent rashes/ulcers in the affected areas that have not responded to conservative treatment (e.g. topical medications);
- 3. Dyspareunia.

Labiaplasty for gender affirming surgery – see Gender Affirming Procedures Medical Policy.

Exclusions

1. Labiaplasty performed solely for cosmetic purposes.

Skin

Skin Redundancy: removal on arms, legs, and buttocks

See panniculectomy above for removal of redundant skin of abdomen. See *Breast Surgeries Medical Policy* for breast reduction criteria.

Mass General Brigham Health Plan covers medically necessary removal of redundant skin when criteria 1 and 2 are met:

- 1. The redundant skin is the result of weight loss of at least 75 pounds that has been stable for at least 6 months, and if the weight loss occurs as a result of bariatric surgery, the member must be at least 12 months post bariatric surgery.
- 2. There is written and photographic supporting documentation that the occlusive redundant skin directly causes one of the following:
 - a. Symptomatic intertriginous ulcerations or macerations that are unresponsive to good personal hygiene and well documented optimal physician-supervised local treatment and that continually persist for a period of at least six months despite this care and treatment. Required lateral and frontal photos must demonstrate a significantly redundant and occlusive skin fold, and additional photos must document the presence of intertriginous skin ulceration and maceration; or
 - b. Recurrent bacterial skin infections (at least 2 in a 12-month period) directly related to the redundant skin, which required systemic antibiotics. Required lateral and frontal photos must demonstrate a significantly redundant and occlusive skin folds.

Note: Liposuction is often an integral part the surgical removal of excessive skin. This is not separately reimbursed.

Exclusions

See **General Exclusions**

Dermabrasion



Mass General Brigham Health Plan medical necessity criteria for dermabrasion is determined through a custom subset accessible through InterQual®. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu, or see below:

- 1. To remove superficial basal cell carcinomas and pre-cancerous actinic keratoses when conventional methods of treatment (cryotherapy, curettage, excision, and 5-FU) are impractical due to the number and distribution of the lesions, or
- 2. For restoration after previous medically necessary surgery.

Exclusions

- Dermabrasion or other cosmetic dermatologic procedures performed for the removal of acne, acne scars, wrinkles, or uneven pigmentation is not considered medically necessary and is not a covered benefit.
- 2. See General Exclusions

Scar Revision (including Keloid Revision)

Medical necessity for scar revision is determined through InterQual® criteria. For fractional laser ablation for burns and traumatic scars, use the customized InterQual® Scar Revision criteria which includes additional codes. Photo documentation may be required. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.

Skin Lesion Removal

Mass General Brigham Health Plan covers medically necessary skin lesion removal in the following situations:

- 1. Any lesion clinically suspicious for malignancy;
- 2. Any presumably benign lesion that grows or enlarges, begins to bleed, or ulcerate or that is exposed to frequent irritation; or
- 3. Nevi when the rationale is to reduce the risk of malignant transformation.

Notes: Photo documentation may be required.

The following do not require prior authorization:

- Tangential biopsy of skin, single lesion; each additional lesion
- Punch biopsy of skin, single lesion; each additional lesion
- Incisional biopsy of skin, single lesion; each additional lesion
- Excisions and simple closure, benign lesions
- Excision, malignant lesions
- Injection into skin
- Destruction of benign lesion(s) other than skin tags or cutaneous vascular proliferative lesions

Exclusions

See <u>General Exclusions</u>

Skin Tag Removal

Note: Skin tag removal does not require prior authorization.



Mass General Brigham Health Plan covers medically necessary removal of a skin tag. The medical record should clearly document the size, location, and characteristics of the skin tag and one or more of the following conditions is present:

- 1. Chronic, recurrent, or persistent bleeding, intense itching, and/or pain.
- 2. Physical evidence of inflammation, e.g.; purulence (containing pus), oozing, edema, erythema (redness).
- 3. There is a clinical uncertainty as to the likely diagnosis, particularly where malignancy (cancer) is a realistic consideration based on the appearance or growth.
- 4. The skin tag is in an anatomical region subject to recurrent physical trauma and that such trauma has, in fact, occurred.
- 5. The skin tag obstructs an orifice or clinically restricts vision.
- 6. A preauricular skin tag containing both skin and cartilage

Hemangioma Destruction

Mass General Brigham Health Plan medical necessity criteria for hemangioma destruction is determined through a custom subset called "Hemangioma Destruction and Port Wine State Treatment" accessible through InterQual®. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu, or see below:

The medical record clearly documents the size, location, and characteristics of the hemangioma and at least **one** of the following:

- 1. The hemangioma is on the face, neck, or ears; or
- 2. The hemangioma is causing a functional impairment of vital structures (e.g., impaired vision or astigmatism due to eyelid or periorbital hemangiomas; auditory impairment and secondary speech delay due to hemangiomas in the ear); or
- 3. The hemangioma has recurrent bleeding, ulceration, or infection; or
- 4. The hemangioma is pedunculated; or
- 5. The hemangioma is associated with Kasabach-Merritt syndrome.

Note: photo documentation may be required.

Exclusions

- 1. Treatment (i.e., laser) of congenital capillary hemangiomas that are naturally resolving and in the absence of interference with a vital structure (eye, airway) or with documented recurrent infection or significant bleeding requiring medical intervention.
- 2. See General Exclusions

Port Wine Stain Treatment by Laser

Mass General Brigham Health Plan medical necessity criteria for port wine stain treatment by laser is determined through a custom subset called "Hemangioma Destruction and Port Wine State Treatment" accessible through InterQual®. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu, or see below:



The medical record clearly documents the size, location, and characteristics of the port wine stain, and at least one of the following:

- 1. The port wine stain is on the face and neck; or
- 2. The port wine stain has recurrent bleeding, ulceration, or infection.

Note: photo documentation may be required.

Exclusions

See General Exclusions

Hair Removal

Mass General Brigham Health Plan covers hair removal (with laser or electrolysis) by a treating licensed provider or board-certified dermatologist, when the member meets one of the following criteria:

- 1. Treatment for recurrent hair follicle infections, recurrent infected cysts, or when it is being done to prevent recurrence or infections after surgical treatment of pilonidal sinus disease.
- 2. It is being done as part of treatment for gender incongruence (dysphoria). Please see the Mass General Brigham Health Plan's Gender Affirming Procedures Policy for further detail and exclusions.

Appendages

Supernumerary Digit Removal

Mass General Brigham Health Plan covers medically necessary removal of supernumerary digits for members up to the age of 19 years.

Exclusions

- 1. The member is over 19 years of age.
- 2. See General Exclusions

Veins

Varicose Vein Ligation and Stripping, Ablation, Ambulatory Phlebectomy, Sclerotherapy

Medical necessity for varicose vein treatment is determined through InterQual® criteria. To access the criteria, log into Mass General Brigham Health Plan's provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu.

Exclusions

See General Exclusions

General Exclusions

Mass General Brigham Health Plan does not provide coverage for reconstructive procedures for conditions that do not meet the criteria noted above, including but not limited to:

- 1. Coverage of cosmetic surgery and procedures and non-surgical **cosmetic dermatology** procedures that are solely to enhance a patient's appearance in the absence of any signs or symptoms of functional abnormalities; and/or associated medical complication is considered cosmetic and is not a covered benefit, unless specifically noted otherwise in this coverage criteria.
- 2. Any procedure where the primary purpose is to enhance aesthetics, including but not limited to:
 - a. Hair transplantation
 - b. Liposuction



- c. Facial implants
- d. Calf implants
- e. Skin tightening
- f. Chemical peels
- g. Laser skin resurfacing
- 3. Hair removal aside from those conditions listed under hair removal above.

Note: For procedures involving Gender Reassignment please refer to the Gender Affirming Procedures policy.

- 4. Thyroid cartilage shaving surgeries or procedures performed primarily for psychological or emotional reasons.
- 5. Scalp cooling caps to prevent hair loss.

Related Policies

- Breast Surgeries Medical Policy
- Oral and Maxillofacial Surgery and Procedures Medical Policy
- Phototherapy and Photochemotherapy for Dermatologic Conditions Medical Policy
- Dermatology Provider Payment Guidelines
- HIV-Associated Lipodystrophy Syndrome Medical Policy
- Gender Affirming Procedures Medical Policy
- Medicare Advantage Administration Guidelines Medical Policy
- <u>Liposuction for the Treatment of Lipedema and Lymphedema Medical Policy</u>

Medicare Variation

Mass General Brigham Health Plan uses guidance from the Centers for Medicare and Medicaid Services (CMS) for medical necessity determinations for its Medicare Advantage plan members. National Coverage Determinations (NCDs), Local Coverage Determinations (LCDs), Local Coverage Articles (LCAs), and documentation included in the Medicare manuals are the basis for medical necessity determinations. When there is no guidance from CMS for the requested service, Mass General Brigham Health Plan's medical policies are used for medical necessity determinations. At the time of Mass General Brigham Health Plan's most recent policy review, Medicare included the following:

- NCD Treatment of Actinic Keratosis (250.4)
- NCD Plastic Surgery to Correct "Moon Face" (140.4)
- CMS Medicare Benefit Policy Manual Chapter 16- General Exclusions from Coverage
- LCD Varicose Veins of the Lower Extremity, Treatment of (L33575)
- LCD Varicose Veins of the Lower Extremity, Treatment of (L34082)
- LCD Treatment of Varicose Veins of the Lower Extremities (L34010)
- LCD Treatment of Varicose Veins of the Lower Extremities (L34209)
- LCD Treatment of Varicose Veins of the Lower Extremities (L39121)
- LCD Treatment of Varicose Veins of the Lower Extremities (L34536)
- LCD Blepharoplasty, Blepharoptosis and Brow Lift (L34528)
- LCD Blepharoplasty, Eyelid Surgery, and Brow Lift (L34194)
- LCD Blepharoplasty, Eyelid Surgery, and Brow Lift (L36286)
- LCD Blepharoplasty, Eyelid Surgery, and Brow Lift (L34411)
- LCD Blepharoplasty (L33944)



- LCD Blepharoplasty, Blepharoptosis Repair and Surgical Procedures of the Brow (L34028)
- LCD Blepharoplasty, Blepharoptosis Repair and Surgical Procedures of the Brow (L35004)
- LCD Cosmetic and Reconstructive Surgery (L39506)
- LCD Cosmetic and Reconstructive Surgery (L38914)
- LCD Cosmetic and Reconstructive Surgery (L35090)
- LCD Cosmetic and Reconstructive Surgery (L33428)
- LCD Cosmetic and Reconstructive Surgery (L39051)
- LCD Plastic Surgery (L35163)
- LCD Plastic Surgery (L37020)
- LCD Benign Skin Lesion Removal (Excludes Actinic Keratosis, and Mohs) (L33979)
- LCD Benign Skin Lesion Removal (Excludes Actinic Keratosis, and Mohs) (L34233)
- LCD Removal of Benign and Malignant Skin Lesions (L33445)
- LCD Removal of Benign Skin Lesions (L34200)
- LCD Removal of Benign Skin Lesions (L34938)
- LCD Removal of Benign Skin Lesions (L35498)
- LCD Mohs Micrographic Surgery (L34195)
- LCD Mohs Micrographic Surgery (L35702)
- LCD Mohs Micrographic Surgery (L35704)
- LCD Mohs Micrographic Surgery (L35494)
- LCD Mohs Micrographic Surgery (MMS) (L33689)
- LCD Mohs Micrographic Surgery (MMS) (L34961)

MassHealth Variation

Mass General Brigham Health Plan uses guidance from MassHealth for medical necessity determinations for its Mass General Brigham ACO members. When there is no guidance from MassHealth for the requested service, Mass General Brigham Health Plan's medical policies are used for medical necessity determinations. At the time of Mass General Brigham Health Plan's most recent policy review, MassHealth has the following medical necessity guidelines:

- Blepharoplasty, Upper Eyelid Ptosis, and Brow Ptosis Surgery
- Rhinoplasty and Septoplasty
- Excision of Excess Skin and Subcutaneous Tissue
- Hair Removal

OneCare and SCO Variation

Mass General Brigham Health Plan uses guidance from CMS for medical necessity determinations for its OneCare and SCO plan members. NCDs, LCDs, LCAs, and documentation included in the Medicare manuals are the basis for medical necessity determinations. When there is no guidance from CMS for the requested service, Mass General Brigham Health Plan uses medical necessity guidelines from MassHealth. When there is no guidance from CMS or from MassHealth, Mass General Brigham Health Plan's medical policies are used for medical necessity determinations.

Codes

The following codes are included below for informational purposes only; inclusion of a code does not constitute or imply coverage or payment.

Authorized CPT/HCPCS Codes	Code Description
----------------------------	------------------



	Described to the first for the first section for a self-resident		
45700	Dermabrasion; total face (eg, for acne scarring, fine wrinkling, rhytids,		
15780	general keratosis)		
15781	Dermabrasion; segmental, face		
15782	Dermabrasion; regional, other than face		
15819	Cervicoplasty		
15820	Blepharoplasty, lower eyelid;		
15821	Blepharoplasty, lower eyelid; with extensive herniated fat pad		
15822	Blepharoplasty, upper eyelid;		
15823	Blepharoplasty, upper eyelid; with excessive skin weighting down lid		
15824	Rhytidectomy; forehead		
15825	Rhytidectomy; neck with platysmal tightening (platysmal flap, P-flap)		
15826	Rhytidectomy; glabellar frown lines		
15828	Rhytidectomy; cheek, chin, and neck		
15829	Rhytidectomy; superficial musculoaponeurotic system (SMAS) flap		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15830	abdomen, infraumbilical panniculectomy		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15832	thigh		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15833	leg		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15834	hip		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15835	buttock		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15836	arm		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15837	forearm or hand		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15838	submental fat pad		
	Excision, excessive skin and subcutaneous tissue (includes lipectomy);		
15839	other area		
	Destruction of cutaneous vascular proliferative lesions (eg, laser		
17106	technique); less than 10 sq cm		
	Destruction of cutaneous vascular proliferative lesions (eg, laser		
17107	technique); 10.0 to 50.0 sq cm		
	Destruction of cutaneous vascular proliferative lesions (eg, laser		
17108	technique); over 50.0 sq cm		
17999	Unlisted procedure, skin, mucous membrane and subcutaneous tissue		
21120	Genioplasty; augmentation (autograft, allograft, prosthetic material)		
21121	Genioplasty; sliding osteotomy, single piece		
	Genioplasty; sliding osteotomies, 2 or more osteotomies (eg, wedge		
21122	excision or bone wedge reversal for asymmetrical chin)		
	Genioplasty; sliding, augmentation with interpositional bone grafts		
21123	(includes obtaining autografts)		



	A constant of the land of the
24427	Augmentation, mandibular body or angle; with bone graft, onlay or
21127	interpositional (includes obtaining autograft)
21137	Reduction forehead; contouring only
	Reduction forehead; contouring and application of prosthetic material
21138	or bone graft (includes obtaining autograft)
	Reduction forehead; contouring and setback of anterior frontal sinus
21139	wall
21280	Medial canthopexy (separate procedure)
21282	Lateral canthopexy
30120	Excision or surgical planing of skin of nose for rhinophyma
30220	Insertion, nasal septal prosthesis (button)
	Rhinoplasty, primary; lateral and alar cartilages and/or elevation of
30400	nasal tip
	Rhinoplasty, primary; complete, external parts including bony pyramid,
30410	lateral and alar cartilages, and/or elevation of nasal tip
30420	Rhinoplasty, primary; including major septal repair
30430	Rhinoplasty, secondary; minor revision (small amount of nasal tip work)
	Rhinoplasty, secondary; intermediate revision (bony work with
30435	osteotomies)
30450	Rhinoplasty, secondary; major revision (nasal tip work and osteotomies)
	Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or
30460	palate, including columellar lengthening; tip only
	Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or
30462	palate, including columellar lengthening; tip, septum, osteotomies
00.02	Repair of nasal vestibular stenosis (eg, spreader grafting, lateral nasal
30465	wall reconstruction)
30.103	Septoplasty or submucous resection, with or without cartilage scoring,
30520	contouring or replacement with graft
30320	Septal or other intranasal dermatoplasty (does not include obtaining
30620	graft)
30630	Repair nasal septal perforations
30030	Injection of non-compounded foam sclerosant with ultrasound
	compression maneuvers to guide dispersion of the injectate, inclusive
	of all imaging guidance and monitoring; single incompetent extremity
36465	truncal vein (eg, great saphenous vein, accessory saphenous vein)
30403	Injection of non-compounded foam sclerosant with ultrasound
	compression maneuvers to guide dispersion of the injectate, inclusive
	of all imaging guidance and monitoring; multiple incompetent truncal
26466	
36466	veins (eg, great saphenous vein, accessory saphenous vein), same leg
26470	Injection of sclerosant; single incompetent vein (other than
36470	telangiectasia)
26471	Injection of sclerosant; multiple incompetent veins (other than
36471	telangiectasia), same leg
	Endovenous ablation therapy of incompetent vein, extremity, inclusive
0.5.00	of all imaging guidance and monitoring, percutaneous,
36473	mechanochemical; first vein treated



	Endovangus ablation thoragy of incompatent using outromity, inclusive
	Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous,
	mechanochemical; subsequent vein(s) treated in a single extremity,
26474	each through separate access sites (List separately in addition to code
36474	for primary procedure)
	Endovenous ablation therapy of incompetent vein, extremity, inclusive
26475	of all imaging guidance and monitoring, percutaneous, radiofrequency;
36475	first vein treated
	Endovenous ablation therapy of incompetent vein, extremity, inclusive
	of all imaging guidance and monitoring, percutaneous, radiofrequency;
26476	subsequent vein(s) treated in a single extremity, each through separate
36476	access sites (List separately in addition to code for primary procedure)
	Endovenous ablation therapy of incompetent vein, extremity, inclusive
	of all imaging guidance and monitoring, percutaneous, laser; first vein
36478	treated
	Endovenous ablation therapy of incompetent vein, extremity, inclusive
	of all imaging guidance and monitoring, percutaneous, laser;
0.6.470	subsequent vein(s) treated in a single extremity, each through separate
36479	access sites (List separately in addition to code for primary procedure)
	Endovenous ablation therapy of incompetent vein, extremity, by
	transcatheter delivery of a chemical adhesive (eg, cyanoacrylate)
	remote from the access site, inclusive of all imaging guidance and
36482	monitoring, percutaneous; first vein treated
	Endovenous ablation therapy of incompetent vein, extremity, by
	transcatheter delivery of a chemical adhesive (eg, cyanoacrylate)
	remote from the access site, inclusive of all imaging guidance and
	monitoring, percutaneous; subsequent vein(s) treated in a single
25.422	extremity, each through separate access sites (List separately in
36483	addition to code for primary procedure)
	Ligation and division of long saphenous vein at saphenofemoral
37700	junction, or distal interruptions
37718	Ligation, division, and stripping, short saphenous vein
	Ligation, division, and stripping, long (greater) saphenous veins from
37722	saphenofemoral junction to knee or below
	Ligation and division and complete stripping of long or short saphenous
27725	veins with radical excision of ulcer and skin graft and/or interruption of
37735	communicating veins of lower leg, with excision of deep fascia
	Ligation of perforator veins, subfascial, radical (Linton type), including
37760	skin graft, when performed, open,1 leg
27764	Ligation of perforator vein(s), subfascial, open, including ultrasound
37761	guidance, when performed, 1 leg
37765	Stab phlebectomy of varicose veins, 1 extremity; 10-20 stab incisions
37766	Stab phlebectomy of varicose veins, 1 extremity; more than 20 incisions
	Ligation and division of short saphenous vein at saphenopopliteal
37780	junction (separate procedure)
37785	Ligation, division, and/or excision of varicose vein cluster(s), 1 leg
67715	Canthotomy (separate procedure)



67830	Correction of trichiasis; incision of lid margin
	Correction of trichiasis; incision of lid margin, with free mucous
67835	membrane graft
67900	Repair of brow ptosis (supraciliary, mid-forehead or coronal approach)
	Repair of blepharoptosis; frontalis muscle technique with suture or
67901	other material (eg, banked fascia)
	Repair of blepharoptosis; frontalis muscle technique with autologous
67902	fascial sling (includes obtaining fascia)
	Repair of blepharoptosis; (tarso) levator resection or advancement,
67903	internal approach
	Repair of blepharoptosis; (tarso) levator resection or advancement,
67904	external approach
	Repair of blepharoptosis; superior rectus technique with fascial sling
67906	(includes obtaining fascia)
	Repair of blepharoptosis; conjunctivo-tarso-Muller's muscle-levator
67908	resection (eg, Fasanella-Servat type)
67909	Reduction of overcorrection of ptosis
67911	Correction of lid retraction
	Correction of lagophthalmos, with implantation of upper eyelid lid load
67912	(eg, gold weight)
67914	Repair of ectropion; suture
67916	Repair of ectropion; excision tarsal wedge
67917	Repair of ectropion; extensive (eg, tarsal strip operations)
	Reconstruction of eyelid, full thickness by transfer of tarsoconjunctival
67973	flap from opposing eyelid; total eyelid, lower, 1 stage or first stage
	Reconstruction of eyelid, full thickness by transfer of tarsoconjunctival
67974	flap from opposing eyelid; total eyelid, upper, 1 stage or first stage
	Reconstruction of eyelid, full thickness by transfer of tarsoconjunctival
67975	flap from opposing eyelid; second stage
69300	Otoplasty, protruding ear, with or without size reduction
	Fractional ablative laser fenestration of burn and traumatic scars for
	functional improvement; first 100 cm2 or part thereof, or 1% of body
0479T	surface area of infants and children
	Fractional ablative laser fenestration of burn and traumatic scars for
	functional improvement; each additional 100 cm2, or each additional
	1% of body surface area of infants and children, or part thereof (List
0480T	separately in addition to code for primary procedure)
	Thoracic pectus carinatum orthosis, sternal compression, rigid
	circumferential frame with anterior and posterior rigid pads, custom
L1320	fabricated

Effective

January 2026: Ad hoc review. Updated prior authorization table and added variation for OneCare and SCO members. Added LCDs to Medicare Variation and hyperlinks to related medical policies. Fixed formatting. September 2025: Ad hoc review. Fixed typos. Removed reference to customized varicose veins subset in IQ. Removed link to MassHealth's medical necessity guidelines for varicose veins, as it has been retired. Updated list of related policies. Code disclaimer updated.



July 2025: Ad hoc review. Prior authorization table and code list updated.

March 2025: Annual review.

- Added references to InterQual subsets and, where necessary, added customized InterQual criteria.
- Added criteria for bracing for Pectus Carinatum.
- Added code for Pectus Carinatum brace.
- Updated list of skin biopsies not requiring PA.
- Removed liposuction for lipedema exclusion.
- Added exclusion regarding scalp cooling to prevent hair loss.
- References updated.

October 2024: Ad hoc review. Added MassHealth Variation. Removed references to MassHealth elsewhere in the policy. Updated codes.

January 2024: Annual review. Added criteria for Otoplasty. Added Bracing to the Pectus Carinatum criteria. Updated codes.

February 2023: Annual review. The following changes were made:

Page 1: Added Medicare Advantage to table.

Page 1: Under Coverage Guidelines;

- Removed "AllWays Health Partners reserves the right to deny coverage for any procedures that are considered cosmetic and not medically necessary."
- Clarified coverage by adding "that are altered or damaged".
- Reformatted section for clarity purposes. Criteria unchanged.

Page 2: Added Gender Affirming Procedures Medical Policy statement under Facial procedure

Page 3:

- Added "Prior Authorization is not required" next to both Pectus Excavatum and Carinatum subheadings.
- Edited Pectus Carinatum criteria for clarity purposes. Criteria unchanged.

Page 4: Added Labiaplasty criteria.

Page 5: Under Scar Revision criteria, added fractional laser ablation statement.

Page 7: Under Hair Removal criteria, added term "incongruence".

Page 8: Added Medicare Variation language. Also added statement regarding code list.

June 2022: Ad hoc review. Added hair removal to skin criteria on page 2. Added hair removal criteria to page 8. Edited hair removal exclusion on page 9.

January 2022: Annual review. Edited Hair Removal exclusion for clarity. References updated.

April 2021: Ad hoc review. Under General Exclusions: added "Hair removal for the treatment of recurrent pilonidal cysts".

January 2021: Annual review. Under Hemangioma Destruction section, added hemangioma is on the face, neck or ears. Code update. 30465 Added.

March 2020: Ad hoc review. Added Liposuction for lipedema as a general exclusion. References updated.

June 2019: Ad hoc review. Added MassHealth language for Varicose Veins. Adopted MassHealth guidelines for MassHealth members. Updated References section.

January 2019: Annual review. Added CPT codes. Updated references.

December 2017: Annual review. Updated time requirement from 12 months to 18 months, under trauma to the face.

May 2017: Ad hoc review. Changes reflect the addition of InterQual® varicose veins treatment criteria.

February 2017: Ad hoc review. Changes reflect the addition of InterQual® eye, nose, chest, abdomen, and scar revision criteria.

October 2016: Annual review.



October 2015: Annual review. Updates included expanded list of cosmetic surgery and procedures and non-surgical cosmetic dermatology procedures for the primary purpose of enhancing aesthetics, and clarification of varicose vein criteria References updated.

October 2014: Annual review. Updates included reformatted and clarified criteria. Added general criteria, criteria for the face, skin redundancy removal to arms legs and buttocks, and new criteria for varicose veins. Added procedures under coverage guidelines.

March 2013: Annual review.
February 2012: Annual review.
February 2011: Annual review.
January 2010: Annual review.
January 2009: Annual review.
January 2008: Annual review.
January 2007: Annual review.
December 2006: Annual review.
November 2005: Effective Date.

References

Allegra C, Antignani PL, Bergan JJ, et al; International Union of Phlebology Working Group. The "C" of CEAP: suggested definitions and refinements: an International Union of Phlebology conference of experts. J Vasc Surg. 2003 Jan;37(1):129-31. doi: 10.1067/mva.2003.47. PMID: 12514589.

American Pediatric Surgical Association. Pectus Carinatum Guideline. August 2012. Available: https://www.pectusclinic.com/downloads/Pectus_Carinatum_Guideline_080812.pdf

American Society of Plastic Surgeons. ASPS Recommended Criteria for Third-Party Payer Coverage from the American Society of Plastic Surgeons (ASPS): gynecomastia. March 2015.

American Society of Plastic Surgeons (ASPS). ASPS recommended insurance coverage criteria for third-party payors. Blepharoplasty (archived). March 2007b. Accessed December 5, 2019. Available at URL address: http://www.plasticsurgery.org/for-medical-professionals/legislation-and-advocacy/health-policy-resources/recommended-insurance-coverage-criteria.html

Becker DG, Ransom E, Guy C, Bloom J. Surgical treatment of nasal obstruction in rhinoplasty. Aesthet Surg J. 2010 May-Jun;30(3):347-78; quiz 379-80. doi: 10.1177/1090820X10373357. PMID: 20601558.

Broyles JM, Liao EC, Kim J, et al. Acellular Dermal Matrix-Associated Complications in Implant-Based Breast Reconstruction: A Multicenter, Prospective, Randomized Controlled Clinical Trial Comparing Two Human Tissues. Plast Reconstr Surg 2021; 148:493.

Brown CS, Osborne NH, Kim GY, et al. Comparison of unilateral vs bilateral and staged bilateral vs concurrent bilateral truncal endovenous ablation in the Vascular Quality Initiative. J Vasc Surg Venous Lymphat Disord 2021; 9:113.

Centers for Medicare & Medicaid Services. National Coverage Determination (NCD): Treatment of Actinic Keratosis (250.4). Implementation Date: 11/26/2001. Updated: February 2018. Available: https://www.cms.gov/medicare-coverage-database/search.aspx

National Government Services. Local Coverage Determination (LCD): Varicose Veins of the Lower Extremity, Treatment of (L33575). Revision Effective Date: 11/21/2019. Available: Medical Policies - NGSMEDICARE



Wisconsin Physicians Service Insurance Corporation Local Coverage Determination (LCD): Blepharoplasty, Blepharoptosis, and Brow Lift (L34528). Revision Date: 04/28/2022. Available: WPS Government Health Administrators

Wisconsin Physicians Service Insurance Corporation Local Coverage Article: Billing and Coding: Blepharoplasty, Blepharoptosis, and Brow Lift (A56908). Revision Date: 10/1/2023. Available: WPS Government Health Administrators

National Government Services. Local Coverage Article. Blepharoplasty – Medical Policy Article (A52837). Revision Date: 01/01/2018. Available: Medical Policies - NGSMEDICARE

Division of Medical Assistance Guidelines for Medical Necessity Determination for Panniculectomy, July 31, 2008

Ellis MM, Jones LR, Siddiqui F, et al. The Efficacy of Surgical Excision Plus Adjuvant Multimodal Therapies in the Treatment of Keloids: A Systematic Review and Meta-Analysis. Dermatol Surg 2020; 46:1054.

Fischer JP, Tuggle CT, Wes AM, Kovach SJ. Concurrent panniculectomy with open ventral hernia repair has added risk versus ventral hernia repair: an analysis of the ACS-NSQIP database. J Plast Reconstr Aesthet Surg. 2014 May;67(5):693-701. doi: 10.1016/j.bjps.2014.01.021. Epub 2014 Jan 28. PMID: 24525270.

Gloviczki P, Comerota AJ, Dalsing MC, et al; Society for Vascular Surgery; American Venous Forum. The care of patients with varicose veins and associated chronic venous diseases: clinical practice guidelines of the Society for Vascular Surgery and the American Venous Forum. J Vasc Surg. 2011 May;53(5 Suppl):2S-48S. doi: 10.1016/j.jvs.2011.01.079. PMID: 21536172.

Han JK, Stringer SP, Rosenfeld RM, et al. Clinical Consensus Statement: Septoplasty with or without Inferior Turbinate Reduction. *Otolaryngol Head Neck Surg* 2015. 153(5):708-20.

Hayes Inc. Hayes Evidence Analysis Research Brief: Liposuction for the Treatment of Lipedema. http://www.hayesinc.com. Published February 15, 2019.

Leopardi D, Hoggan BL, Fitridge RA, Woodruff PW, Maddern GJ. Systematic review of treatments for varicose veins. Ann Vasc Surg. 2009 Mar;23(2):264-76. doi: 10.1016/j.avsg.2008.10.007. Epub 2008 Dec 6. PMID: 19059756.

Kiguchi MM, Hager ES, Winger DG, Hirsch SA, Chaer RA, Dillavou ED. Factors that influence perforator thrombosis and predict healing with perforator sclerotherapy for venous ulceration without axial reflux. J Vasc Surg. 2014 May;59(5):1368-76. doi: 10.1016/j.jvs.2013.11.007. Epub 2014 Jan 6. PMID: 24406088; PMCID: PMC4027057.

Leventhal D, Maxwell F, Reiter D. Treatment of keloids and hypertrofic scars: a meta-analysis and review of the literature. *Archives of Facial Plastic Surgery*. 2006; 362-368.

MassHealth, Guidelines for Medical Necessity Determination for Treatment of Varicose Veins of the Lower Extremities (MNG-VV 2/19)

Mendonça JC, Bussoloti Filho I. Craniofacial pain and anatomical abnormalities of the nasal cavities. Braz J Otorhinolaryngol. 2005 Jul-Aug;71(4):526-34. doi: 10.1016/s1808-8694(15)31211-8. Epub 2005 Dec 15. PMID: 16446972; PMCID: PMC9441965.

Merkkola-von Schantz PA, Jahkola TA, Krogerus LA, Kauhanen SMC. Reduction mammaplasty in patients with history of breast cancer: The incidence of occult cancer and high-risk lesions. Breast. 2017;35:157-161.



Murad MH, Coto-Yglesias F, Zumaeta-Garcia M, et al. A systematic review and meta-analysis of the treatments of varicose veins. J Vasc Surg. 2011 May;53(5 Suppl):49S-65S. doi: 10.1016/j.jvs.2011.02.031. PMID: 21536173.

Naoum GE, Salama L, Niemierko A, et al. Single Stage Direct-to-Implant Breast Reconstruction Has Lower Complication Rates Than Tissue Expander and Implant and Comparable Rates to Autologous Reconstruction in Patients Receiving Postmastectomy Radiation. Int J Radiat Oncol Biol Phys 2020; 106:514.

Nesbitt C, Eifell RK, Coyne P, Badri H, Bhattacharya V, Stansby G. Endovenous ablation (radiofrequency and laser) and foam sclerotherapy versus conventional surgery for great saphenous vein varices. Cochrane Database Syst Rev. 2011 Oct 5;(10):CD005624. doi: 10.1002/14651858.CD005624.pub2. Update in: Cochrane Database Syst Rev. 2014 Jul 30;(7):CD005624. doi: 10.1002/14651858.CD005624.pub3. PMID: 21975750.

Njoo MD, Spuls PI, Westerhof W, Bossuyt PM. Non-surgical repigmentation therapies in vitiligo: meta-analysis of the literature. *Archives of Dermatology* (electronic version) 1998.

Okhovat JP, Alavi A. Lipedema: A Review of the Literature. Int J Low Extrem Wounds. 2015 Sep;14(3):262-7.

O'Donnell TF. The role of perforators in chronic venous insufficiency. Phlebology. 2010; 25: 3-10.

Paravastu SCV, Dodd PDF. Endovenous ablation therapy (LASER or radiofrequency) or foam sclerotherapy versus conventional surgical repair for short saphenous varicose veins. The Cochrane Library. 2013

Qutob O, Elahi B, Garimella V, Ihsan N, Drew PJ. Minimally invasive excision of gynaecomastia- a novel and effective surgical technique. *Ann R Coll Surg Engl*. 2010 April 92 (3):198-200.

Rasmussen LH, Lawaetz M, Bjoern L, Vennits B, Blemings A, Eklof B. Randomized clinical trial comparing endovenous laser ablation, radiofrequency ablation, foam sclerotherapy and surgical stripping for great saphenous varicose veins. Br J Surg. 2011 Aug;98(8):1079-87. doi: 10.1002/bjs.7555. PMID: 21725957.

Reich-Schupke S, Schmeller W, Brauer WJ, et al. S1 guidelines: Lipedema. J Dtsch Dermatol Ges. 2017 Jul;15(7):758-767. doi: 10.1111/ddg.13036. PMID: 28677175.

Rey LE, Koch N, Raffoul W. Surgical treatment for lipedema. Praxis (Bern 1994). 2018;107(20):1081-1084.

Samarei R, Mabarian S. A randomised trial comparing the subjective outcomes following septoplasty with or without inferior turbinoplasty. Eur Ann Otorhinolaryngol Head Neck Dis. 2020 Sep;137(4):277-283. doi: 10.1016/j.anorl.2020.01.024. Epub 2020 May 29. PMID: 32482570.

Santos M, Carmo D, Neves J, Sousa C, Datema F, Ferreira M. Rhinoplasty—Do Patients and Surgeons See the Same? A Double-Blind Study with 100 Randomized Patients. Facial Plastic Surgery 2018;34(04):356–62.

Shaalan AM, Kasb I, Elwakeel EE, Elkamali YA. Outcome of surgical repair of Pectus Excavatum in adults. J Cardiothorac Surg. 2017 Aug 29;12(1):72. doi: 10.1186/s13019-017-0635-z. PMID: 28851442; PMCID: PMC5576375.

Siribumrungwong B, Noorit P, Wilasrusmee C, Attia J, Thakkinstian A. A systematic review and meta-analysis of randomised controlled trials comparing endovenous ablation and surgical intervention in patients with varicose vein. Eur J Vasc Endovasc Surg. 2012 Aug;44(2):214-23. doi: 10.1016/j.ejvs.2012.05.017. Epub 2012 Jun 15. PMID: 22705163.

van der Velden SK, Biemans AA, De Maeseneer MG, et al. Five-year results of a randomized clinical trial of conventional surgery, endovenous laser ablation and ultrasound-guided foam sclerotherapy in patients with great saphenous varicose veins. Br J Surg. 2015 Sep;102(10):1184-94. doi: 10.1002/bjs.9867. Epub 2015 Jul 1. PMID: 26132315.



Warren Peled A, Kappos EA. Lipedema: diagnostic and management challenges. Int J Womens Health. 2016 Aug 11;8:389-95.

Washer L, Gutowski K. Breast implant infections. *Infect Dis Clin North Am.* 2012 Mar;26(1):111-25. doi: 10.1016/j.idc.2011.09.003.

