

Medical Policy Therapeutic Lens

Policy Number: 055

	Commercial and Qualified Health Plans	MassHealth	Medicare Advantage
Authorization required	X	X	X
No Prior Authorization			

Overview

The purpose of this document is to describe the guidelines Mass General Brigham Health Plan utilizes to determine medical appropriateness for therapeutic lenses for Mass General Brigham Health Plan members. The treating specialist must request prior authorization for therapeutic lenses.

Coverage Guidelines

Mass General Brigham Health Plan medical necessity criteria for therapeutic lens (Conventional Contact Lens and Scleral Lens) is determined through a custom subset accessible through InterQual®. To access the criteria, log into Mass General Brigham Health Plan’s provider website at MassGeneralBrighamHealthPlan.org and click the InterQual® Criteria Lookup link under the Resources Menu or see below:

For **Conventional Contact Lens** (soft or rigid gas-permeable corneal lens), member meets one of the following:

- Keratoconus or other corneal ectasia, or irregular astigmatism that cannot be corrected with spectacles.
- Anisometropia of more than 3.00 diopters (D); or
- Hyperopia of more than 7.00D; or
- Myopia of more than 7.00D; or
- Post-operative cataract extraction.

Restrictions may apply. Please refer to member handbook.

For **Scleral Lens** or **PROSE (Prosthetic Replacement of the Ocular Surface Ecosystem)**, member meets ALL of the following criteria as specified below in EITHER item A or item B.

- A. The member has impaired vision, requires medically necessary vision correction, and **conventional glasses or conventional contact lenses are insufficient**. The scleral lens must significantly improve vision; OR
- B. The member requires a moist corneal bandage (scleral lens) for medical treatment of severe ocular surface disease, AND **conventional treatments¹ are contraindicated or have failed to treat** one of the following conditions (not an all-inclusive list):
 1. Severe Dry Eye Disease/Dry Eye Syndrome; or
 2. Limbal Stem Cell Deficiency; or
 3. Neurotrophic Keratopathy; or
 4. Corneal Degenerations and Dystrophies; or

¹ Conventional treatments, can include the following:

- Topical medications for patients with ocular surface disease
- Standard contact lenses for patients with corneal ectatic disorders and irregular astigmatism
- Corneal transplant surgery (associated with risks)

5. Extensive corneal scarring after trauma or infection or surgery that leads to blindness and is cosmetically disfiguring; or
6. High or irregular astigmatism after trauma, infection or surgery.

Exclusions

1. Scleral lens for ordinary refractive error
2. Lens for exclusively cosmetic purposes

MassHealth Variation

Mass General Brigham Health Plan uses guidance from MassHealth for coverage determinations for its Mass General Brigham ACO members. **At the time of Mass General Brigham Health Plan's most recent policy review, MassHealth had the following guidelines for Therapeutic Lens: [130 CMR 402.000](#).**

Medicare Variation

Mass General Brigham Health Plan uses guidance from the Centers for Medicare and Medicaid Services (CMS) for coverage determinations for its Medicare Advantage plan members. National Coverage Determinations (NCDs), Local Coverage Determinations (LCDs), Local Coverage Articles (LCAs) and documentation included in the Medicare manuals are the basis for coverage determinations. When there is no guidance from CMS for the requested service, Mass General Brigham Health Plan's medical policies are used for coverage determinations. **At the time of Mass General Brigham Health Plan's most recent policy review, Medicare has the following guidelines:**

- [NCD: Hydrophilic Contact Lens for Corneal Bandage 80.1](#)
- [NCD: Hydrophilic Contact Lenses 80.4](#)
- [NCD: Scleral Shell 80.5](#)
- [LCD: Eye Prostheses \(L33737\)](#)
- [Local Coverage Article: Eye Prostheses \(A52462\)](#)

Definitions

Anisometropia: A condition in which the lenses of the two eyes have different focal lengths and are in different states of myopia (nearsightedness) and hyperopia (farsightedness).

Aphakia: Aphakia is the absence of the lens of the eye, due to surgical removal, a wound, ulcer, or as a condition present at birth (congenital anomaly).

Keratoconus: A degenerative vision disorder that occurs when the normally round cornea becomes thin, and irregular (cone) shaped. This abnormal shape prevents the light entering the eye from being focused correctly on the retina and causes distortion of vision.

LASIK: Eye surgery in which the surface of the cornea is reshaped using a laser, performed to correct certain refractive disorders such as myopia.

PROSE: Prosthetic Replacement of the Ocular Surface Ecosystem (PROSE), a medical treatment for complex corneal disease developed by Boston Foundation for Sight.

Scleral Lenses: A contact lens generally worn directly on the sclera, which fits underneath the top and bottom eyelids.

Therapeutic Lenses: Lenses that provide visual rehabilitation for diseased or altered eyes.

Codes



The following codes are included below for informational purposes only; inclusion of a code does not constitute or imply coverage or reimbursement.

This list of codes applies to commercial and MassHealth plans only.

Authorized Codes	Code Description
92312	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens for aphakia, both eyes
92314	Prescription of optical and physical characteristics of contact lens, with medical supervision of adaptation and direction of fitting by independent technician; corneal lens, both eyes except for aphakia
92340	Fitting of spectacles, except for aphakia; monofocal
92341	Fitting of spectacles, except for aphakia; bifocal
92342	Fitting of spectacles, except for aphakia; multifocal, other than bifocal
92352	Fitting of spectacle prosthesis for aphakia; monofocal
92353	Fitting of spectacle prosthesis for aphakia; multifocal
92354	Fitting of spectacle mounted low vision aid; single element system
92355	Fitting of spectacle mounted low vision aid; telescopic or other compound lens system
92358	Prosthesis service for aphakia, temporary (disposable or loan, including materials)
92370	Repair and refitting spectacles; except for aphakia
92371	Repair and refitting spectacles; spectacle prosthesis for aphakia
V2020	Frames, purchases
V2100-V2121	Spectacle Lenses
V2200-V2221	Bifocal, Glass or Plastic
V2300-V2321	Trifocal, Glass or Plastic
V2500-V2510	Contact Lenses Code Range
V2512-V2523	Contact Lenses Code Range
V2530	Contact lens, scleral, gas impermeable, per lens
V2531	Contact lens, scleral, rigid gas permeable, per lens
V2599	Contact lens, other
V2627	Scleral cover shell
S0515	Scleral lens, liquid bandage device, per lens

Effective

November 2024: Annual review. Added language referencing InterQual® subsets and custom criteria. Added NCDs to Medicare Variation. Added MassHealth Variation language. Code table updated.

November 2023: Annual review. Medicare added to table. Exclusion added for lens for cosmetic purposes. Medicare Advantage language added. References updated.

April 2023: Off-cycle review. Statement added regarding member handbook.

February 2023: Codes updated.

December 2022: Annual review. Under PROSE section, removed list of diseases and added statement indicating same conditions as listed under Sclera Lens. References updated.

December 2021: Annual review. Updated PROSE criteria for clarity purposes. References updated.

January 2021: Annual review. The following changes were made:

- Updated Coverage Guidelines and Conventional Contact Lens sections.



- Coverage criteria for Sclera Lens clarified and updated:
 - Clarified definition of conventional treatment
 - Removed term “conservative” in regard to treatment
 - Added “Sjögren’s syndrome” as example of Severe Dry Eye Disease
 - Changed “Neurotrophic Keratitis” to “Neurotrophic Keratopathy”
 - Removed “Post-surgery for trigeminal nerve dysfunction” and “Seckles Syndrome”
 - Added: “Hereditary Sensory and Autonomic Neuropathy”
 - Clarified and added conditions under Acquired Neurotrophic Keratitis”
 - Added the words “including but not limited to” following Corneal Degenerations and Dystrophies
 - Added “Salzmann’s nodular degeneration” under Corneal Degenerations and Dystrophies
 - Renamed “Post Operative Astigmatism” to “High or irregular post-operative Astigmatism”
 - Added “deep anterior lamellar keratoplasty (DALK) or patch graft (lamellar keratoplasty)”
 - Added “Corneal intra-stromal implants (Intacs)” and “High or irregular astigmatism after trauma, infection or surgery”
- Under PROSE section, removed the exclusion “Vision problems related to diabetes unless as listed above.”
- Updated PROSE section to clarify coverage.
- References updated.

November 2019: Annual review. References updated. Added Post-operative cataract extraction (limited to one set of contact lens per surgery) as a medical condition under conventional contact lens.

October 2018: Annual review

August 2017: Annual Review. Changed name of policy to “Therapeutic Lens”. Added coverage criteria for conventional contact lens. Added criteria language on PROSE. Added definitions. Added CPT/HCPCS codes. Updated references.

August 2016: Annual review

August 2015: Annual review

August 2014: Annual review

June 2013: Annual review

June 2012: Effective date

References

Baudin F, Chemaly A, Arnould L, Barrénéchea E, Lestable L, Bron AM, Creuzot-Garcher C. Quality-of-Life Improvement After Scleral Lens Fitting in Patients With Keratoconus. *Eye Contact Lens*. 2021 Sep 1;47(9):520-525. doi: 10.1097/ICL.0000000000000821. PMID: 34261868.

Bergmanson JPG, Walker MK, Johnson LA. Assessing Scleral Contact Lens Satisfaction in a Keratoconus Population. *Optometry and Vision Science* 2016:1

Boston Foundation for Sight. Prose Treatment: Information for Patients and Doctors

Bradley, J., Jacobs, D. Scleral lens for ocular surface disease. *Journal of Experimental and Clinical Medicine*. (2012) 29; 50-54

The Commonwealth of Massachusetts. MassHealth Provider Manual. Vision Care (VIS) Manual. 130 CMR 402.433 Accessed at: <https://www.mass.gov/lists/masshealth-provider-manuals>

Chahal JS, Heur M, Chiu GB. Prosthetic Replacement of the Ocular Surface Ecosystem Scleral Lens Therapy for Exposure Keratopathy. *Eye Contact Lens*. 2017 Jul;43(4):240-244. doi: 10.1097/ICL.0000000000000265.PMID: 27171131



Formisano M, Franzone F, Alisi L, Pistella S, Spadea L. Effects of Scleral Contact Lenses for Keratoconus Management on Visual Quality and Intraocular Pressure. *Ther Clin Risk Manag*. 2021 Jan 25;17:79-85. doi: 10.2147/TCRM.S293425. PMID: 33531812; PMCID: PMC7846850.

Fuller DG, Wang Y. Safety and Efficacy of Scleral Lenses for Keratoconus. *Optom Vis Sci*. 2020 Sep;97(9):741-748. doi: 10.1097/OPX.0000000000001578. PMID: 32932400.

Hayes Medical Technology. Hayes Technology Brief. Boston® Equalens® Scleral Contact Lens (Polymer Technology Corp.) for severe ocular surface disease. October 2008.

Levit A, Benwell M, Evans BJW. Randomised controlled trial of corneal vs. scleral rigid gas permeable contact lenses for keratoconus and other ectatic corneal disorders. *Cont Lens Anterior Eye*. 2020 Jan 7:S1367-0484(19)30268-1. doi: 10.1016/j.clae.2019.12.007. Epub ahead of print. PMID: 31924530.

Jacobs DS. Update on scleral lenses. *Current Opinion Ophthalmology* 2008; 19:298-301.

Parminder A, Jacobs DS. Advances in scleral lenses for refractive surgery complications. *Current Opinion in Ophthalmology* 2015;26(4):243-248.

Kim KH, Deloss KS, Hood CT. Prosthetic Replacement of the Ocular Surface Ecosystem (PROSE) for Visual Rehabilitation in Limbal Stem Cell Deficiency. *Eye Contact Lens*. 2020 Nov;46(6):359-363. doi: 10.1097/ICL.0000000000000685. PMID: 32097183.

Koppen C, Kreps EO, Anthonissen L, et al. Scleral Lenses Reduce the Need for Corneal Transplants in Severe Keratoconus. *Am J Ophthalmol*. 2018 Jan;185:43-47. doi: 10.1016/j.ajo.2017.10.022. Epub 2017 Nov 16. PMID: 29103959

Ling JJ, Mian SI, Stein JD, Rahman M, Poliskey J, Woodward MA. Impact of Scleral Contact Lens Use on the Rate of Corneal Transplantation for Keratoconus. *Cornea*. 2021 Jan;40(1):39-42. doi: 10.1097/ICO.0000000000002388. PMID: 32452985; PMCID: PMC7686092.

Noridian Healthcare Solutions, LLC. Local Coverage Determination (LCD): Eye Prostheses (L33737). Revision Effective Date: 01/01/2020. Available: <https://med.noridianmedicare.com/web/jddme/policies/lcd/active>

Noridian Healthcare Solutions, LLC. Local Coverage Article: Eye Prostheses – Policy Article (A52462). Revision Effective Date: 01/01/2020. Available: <https://med.noridianmedicare.com/web/jddme/policies/lcd/active>

Rozema JJ, Hastings GD, Marsack J, Koppen C, Applegate RA. Modeling refractive correction strategies in keratoconus. *J Vis*. 2021 Sep 1;21(10):18. doi: 10.1167/jov.21.10.18. PMID: 34554182; PMCID: PMC8475278.

Schorneck MM, Vincent SJ, Walker MK. Anatomical and physiological considerations in scleral lens wear: Intraocular pressure. *Cont Lens Anterior Eye*. 2023 Feb;46(1):101535. doi: 10.1016/j.clae.2021.101535. Epub 2021 Nov 22. PMID: 34824016.

Stason WB, Razavi M, Jacobs DS, Shepard DS, Suaya JA, Johns L, Rosenthal P. Clinical Benefits of the Boston Ocular Surface Prosthesis. *Am J Ophthalmology*. 2010; 54-61.

Wang Y, Rao R, Jacobs DS, Saeed HN. Prosthetic Replacement of the Ocular Surface Ecosystem Treatment for Ocular Surface Disease in Pediatric Patients With Stevens-Johnson Syndrome. *Am J Ophthalmol*. 2019;201:1-8. doi:10.1016/j.ajo.2019.01.006

DeLoss KS, Fattah NH, Hood CT. Prosthetic Replacement of the Ocular Surface Ecosystem (PROSE) scleral device compared to keratoplasty for the treatment of corneal ectasia. *Am J Ophthalmol*. 2014 Nov;158(5):974-82. doi: 10.1016/j.ajo.2014.07.016. Epub 2014 Jul 21.



Shahnazi KC, Isozaki VL, Chiu GB. Effect of Scleral Lens Wear on Central Corneal Thickness and Intraocular Pressure in Patients With Ocular Surface Disease. *Eye Contact Lens*. 2020 Nov;46(6):341-347. doi: 10.1097/ICL.0000000000000670. PMID: 31652178.

Schornack MM, Baratz KH, Patel SV, Maguire Jupiter scleral lenses in the management of chronic graft versus host disease *J. Eye Contact Lens*. 2008 Nov;34(6):302-5. doi: 10.1097/ICL.0b013e318188e205.

Schornack MM, Pyle J, Patel SV. Scleral lenses in the management of ocular surface disease. *Ophthalmology*. 2014 Jul;121(7):1398-405. doi: 10.1016/j.opthta.2014.01.028. Epub 2014 Mar 14. PMID: 24630687

Taşcı YY, Saraç Ö, Çağıl N, Yeşilirmak N. Comparison of Hybrid Contact Lenses and Rigid Gas-Permeable Contact Lenses in Moderate and Advanced Keratoconus. *Turk J Ophthalmol*. 2023 Jun 21;53(3):142-148. doi: 10.4274/tjo.galenos.2022.82754. PMID: 37345297; PMCID: PMC10286838.

Vincent SJ, Fadel D. Optical considerations for scleral contact lenses: A review. *Cont Lens Anterior Eye*. 2019 Dec;42(6):598-613. doi: 10.1016/j.clae.2019.04.012. Epub 2019 May 1. PMID: 31054807.

