

SPECIALTY GUIDELINE MANAGEMENT

ALDURAZYME (laronidase)

POLICY

I. INDICATIONS

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

FDA-Approved Indications

Aldurazyme is indicated for adult and pediatric patients with Hurler and Hurler-Scheie forms of Mucopolysaccharidosis I (MPS I) and for patients with the Scheie form who have moderate to severe symptoms.

Limitations of use:

- *The risks and benefits of treating mildly affected patients with the Scheie form have not been established.*
- *Aldurazyme has not been evaluated for effects on the central nervous system manifestations of the disorder.*

All other indications are considered experimental/investigational and not medically necessary.

II. DOCUMENTATION

Submission of the following information is necessary to initiate the prior authorization review:

- A. Initial requests: alpha-L-iduronidase enzyme assay and/or genetic testing results supporting diagnosis.
- B. Continuation requests: chart notes documenting a clinically positive response to therapy, which shall include improvement, stabilization, or slowing of disease progression.

III. CRITERIA FOR INITIAL APPROVAL

Mucopolysaccharidosis I (MPS I)

Authorization of 12 months may be granted for treatment of MPS I when both of the following criteria are met:

- A. Diagnosis of MPS I was confirmed by enzyme assay demonstrating a deficiency of alpha-L-iduronidase enzyme activity and/or by genetic testing.
- B. Member has the Hurler (i.e severe MPS I) or Hurler-Scheie (i.e.attenuated MPS I) OR the member has the Scheie form (Scheie syndrome/i.e. attenuated MPS I) with moderate to severe symptoms (e.g., normal intelligence, less progressive physical problems, corneal clouding, joint stiffness, valvular heart disease).

IV. CONTINUATION OF THERAPY

Authorization of 12 months may be granted for continued treatment in members requesting reauthorization for mucopolysaccharidosis I (MPS I) who have a clinically positive response to therapy, which shall include improvement, stabilization, or slowing of disease progression.

Reference number(s)
2049-A

V. REFERENCES

1. Aldurazyme [package insert]. Cambridge, MA: Genzyme Corporation; December 2019.
2. Wraith JE, Clarke LA, Beck M, et al. Enzyme replacement therapy for mucopolysaccharidosis I: a randomized, double-blinded, placebo-controlled, multinational study of recombinant human alpha-L-iduronidase (laronidase). *J Pediatr*. 2004;144:581-588.
3. Muenzer J, Wraith JE, Clarke LA; International Consensus Panel on Management and Treatment of Mucopolysaccharidosis I. Mucopolysaccharidosis I: management and treatment guidelines. *Pediatrics*. 2009 Jan;123(1):19-29.