

Pemfexy (pemetrexed) Effective 08/01/2022

Plan	□ MassHealth UPPL ⊠Commercial/Exchange		D	Prior Authorization
Benefit	 Pharmacy Benefit Medical Benefit (NLX) 		Program Type	 Quantity Limit Step Therapy
Specialty Limitations	N/A			
	Specialty Medications			
	All Plans	Phone: 866-814-5506		Fax: 866-249-6155
	Non-Specialty Medications			
Contact	MassHealth	Phone: 877-433-7643 Fax: 866-255-7569		
Information	Commercial	Phone: 800-294-5979 Fax: 888-836-0730		
	Exchange	Phone: 855-582-2022 Fax: 855-245-2134		
	Medical Specialty Medications (NLX)			
	All Plans	Р	none: 844-345-2803	Fax: 844-851-0882
Exceptions	N/A			

Overview

Pemfexy is FDA approved for the following indications:

- In combination with cisplatin for the initial treatment of patients with locally advanced or metastatic, non-squamous, non-small cell lung cancer (NSCLC).
- As a single agent for the maintenance treatment of patients with locally advanced or metastatic nonsquamous NSCLC whose disease has not progressed after four cycles of platinum-based first-line chemotherapy.
- As a single agent for the treatment of patients with recurrent, metastatic non-squamous NSCLC after prior chemotherapy.
- In combination with cisplatin for the initial treatment of patients with malignant pleural mesothelioma whose disease is unresectable or who are otherwise not candidates for curative surgery.

Coverage Guidelines

Authorization may be granted for members new to the plan who are currently receiving treatment with Pemfexy excluding when the product is obtained as samples or via manufacturer's patient assistance programs. **OR**

Authorization may be granted for members meeting the following criteria for diagnosis-specific indications and documentation is provided:

Malignant Pleural Mesothelioma (MPM)

Authorization may be granted for treatment of malignant pleural mesothelioma when the disease is unresectable or who are otherwise not candidates for curative surgery.

Non-Small Cell Lung Cancer (Non-Squamous Histology)

Authorization may be granted for treatment of non-squamous non-small cell lung cancer when ONE of the following is met:

- 1. In combination with cisplatin for the initial treatment of patients with locally advanced or metastatic, non-squamous, non-small cell lung cancer (NSCLC).
- 2. As a single agent for the maintenance treatment of patients with locally advanced or metastatic, nonsquamous NSCLC whose disease has not progressed after four cycles of platinum-based first-line chemotherapy.
- 3. As a single agent for the treatment of patients with recurrent, metastatic non-squamous, NSCLC after prior chemotherapy.

Continuation of Therapy

Reauthorization of 6 months may be granted for continued treatment for a listed indication when there is no evidence of unacceptable toxicity or disease progression while on the current regimen.

Limitations

- 1. Initial approvals and reauthorizations will be granted for 6 months for all diagnoses.
- 2. Pemfexy is not indicated for the treatment of patients with squamous cell, non-small cell lung cancer (NSCLC)

References

1. Pemfexy (pemetrexed) [prescribing information]. Woodcliff Lake, NJ: Eagle Pharmaceuticals Inc; June 2020.

Review History

06/22/2022 – Created and Reviewed for June P&T. Effective 08/01/2022.