

Kevzara (sarilumab)
Effective 06/01/2025

Plan	<input type="checkbox"/> MassHealth UPPL <input checked="" type="checkbox"/> Commercial/Exchange	Program Type	<input checked="" type="checkbox"/> Prior Authorization <input type="checkbox"/> Quantity Limit <input type="checkbox"/> Step Therapy
Benefit	<input checked="" type="checkbox"/> Pharmacy Benefit <input type="checkbox"/> Medical Benefit		
Specialty Limitations	This medication has been designated specialty and must be filled at a contracted specialty pharmacy.		
Contact Information	Medical and Specialty Medications		
	All Plans	Phone: 877-519-1908	Fax: 855-540-3693
	Non-Specialty Medications		
	All Plans	Phone: 800-711-4555	Fax: 844-403-1029
Exceptions	N/A		

Overview

Kevzara (sarilumab) is an interleukin (IL-6) receptor antagonist indicated for the treatment of:

- Adult patients with moderately to severely active rheumatoid arthritis
- Adult patients with polymyalgia rheumatica (PMR)
- Patients who weigh 63 kilograms or more with active polyarticular juvenile idiopathic arthritis (pJIA)

Coverage Guidelines

Authorization may be granted for members new to the plan within the past 90 days who are currently receiving treatment with the requested medication, excluding when the product is obtained as samples or via manufacturer's patient assistance programs.

OR

Authorization may be granted when all the following diagnosis-specific criteria have been met:

Moderately to severely active rheumatoid arthritis (RA)

1. Diagnosis of moderately to severely active RA
2. Member has trial and failure, contraindication or intolerance to TWO of the following:
 - a. Cimzia
 - b. Enbrel
 - c. Humira (Abbvie), Adalimumab-adaz, Adalimumab-fkjp, Hadlima, Amjevita (Nuvaila)
 - d. Rinvoq
 - e. Simponi
 - f. Xeljanz or Xeljanz XR
3. Member has trial and failure, contraindication or intolerance to BOTH of the following:
 - a. Actemra/Tyenne
 - b. Orencia
4. Member has had minimum duration of a 3-month trial and failure, contraindication, or intolerance to ONE of the following conventional therapies at maximally tolerated doses:

- a. Methotrexate
- b. Leflunomide
- c. Sulfasalazine

Active Polyarticular Juvenile Idiopathic Arthritis (pJIA)

1. Diagnosis of active polyarticular juvenile idiopathic arthritis (pJIA)
2. Minimum duration of a 6-week trial and failure, intolerance, or contraindication to ONE of the following conventional therapies at maximally tolerated doses
 - a. Leflunomide
 - b. Methotrexate
3. Member has trial and failure, contraindication or intolerance to TWO of the following:
 - a. Cimzia
 - b. Enbrel
 - c. Humira (Abbvie), Adalimumab-adaz, Adalimumab-fkjp, Hadlima, Amjevita (Nuvaia)
 - d. Xeljanz
 - e. Rinvoq/Rinvoq LQ
4. Member has a trial and failure, contraindication, or intolerance to BOTH of the following:
 - a. Actemra/Tyenne
 - b. Orencia

Polymyalgia Rheumatica (PMR)

1. Diagnosis of polymyalgia rheumatica (PMR)
2. Member meets ONE of the following:
 - a. Member has had inadequate response to corticosteroids (e.g., prednisone)
 - b. Member cannot tolerate tapering of corticosteroids (e.g., prednisone)

Continuation of Therapy

Requests for reauthorizations for all diagnoses will be granted when the following criteria are met:

1. Documentation is submitted supporting improvement in member's condition as evidenced by low disease activity or improvement in signs and symptoms of the condition.

Limitations

1. Approvals will be granted for 24 months
2. The following quantity limits apply:

Drug Name and Dosage Form	Quantity Limit
Kevzara pen 150 mg/1.14 mL	1 pack (2 x 150 mg pen) per 4 weeks
Kevzara pen 200 mg/1.14 mL	1 pack (2 x 200 mg pen) per 4 weeks

References

1. Dejaco C, Singh YP, Perel P, et al. 2015 recommendations for the management of polymyalgia rheumatica: a European League Against Rheumatism/American College of Rheumatology collaborative initiative. 2015;74(10):1799-807
2. Fraenkel L, Bathon JM, England BR, et al. 2021 American College of Rheumatology guideline for the treatment of rheumatoid arthritis. 2021;73(7):924-939.
3. Kevzara (sarilumab) [prescribing information]. sanofi-aventis U.S. LLC: Bridgewater, NJ; August 2024.



4. Singh JA, Saag KG, Bridges SL Jr, et al. 2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care Res. 2015;68(1):1-25.

Review History

02/26/18 – Reviewed

06/01/18 – Implemented

02/20/19 – Updated

11/20/19 – Added Rinvoq as a preferred trial for RA.

11/15/2023 – Reviewed and Updated for Nov P&T; Removed TB requirement. Updated preferred drugs to prior use of TWO of the following: Cimzia, Enbrel, Humira or biosimilars, Rinvoq, Simponi, Xeljanz or Xeljanz XR AND Actemra AND Orencia. Added additional conventional therapies. Added indication of polymyalgia rheumatica. Removed appendix. Effective 1/1/2024

10/09/2024 – Reviewed and updated for October P&T. Updated RA criteria to include Amjevita (Nuvaila) as a preferred adalimumab product. Added criteria for pJIA. Updated reauthorization criteria to require documentation of clinical response to therapy. Effective 1/1/2025.

04/09/2025 – Reviewed and updated for April P&T. Updated RA and pJIA criteria to include Tysen as a preferred tocilizumab product. Effective 06/01/2025.

